

HEXCEL CORP/ CHEM PRODUCTS DIV -- EPOLITE 2353-2354 RESIN

=====  
MSDS Safety Information  
=====

FSC: 8040  
NIIN: 01-086-9701  
MSDS Date: 06/01/1991  
MSDS Num: BBKYD  
Product ID: EPOLITE 2353-2354 RESIN  
MFN: 02  
Kit Part: Y  
Responsible Party  
Cage: FO631  
Name: HEXCEL CORP/ CHEM PRODUCTS DIV  
Address: 20701 NORDHOFF ST  
Bo  
x: 2197  
City: CHATSWORTH CA 91311-5924  
Info Phone Number: 818-882-3022  
Emergency Phone Number: 818-882-3022/800-433-5072  
Proprietary Ind: Y  
Review Ind: Y  
Published: Y

=====  
Preparer Co. when other than Responsible Party Co.  
=====

Cage: FO631  
Assigned Ind: Y  
Name: HEXCEL CORP/ CHEM PRODUCTS DIV  
Address: 20701 NORDHOFF ST  
Box: 2197  
City: CHATSWORTH CA 91311-5924

=====  
Contractor Summary  
=====

Cage: FO631  
Name: HEXCEL CORP/ CHEM PRODUCTS DIV  
Address: 20701 NORDHOFF ST  
Box: 2197  
City: CHATSWORTH CA 91311-5924  
Phone: 818-882-3022/800-367-7527  
Cage: 01490  
Name: HEXCEL CORPORATION;CHEMICAL PRODUCTS DIVISION  
Address: 20701-NORDHOFF STREET  
Box: 2197  
City: CHATSWORTH CA 91311-5924  
Phone: 818-882-3022

=====  
Item Description Information  
=====

=====  
Item Name: ADHESIVE  
=====

Ingredients  
=====

Name: \*\*\* PROPRIETARY \*\*\*  
-----  
=====

Health Hazards Data  
=====

Route Of Entry Inds - Inhalation: YES

Skin: YES

Ingestion: YES

Carcinogenicity Inds - NTP: NO

IARC: NO

OSHA: NO

Effects o

f Exposure: INHALATION: IRRITATING TO MUCOUS MEMBRANES & EYES.

SKIN: CHEMICAL BURNS, SEVERE DERMATITIS, & ALLERGIC REACTIONS; ABSORPTION  
IN HARMFUL AMOUNTS. INGESTION: MODERATELY TOXIC, BURNS TO MOUTH & THROAT.

Explanation Of Carcinogenicity: SEE INGREDIENTS

Signs And Symptoms Of Overexposure: INGESTION: ABDOMINAL PAIN, NAUSEA,  
VOMITING, DIARRHEA.

First Aid: EYES: FLUSH W/PLENTY OF WATER FOR AT LEAST 15 MINS. SKIN: WASH  
W/SOAP & PLENTY OF WATER. INHALATION: REMOVE TO FRE  
SH AIR. IF BREATHING

STOPS, GIVE ARTIFICIAL RESPIRATION. IF BREATHING IS DIFFICULT, GI VE OXYGEN.  
INGESTION: INDUCE VOMITING UPON ADVICE OF A PHYSICIAN. OBTAIN MEDICAL  
ATTENTION IN ALL CASES.

=====  
Handling and Disposal  
=====

Spill Release Procedures: CONTAIN W/SUITABLE DIKING MATERIAL. VENTILATE AREA  
THOROUGHLY. KEEP ALL UNNECESSARY PEOPLE AWAY. ABSORB IN SAWDUST, SAND OR  
OTHER ABSORBAN

T. PLACE INTO OPEN-TOPPED CONTAINERS & COVER LOOSELY; STORE  
FO R AT LEAST 12 HRS BEFORE SEALING CONTAINER.

Waste Disposal Methods: CONTROLLED INCINERATION OR BURY IN LANDFILL IN  
ACCORDANCE W/FEDERAL, STATE & LOCAL REGULATIONS.

Handling And Storage Precautions: STORE IN COOL, DRY AREA IN TIGHTLY CLOSED  
CONTAINERS. AVOID MOISTURE CONTAMINATION. USE W/ADEQUATE VENTILATION.

Other Precautions: AVOID BREATHING VAPORS.  
=====

Fire and Explo

tion Hazard Information

Flash Point Method: TCC

Flash Point Text: 220F

Extinguishing Media: SMALL: CO2 OR DRY CHEMICAL. LARGE: WATER & FOAM.

Fire Fighting Procedures: WEAR SELF-CONTAINED BREATHING APPARATUS.

Control Measures

Ventilation: MECHANICAL EXHAUST

Protective Gloves: REQUIRED

Eye Protection: SAFETY GLASSES

Other Prot

ective Equipment: SYNTHETIC APRON

Work Hygienic Practices: WASH THOROUGHLY AFTER HANDLING. REMOVE/LAUNDER CONTAMINATED CLOTHING BEFORE REUSE.

Supplemental Safety and Health: DENSITY (G/ML): 1.40

Physical/Chemical Properties

B.P. Text: >200C

Appearance and Odor: BLACK LIQUID W/MILD ODOR

Reactivity Data

Stability Indicator: YES

Stability Condition To Avoid: HEAT, SPARKS, OPEN FLAMES, EXCESSIVELY LARGE MASSES OF MIXED RESIN & HARDENER

Materials To Avoid: STRONG ACIDS OR BASES, STRONG OXIDIZERS

Hazardous Decomposition Products: ALDEHYDES, ACIDS, CO & CO2

Hazardous Polymerization Indicator: NO

Toxicological Information

Ecological Information

MSDS Transport Information

Regulatory Information

Other Information

=====

HAZCOM Label

Product ID: EPOLITE 2353-2354 RESIN

Cage: FO631

Assigned IND: Y

Company Name: HEXCEL CORP/ CHEM PRODUCTS DIV

Street: 20701 NORDHOFF ST

PO Box: 2197

City: CHATSWORTH CA

Zipcode: 91311-5924

Health Emergency Phone: 818-882-3022/800-433-5072

Label Required IND: Y

Date Of Label Review: 12/28/1993

Status Code: C

Label Date: 12/28/1993

Origination Code: F

Chronic Haza

rd IND: Y

Eye Protection IND: YES

Skin Protection IND: YES

Signal Word: DANGER

Health Hazard: Moderate

Contact Hazard: Severe

Fire Hazard: Slight

Reactivity Hazard: Slight

Hazard And Precautions: INHALATION: IRRITATING TO MUCOUS MEMBRANES & EYES.

SKIN: CHEMICAL BURNS, SEVERE DERMATITIS, & ALLERGIC REACTIONS; ABSORPTION  
IN HARMFUL AMOUNTS. INGESTION: MODERATELY TOXIC, BURNS TO MOUTH & THROAT.  
TARGET ORGANS: RESPIRATORY & DIGESTIVE TRACTS, SKIN & EYES.

EYES:

SLIGHT IRRITATION. SKIN: MILD IRRITATION, BURNING. INGESTION:

IRRITATION OF THE GASTROINTESTINAL TRACT, ULCERATION/BURNS IN THE MOUTH  
& THROAT.

=====

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever expressly or implied warrants, states, or intends said information to have any

application, use or

viability by or to any person or persons outside the Department of Defense nor any person or persons contracting with any instrumentality of the United States of America and disclaims all liability for such use. Any person utilizing this instruction who is not a military or civilian employee of the United States of America should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular sit

uation regardless of similarity to a corresponding Department of Defense or other government situation.