

MINNESOTA MINING AND MFG CO, 3M RIKER DIV -- SEALER #8551 -- 8030-00-057-4109

===== Product Identification =====

Product ID:SEALER #8551

MSDS Date:01/01/1987

FSC:8030

NIIN:00-057-4109

MSDS Number: BCWLT

=== Responsible Party ===

Company Name:MINNESOTA MINING AND MFG CO, 3M RIKER DIV

Address:19901 NORDHOFF ST

City:NORTHRIDGE

State:CA

ZIP:91324-3213

Country:US

Info Phone Num:612-733-5454

Emergency

Phone Num:612-733-5454

CAGE:76381

=== Contractor Identification ===

Company Name:MINNESOTA MINING AND MFG CO, DBA 3M

Address:3M CENTER BLDG 224-5S-04

Box:City:SAINT PAUL

State:MN

ZIP:55144-1000

Country:US

Phone:866-556 5712 / 612-733-1110

CAGE:76381

===== Composition/Information on Ingredients =====

Ingred Name:NAPHTA (PETROLEUM SPIRITS OR BENZIN)

CAS:8030-30-6

RTECS #:DE3030000

Fraction by Wt: 44%

OSHA PEL:100 PPM

Ingred Name:TOLUENE (SARA III)

CAS:108-88-3

RTECS #:XS5250

000
Fraction by Wt: 11%
OSHA PEL:200 PPM/150 STEL
ACGIH TLV:50 PPM; 9293
EPA Rpt Qty:1000 LBS
DOT Rpt Qty:1000 LBS

===== Hazards Identification =====

Effects of Overexposure:MAY IRRITATE EYES,SKIN & UPPER RESPIRATORY
STSTEM.BREATHING CONCENTRATED VAPORS MAY CAUSE NARCOSIS

===== First Aid Measures =====

First Aid:EYE-FLUSH WITH PLENTY OF WATER;GET MEDICAL AID.SKIN-WASH WITH
SOAP & WATER. INHALATION-PROVIDE FRESH A
IR.INGESTION-DO NOT INDUCE
VOMITING.CALL A PHYSICIAN

===== Fire Fighting Measures =====

Flash Point:40F,4.4C TCC
Lower Limits:1.0
Upper Limits:7.0
Extinguishing Media:CO*2,FOAM, DRY CHEMICAL
Fire Fighting Procedures:NONE
Unusual Fire/Explosion Hazard:NONE

===== Accidental Release Measures =====

Spill Release Procedures:EXTINGUISH ALL IGNITION SOURCES,COLLECT
SPILLED MATERIAL.CLEAN UP RESIDUE

===== Handlin
g and Storage =====

Handling and Storage Precautions:EXTREMELY FLAMMABLE. KEEP AWAY FROM
ALL SOURCES OF IGNITION.USE ONLY IN WELL VENTILATED AREAS.AVOID EYE
CONTACT AND PROLONGED BREATHING OF VAPORS.

===== Exposure Controls/Personal Protection =====

Ventilation:LOCAL EXHAUST
Protective Gloves:YES
Eye Protection:YES
Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:F2
Boiling Pt:B.P. Text:230F,1

10C
Vapor Pres:25
Vapor Density:3.2
Spec Gravity:0.85
Solubility in Water:NEGLIGIBLE
Appearance and Odor:CLEAR LIQUID-ODOR OF NAPHTHA
Percent Volatiles by Volume:55

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

===== Disposal Considerations =====

Waste Disposal Methods:INCINERTE PROPERLY-DO NOT LANDFILL

Disclaimer (provided with this information by the compiling agencies):
This information is
formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.