

RADIATOR SPECIALITY CO. -- 8030-00-065-1970 -- 8030-00-065-1970

=====  
Product Identification  
=====

Product ID:8030-00-065-1970

MSDS Date:01/01/1985

FSC:8030

NIIN:00-065-1970

MSDS Number: BCWZZ

=== Responsible Party ===

Company Name:RADIATOR SPECIALITY CO.

Address:1400 W. INDEPENDENCE BLVD.

City:CHARLOTTE

State:NC

ZIP:28208

Country:US

Info Phone Num:704-377-6555

Emergency Phone Num:704-377-6555

CA

GE:77628

=== Contractor Identification ===

Company Name:RADIATOR SPECIALTY COMPANY

Address:1900 WILKINSON BLVD.

Box:34689

City:CHARLOTTE

State:NC

ZIP:28208

Country:US

Phone:704-377-6555/303-623-5716

CAGE:77628

=====  
Composition/Information on Ingredients  
=====

Ingred Name:ISOPROPYL ALCOHOL (SARA III)

CAS:67-63-0

RTECS #:NT8050000

Fraction by Wt: UNK

OSHA PEL:400 PPM/500 STEL

ACGIH TLV:400 PPM/500STEL;9192

Ingred Name:CAST OR OIL (POLYMERIZED)

RTECS #:FI4100000

Fraction by W

t: UNK  
ACGIH TLV:UNK

Ingred Name:RESIN  
Fraction by Wt: UNK  
ACGIH TLV:UNK

===== Hazards Identification =====

Effects of Overexposure:MILD NARCOSSIS

===== First Aid Measures =====

First Aid:REMOVE FROM EXPOSURE TO FRESH AIR.IF INGESTED,CALL DR.

===== Fire Fighting Measures =====

Flash Point:192F TOC 89C  
Lower Limits:2.5  
Upper Limits:5.2  
Extinguishing Media:CARBON DIOXIDE,DRY CHEM  
Fire F  
ighting Procedures:NA  
Unusual Fire/Explosion Hazard:DANGEROUS WHEN EXPOSED TO HEAT OR FLAMES.

===== Accidental Release Measures =====

Spill Release Procedures:EXTINGUISH ALL FLAMES.REMOVE PERSONNEL FROM  
AREA UNTIL ODOR DISSIPATES.VENTILATE AREA.

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN TIGHTLY CLOSED CONTAINERS  
AWAY FROM FIRE.

===== Exposure Controls/Personal Protection =====

=====

Respiratory Protection:LOCAL EXHAUST  
Ventilation:USE LOCAL EXHAUST.  
Protective Gloves:NA  
Eye Protection:NA  
Other Protective Equipment:NA  
Supplemental Safety and Health  
PROCURED UNDER TITSEAL #2 SEALING COMPOUND

===== Physical/Chemical Properties =====

HCC:V4  
Boiling Pt:B.P. Text:179F 82C  
Vapor Pres:33  
Vapor Density:2.07  
Spec Gravity:1.2  
Solubility in Water:NEGLIGIBLE  
Appearance and Odor:VISCOUS PASTE,RESINOUS ODOR  
Percent Volatiles by Volume:15

=====

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid: YES

CAN REACT/EXIDANTS

Stability Condition to Avoid: NA

Hazardous Decomposition Products: NA

===== Disposal Considerations =====

Waste Disposal Methods: DISCARD IN SOLVENT DISPOSAL DUMP.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America

in no manner whatsoever,

expressly or implied, warrants this information to be accurate and

disclaims all liability for its use. Any person utilizing this

document should seek competent professional advice to verify and

assume responsibility for the suitability of this information to their

particular situation.