

SULFLO INC. -- VV-G-632A;CODE # 1148 -- 9150-00-076-1586

===== Product Identification =====

Product ID:VV-G-632A;CODE # 1148

MSDS Date:05/04/1988

FSC:9150

NIIN:00-076-1586

MSDS Number: BCXLX

=== Responsible Party ===

Company Name:SULFLO INC.

Address:1158 ERIE AVE

Box:285

City:NORTH TONAWANDA

State:NY

ZIP:14120-3507

Country:US

Info Phone Num:716-695-3585

Emergency Phone Num:716-695-3585

Preparer's

Name:THOMAS G. MUSILLI

CAGE:JO986

=== Contractor Identification ===

Company Name:SULFLO INC

Address:1158 ERIE AVE

Box:285

City:NORTH TONAWANDA

State:NY

ZIP:14120-3507

Country:US

Phone:716-695-3585

CAGE:1V074

Company Name:SULFLO INC.

Address:1158 ERIE AVE

Box:285

City:NORTH TONAWANDA

State:NY

ZIP:14120-3507

Country:US

Phone:716-695-3585

CAGE:JO986

===== Composition/Information on Ingredients =====

Ingred Name:MINERAL OIL

CAS:64742-52-5

RTECS #:PY8035000

Fraction by Wt: 87.0%

Other REC Limits:5MG/CUM AS OIL MIST

Ingred Name:CALCIUM STEARATE

CAS:1592-23-0

RTECS #:WI3000000

Fraction by Wt: 12.0%

Ingred Name:WATER

CAS:7732-18-5

RTECS #:ZC0110000

Fraction by Wt: 1.0%

=====
===== Hazards Identification =====

Routes of Entry: Inhalation:UNKNOWN Skin:YES Ingestion:YES
Health Hazards Acute and Chronic:ACUTE:MILD IRRITATION OF EYES AND
SKIN;MAY ALSO IRRITATE RESPIRATORY TRACT IN CASE OF INHALATION OF
OIL VAPORS/MIST.

Effects of Overex

posure:SEE HEALTH HAZARD DATA.

Medical Cond Aggravated by Exposure:NO DATA IS GIVEN.

=====
===== First Aid Measures =====

First Aid:EYES:FLUSH EYES WITH WATER FOR AT LEAST 15 MINUTES;GET
MEDICAL ATTENTION. SKIN:WASH THOROUGHLY WITH WATER AND SOAP.
INGESTION:INDUCE VOMITING;CALL A PHYSICIAN. INHALATION:REMOVE TO
FRESH AIR.CALL A PH YSICIAN.

=====
===== Fire Fighting Measures =====

Flash Point Method:COC

Flash Point:380F/1

93C

Autoignition Temp:Autoignition Temp Text:420F

Extinguishing Media:WATERFOG,CO*2,DRY CHEMICAL,FOAM,EARTH OR SAND

Fire Fighting Procedures:WATER MAY CAUSE FROTHING.USE NIOSH/MSHA
APPROVED SCBA IN AN ENCLOSED AREA.

Unusual Fire/Explosion Hazard:NONE NOTED;USE REASONABLE CARE.

=====
===== Accidental Release Measures =====

Spill Release Procedures:USE PROPER PERSONAL PROTECTION;SWEEP OR SCOOP
UP;ABSORB WITH SAND OR INERT MATERIAL & RECOVER FOR PROPER
DISPOSAL.

=====
===== Handling and Storage =====

Handling and Storage Precautions:STORE IN COOL,DRY AND WELL VENTILATED AREA.KEEP AWAY FROM HEAT,OPEN FLAMES.

=====
===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE NEEDED IN CASE OF ADEQUATE VENTILATION.

Ventilation:GENERAL TO MAINTAIN ADEQUATE VENTILATION.

Protective Gloves:NEOPRENE/RUBBER

Eye Protection:FACESHIELD/SAFETY GOGGLES

Other Protective Equipment:EYE-WASH (FULL SKIN & EYES PROTECTION)

Work Hygienic Practices:AVOID CONTACT WITH EYES AND SKIN;WASH THOROUGHLY AFTER EACH USE.

Supplemental Safety and Health

MSDS RECEIVED BY DGSC:MAY 20,1988.

=====
===== Physical/Chemical Properties =====

HCC:V6

Boiling Pt:B.P. Text:700F/371C

Decomp Temp:Decomp Text:210F/99C

Spec Gravity:0.90

Evaporation Rate & Reference:1.0 (WATER=1)

Solubility in Water:NEGLIGIBLE

Appearance and Odor:SEMIFLUID-BLAND

Percent Volatiles by Volume:1.0

=====
=====

Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZERS

Stability Condition to Avoid:EXTREME HEAT

Hazardous Decomposition Products:CO & CO*2 IF INCOMPLETE COMBUSTION

=====
===== Disposal Considerations =====

Waste Disposal Methods:INCINERATE OR DISPOSE OF COLLECTED MATERIAL IN ACCORDANCE WITH LOCAL,STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This inf

ormation is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.