

BORDEN INC., KRYLON DEPT -- KRYLON 2101 CHERRY RED (NEW FORMULA) -- 8010-00-079-3760

=====  
Product Identification  
=====

Product ID:KRYLON 2101 CHERRY RED (NEW FORMULA)

MSDS Date:06/30/1986

FSC:8010

NIIN:00-079-3760

MSDS Number: BCXRD

=== Responsible Party ===

Company Name:BORDEN INC., KRYLON DEPT

Address:180 EAST BROAD STREET

City:COLUMBUS

State:OH

ZIP:43215

Country:US

Info Phone Num:614-457-5200

Emergency Phone Num:614-457-5200

CAGE:EO688

=== Contractor Identification ===

Company Name:BORDEN CHEMICAL CO

Address:180 E BROAD ST

Box:City:COLUMBUS

State:OH

ZIP:43215-3705

Country:US

Phone:614-225-6124

CAGE:86142

Company Name:BORDEN INC., KRYLON DEPT

Address:FORD & WASHINGTON ST

City:NORRISTOWN

State:PA

ZIP:19404

Country:US

Phone:(215) 278-2456

CAGE:EO688

=====  
Composition/Information on Ingredients  
=====

Ingred Name:N-BUTYL ALCOHOL (SARA III)

CAS:71-36-3

RTECS #:EO14000

00

OSHA PEL:100 PPM  
ACGIH TLV:S, C 50 PPM; 9293  
EPA Rpt Qty:5000 LBS  
DOT Rpt Qty:5000 LBS

Ingred Name:METHYL ETHYL KETONE (2-BUTANONE) (MEK) (SARA III)  
CAS:78-93-3  
RTECS #:EL6475000  
Fraction by Wt: 8-17%  
OSHA PEL:200 PPM/300 STEL  
ACGIH TLV:200 PPM/300STEL 9192  
EPA Rpt Qty:5000 LBS  
DOT Rpt Qty:5000 LBS

Ingred Name:XYLENES (O-,M-,P- ISOMERS) (SARA III)  
CAS:1330-20-7  
RTECS #:ZE2100000  
Fraction by Wt: 6-14%  
OSHA PEL:100 PPM/150 STEL  
ACGIH TLV:100 PPM/150STEL;9192  
EPA Rpt Qty:1000 LBS  
DOT Rpt Qty:  
1000 LBS

Ingred Name:TOLUENE (SARA III)  
CAS:108-88-3  
RTECS #:XS5250000  
Fraction by Wt: 2-3%  
OSHA PEL:200 PPM/150 STEL  
ACGIH TLV:50 PPM; 9293  
EPA Rpt Qty:1000 LBS  
DOT Rpt Qty:1000 LBS

Ingred Name:ACETONE (SARA III)  
CAS:67-64-1  
RTECS #:AL3150000  
Fraction by Wt: 36.5%  
OSHA PEL:1000PPM  
ACGIH TLV:750PPM/1000STEL;9293  
EPA Rpt Qty:5000 LBS  
DOT Rpt Qty:5000 LBS

===== Hazards Identification =====

Effects of Overexposure:INH:MAY BE HARMFUL;LIQ/VAP MAY IRRIT  
NOSE

,THROAT,LUNGS. SKIN/EYES:IRRIT. INGEST:MAY BE HARMFUL

=====  
First Aid Measures  
=====

First Aid:INGEST:DO NOT INDUCE VOMITING;CALL PHYSICIAN IMMED.  
SKIN:IMMED FLUSH W/WATER FOR AT LEAST 15MIN;IF IRRIT PERSISTS,CALL  
A PHYSICIAN. EYES:IMMED FLUSH W/WATER 15MIN W/EYELIDS APART;CALL  
MD. INH:REMOVE T O FRESH AIR;GIVE ARTIF RESP OR O<sub>2</sub> IF NEC;CALL MD.

=====  
Fire Fighting Measures  
=====

Flash Point:N/A AEROSOL  
Exting  
uishing Media:DRY CHEMICAL, CO<sub>2</sub>, FOAM. WATER MAY BE INEFFECTIVE  
Fire Fighting Procedures:USE WATER TO COOL FIRE EXPOS CANS. WEAR SCBA  
Unusual Fire/Explosion Hazard:EXTREM FLAM;UNDER PRESSURE. HI TEMP MAY  
BURST CANS;AVOID ALL HEAT/IGNIT SOURCES,DIRECT SUN.

=====  
Accidental Release Measures  
=====

Spill Release Procedures:ELIMINATE ALL IGNITION SOURCES. SOAK UP  
W/ABSORBENT MATERIAL & REMOVE TO A CHEMICAL DISPOSAL AREA. PREVENT  
ENTRY INTO NATURAL BODIES OF  
WATER.

=====  
Handling and Storage  
=====

Handling and Storage Precautions:DO NOT STORE AT TEMPERATURES OVER  
120F. WASH THOROUGHLY AFTER HANDLING. AVOID PROLONGED OR REPEATED  
CONTACT W/EYES,SKIN OR CLOTHING.  
Other Precautions:USE W/ADEQUATE VENTILATION. AVOID BREATHING VAPOR OR  
MIST. HANDLE IAW GOOD INDUSTRIAL HYGIENE & SAFETY.

=====  
Exposure Controls/Personal Protection  
=====

Respiratory Protection:NIOSH/MSHA APPRVD RESP PROT DE  
PENDING ON  
CONDITIONS OF USE/TLV EXPOS  
Ventilation:LOCAL EXHAUST IN VOLUME & PATTERN ADEQ TO KEEP BELOW TLV  
Protective Gloves:IMPERVIOUS  
Eye Protection:GOGGLES IF CONTACT LIKELY  
Supplemental Safety and Health  
DATE OF PREP:06/30/86. ADD INGRED:METHYL ISOBUTYL KETONE,2-4%;  
2-PROPANOL 1-METHOXY-,ACETATE,7-8%; PROPANE,16-17%.

=====  
Physical/Chemical Properties  
=====

HCC:V3  
Vapor Density:>1.0  
Spec Gravity: