

ESSEX CHEMICAL CORP -- PRO-SEAL MYLAR ADHESIVEW/ACCELERATOR -- 8030-00-126-7798

=====
Product Identification
=====

Product ID:PRO-SEAL MYLAR ADHESIVEW/ACCELERATOR

MSDS Date:01/01/1985

FSC:8030

NIIN:00-126-7798

Kit Part:Y

MSDS Number: BCZWK

=== Responsible Party ===

Company Name:ESSEX CHEMICAL CORP

Emergency Phone Num:(213)636-0851

CAGE:83527

=== Contractor Identification ===

Company Name:ESSEX CH

EMICAL CORP PRO-SEAL DIV

Address:19451 SUSANA RD

Box:City:COMPTON

State:CA

ZIP:90221-5713

Country:US

Phone:310-537-7600

CAGE:83527

=====
Composition/Information on Ingredients
=====

Ingred Name:POLYSULFIDE RESINS (80-90%) AS VEHICLE

Ingred Name:KETONE (TYPE NOT SPECIFIED)(1-2%)AS SOLVENT.

Ingred Name:FILLER (5-10%)

=====
Hazards Identification
=====

Effects of Overexposure:MAY CAUSE IRRITATION OF SKIN & MUCOUS MEMBRANE

=====
First Aid Measures
=====

First Aid:SKIN:FLUSH THOROUGHLY W/SOAP & WATER. EYE:IMMEDIATELY FLUSH
W/WATER AT LEAST 15 MIN. CALL MD. INGEST:GIVE EMETIC. CALL MD
IMMEDIATELY.

=====
Fire Fighting Measures
=====

Flash Point:>200F OC

Extinguishing Media:DRY CHEMICAL, CO*2, FOAM, WATER SPRAY

Fire Fighting Procedures:NONE

Unusual Fire/Explosion Hazard:NONE

=====
Accidental Release Measures
=====

Spill Rele

ase Procedures:CLEAN UP SPILLAGE W/RAGS AND/OR SWEEPING
COMPOUND & SOLVENTS.

=====
===== Handling and Storage =====

Handling and Storage Precautions:AVOID SKIN CONTACT. STORE IN CLOSED
CONTAINER BELOW 80F.

=====
===== Exposure Controls/Personal Protection =====

Respiratory Protection:CONFINED AREAS-CANNISTER TYPE
Ventilation:LOCAL EXHAUST RECOMMENDED
Protective Gloves:RECOMMENDED
Eye Protection:RECOMMENDED
Other Protective Equipment:COVERALLS
OR APRON
Supplemental Safety and Health
LD50 SINGLE DOSE ORAL RATS 0.5 TO 5 G/KG

=====
===== Physical/Chemical Properties =====

HCC:N1
Spec Gravity:1.3
Solubility in Water:NEGLIGIBLE
Appearance and Odor:AMBER PASTE. MERCAPTAN ODOR
Percent Volatiles by Volume:2.

=====
===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
STRONG OXIDIZING AGENTS
Hazardous Decomposition Products:SO*2, CO*2, H*2O, UPON COMBUSTION

=====
===== Disposal Considerations =====

Waste Disposal Methods:BURN WASTE (MFG RECOMM). DISPOE IN ACCORDANCE
W/LOCAL, STATE & FEDERAL CODES.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizi

ng this

document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.