View NSN Online: https://aerobasegroup.com/nsn/6850-00-145-0255

CROWN INDUSTRIAL PRODUCTS CO -- FAULT FINDER PENETRANT #501098 #1098 -- 6850-00-145-0255

============= Product Identification ========================

Product ID:FAULT FINDER PENETRANT #501098 #1098

MSDS Date:04/18/1988

FSC:6850

NIIN:00-145-0255

Kit Part:Y

MSDS Number: BDCFS === Responsible Party ===

Company Name: CROWN INDUSTRIAL PRODUCTS CO

Address: HWY 47 N

Box:350

City:HEBRON

State:IL ZIP:60034 Country:US Info Phone

Num:800-766-7655

Emergency Phone Num:800-766-7655

CAGE:92381

=== Contractor Identification ===

Company Name: CROWN INDUSTRIAL PRODUCTS CO

Address: HWY 47 N

Box:350

City:HEBRON

State:IL ZIP:60034 Country:US

Phone:815-648-2424

CAGE:92381

======= Composition/Information on Ingredients ========

Ingred Name:POLY(OXY(METHYL-1,2-ETHANEDIYL)),

ALPHA-BUTYL-OMEGA-HYDROXY-/BUTOXYPOLYPROPYLENE GLYCOL

CAS:9003-13-8

RTECS #:TR4680000 Fraction by Wt: 11-30%

Other REC Limits: NONE SPECIFIED

Ing

red Name:RESIDUES (PETROLEUM), CATALYTIC REFORMER FRACTIONATOR/HEAVY AROMATIC NAPHTHA

CAS:64741-67-9 RTECS #:VG7067000 Fraction by Wt: 31-50%

Other REC Limits:NONE SPECIFIED ACGIH TLV:200 PPM (PER MFR)

Ingred Name: ALIPHATIC PETROLEUM SOLVENT/KEROSENE/COAL OIL

CAS:8008-20-6

RTECS #:OA5500000 Fraction by Wt: 11-30%

Other REC Limits:NONE SPECIFIED ACGIH TLV:200 PPM (PER MFR)

Ingred Name: N-METHYLPYRROLIDONE/2-PYRROLIDINONE, 1-METHYL-

CAS:872-50-4

RTECS #:UY5790000 Fraction by Wt: 1-10%

Other R

EC Limits:NONE SPECIFIED
OSHA PEL:100 PPM (PER MFR)
ACGIH TLV:200PPM/100 STEL(MFR)

Ingred Name:DICHLORODIFLUOROMETHANE (SARA III)

CAS:75-71-8

RTECS #:PA8200000 Fraction by Wt: 11-30%

Other REC Limits: NONE SPECIFIED

OSHA PEL:1000 PPM

ACGIH TLV:1000 PPM; 9192

EPA Rpt Qty:5000 LBS DOT Rpt Qty:5000 LBS Ozone Depleting Chemical:1

========= Hazards Identification ==============

LD50 LC50 Mixture:LD50 (ORAL RAT) 11 G/KG(INGR. 1)

Routes of Entry: Inhalation:YES Skin:YES Ingest

ion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:ACUTE-EYES:SEVERE

IRRITATION.SKIN:DRYING.INHALATION:HEADACHE,DIZZINESS, AND

NAUSEA.INGESTION:NOT ESTABLISHED.CHRONIC-SEVERE EYE IRRITANT AND

SEVERE DRYING OF THE SKIN, DEFATTING AND DERMATITIS.

Effects of Overexposure:EYE:IRRITATION. SKIN:DRYING.

INHALATION:HEADACHE,NAUSEA, & DIZZINESS.INGESTION:NOT ESTABLISHED.

Medical Cond Aggravated by Exposure: NOT ESTABLISHED.

== First Aid Measures ============ First Aid:CALL A PHYSICIAN.EYE:FLUSH W/WATER 15 MIN,HOLD LIDS OPEN.SKIN:WASH WITH SOAP & WATER.REMOVE CONTAMINATED CLOTHING AND LAUNDER BEFORE REUSE.INHALED:REMOVE TO FRESH AIR.GIVE CPR/OXYGEN IF NEEDED.INGESTE D:DO NOT INDUCE VOMITING.DRINK PLENTY OF WATER. ============ Fire Fighting Measures ========================= Flash Point Method:COC Flash Point:FLAMMABL AEROSOL Lower Limits: 1.0 Upper Limits:8.0 Extinguishing Media:CAR BON DIOXIDE, FOAM, OR DRY CHEMICAL. Fire Fighting Procedures: FIRE FIGHTERS SHOULD USE NIOSH APPROVED SCBA & FULL PROTECTIVE EQUIPMENT WHEN FIGHTING CHEMICAL FIRE. USE WATER SPRAY TO COOL NEARBY CONTAINERS EXPOSED TO FIRE. Unusual Fire/Explosion Hazard:TREAT AS CYLINDERS OF COMPRESSED GAS. ======== Accidental Release Measures ============ Spill Release Procedures: VENTILATE AREA. REMOVE IGNITION SOURCES. CLEAN UP WITH INERT MATERIALS. PUT IN DISPOSAL CONTAINER. SEE **DISPOSAL** METHOD FOR CONTAINER PRECAUTIONS. Neutralizing Agent:NONE ============= Handling and Storage ========================== Handling and Storage Precautions: DO NOT STORE IN DIRECT SUNLIGHT, NEAR OPEN FLAMES, OR AT TEMPERATURES EXCEEDING 120F. PROTECT CONTAINERS FROM PHYSICAL DAMAGE. Other Precautions: DO NOT SMOKE WHILE SPRAYING. KEEP AWAY FROM CHILDREN. INTENTIONAL MISUSE BY DELIBERATELY CONCENTRATING VAPORS AND INHALING CONTENTS CAN BE HARMFUL OR FATAL. ===== ===== Exposure Controls/Personal Protection ========

Respiratory Protection: RESPIRATORY PROTECTION PROGRAM SHOULD BE IN ACCORDANCE WITH 29 CFR 1910.134

Ventilation: LOCAL EXHAUST IS NORMALLY ADEQUATE.

Protective Gloves: NEOPRENE OR POLYETHYLENE

Eye Protection: SAFETY GLASSES OR GOGGLES

Other Protective Equipment: EYE WASH STATION AND SAFETY SHOWER.

INDUSTRIAL-TYPE WORK CLOTHING AND APRON AS REQUIRED.

Work Hygienic Practices: WASH SKIN WITH SOAP AND WATER. AVOID UNNECESSARY CONT

ACT. WASH THOROUGHLY AFTER USING AND BEFORE EATING OR DRINKING

Supplemental Safety and Health

KEY1:F1. THIS PRODUCT IS A KIT CONSISTING OF THREE PARTS. DEVELOPER, PNI C, CLEANER/REMOVER, PNI A, PENETRANT WITH PNI B, SAME NSN.

======== Physical/Chemical Properties ==========

HCC:V3

NRC/State Lic Num:NOT RELEVANT

Vapor Pres:2327-2586

Vapor Density:>1
Spec Gravity: