

EASTMAN KODAK COMPANY -- 146 4239,LIQUID HARDENER -- 6750-00-153-8922

=====
Product Identification
=====

Product ID:146 4239,LIQUID HARDENER

MSDS Date:08/01/1984

FSC:6750

NIIN:00-153-8922

MSDS Number: BDCXR

=== Responsible Party ===

Company Name:EASTMAN KODAK COMPANY

Address:343 STATE STREET

City:ROCHESTER

State:NY

ZIP:14650

Country:US

Info Phone Num:716-722-5151

Emergency Phone Num:716-722-5151

C

AGE:19139

=== Contractor Identification ===

Company Name:EASTMAN KODAK CO GOVERNMENT MARKETS CONTRACTS

Address:343 STATE ST

Box:City:ROCHESTER

State:NY

ZIP:14650-1115

Country:US

Phone:716-722-5151/(800) 242-2424

CAGE:19139

=====
Composition/Information on Ingredients
=====

Ingred Name:WATER

CAS:7732-18-5

RTECS #:ZC0110000

Fraction by Wt: 60-70%

Ingred Name:POTASSIUM ACETATE

CAS:127-08-2

RTECS #:AJ3325000

Fraction by Wt: 10-20%

Ingred Name:ALUMINUM SULFATE (SARA III)

CAS:10

043-01-3
RTECS #:BD1700000
Fraction by Wt: 5-10%
OSHA PEL:2 MG/M3
ACGIH TLV:2 MG/M3; 9192
EPA Rpt Qty:5000 LBS
DOT Rpt Qty:5000 LBS

Ingred Name:ACETIC ACID (SARA III)
CAS:64-19-7
RTECS #:AF1225000
Fraction by Wt: 5-10%
OSHA PEL:10 PPM
ACGIH TLV:10 PPM/15 STEL; 9192
EPA Rpt Qty:5000 LBS
DOT Rpt Qty:5000 LBS

Ingred Name:SODIUM BISULFITE (SASA III)
CAS:7631-90-5
RTECS #:VZ2000000
Fraction by Wt: 5-10%
OSHA PEL:5 MG/M3
ACGIH TLV:5 MG/M3; 9192
EPA Rpt Qty:5000 LBS
DOT Rpt Qty:5000 LBS

=====
===== Hazards Identification =====

Routes of Entry: Inhalation:NO Skin:NO Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:ACUTE: MAY CAUSE IRRITATION TO EYES.
Effects of Overexposure:INHALATION:NONE STATED BY THE MANUFACTURER;
EYES/SKIN: LIQUID CONTACT MAY CAUSE IRRITATION; INGESTION:NOT KNOWN
TO KODAK.
Medical Cond Aggravated by Exposure:NOT STATED BY KODAK

===== First Aid Measures =====
=====

First Aid:INHALATION:IF INHALED, REMOVE TO FRESH AIR;
EYES/SKIN:IMMEDIATELY FLUSH WITH PLENTY OF WATER. GET MEDICAL
ATTENTION IF ANY SYMPTOMS ARE PRESENT AFTER WASHING; INGESTION:CALL
A PHYSICIAN.

===== Fire Fighting Measures =====

Flash Point:NONE
Extinguishing Media:USE AGENT SUITABLE FOR SURROUNDING FIRE.
Fire Fighting Procedures:WEAR SELF-CONTAINED BREATHING APPARATUS AND
PROTECTIVE CLOTHING TO PREVENT CONTACT WITH SKIN AN

D EYES.

Unusual Fire/Explosion Hazard:FIRE OR EXCESSIVE HEAT MAY CAUSE
PRODUCTION OF HAZARDOUS DECOMPOSITION PRODUCT.

===== Accidental Release Measures =====

Spill Release Procedures:STOP LEAK WITHOUT RISK. FLUSH TO SEWER WITH
PLENTY OF WATER. FEDERAL, STATE AND LOCAL EFFLUENT LAWS TAKE
PRECEDENCE.

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN COOL, DRY, WELL VENTILATED, LOW
FIRE RISK ARE

A. PROTECT FROM PHYSICAL DAMAGE. AVOID UNNECESSARY
PHYSICAL CONTACT. KEEP CONTAINERS TIGHTLY CLOSED

Other Precautions:MAINTAIN STANDARD HYGIENE (REMOVE & WASH CONTAMINATED
CLOTHING).

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NO SPECIAL REQUIREMENTS.

Ventilation:GOOD GENERAL VENTILATION SHOULD BE USED.

Protective Gloves:PROTECTIVE/IMPERVIOUS

Eye Protection:SAFETY GLASSES WITH SIDE SHIELD.

Other Protective Equipment:NO SPECIAL REQUIREMENTS

Supplemental Safety and Health

SOLUTION NUMBER:2811

===== Physical/Chemical Properties =====

HCC:C1

Boiling Pt:B.P. Text:>212F/100C

Vapor Pres:18MMHG@20C

Vapor Density:0.6

Spec Gravity:1.18

pH:4.5

Solubility in Water:COMPLETE

Appearance and Odor:CLEAR COLORLESS SOLUTION;VINEGAR ODOR

Percent Volatiles by Volume:80.0%

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

NONE

Hazardous Decomposition Products

:COMBUSTION WILL PRODUCE OXIDES OF
CARBON AND SULFUR.

===== Disposal Considerations =====

Waste Disposal Methods:FLUSH TO SEWER WITH PLENTY OF WATER. FEDERAL,
STATE AND LOCAL EFFLUENT LAWS TAKE PRECEDENCE.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.