View NSN Online: https://aerobasegroup.com/nsn/8040-00-159-4846

MORTON THIOKOL,INC;ARMSTRONG PRODUCTS COMPANY -- A-40 ADHESIVE,PART B 8040-00-159-4846

============= Product Identification =================

Product ID:A-40 ADHESIVE, PART B

MSDS Date:01/01/1985

FSC:8040

NIIN:00-159-4846

MSDS Number: BDDBS === Responsible Party ===

Company Name: MORTON THIOKOL, INC; ARMSTRONG PRODUCTS COMPANY

Address: 407-ARGONNE ROAD

Box:647

City:WARSAW

State:IN

ZIP:46580-3811

Country:US

Info Phone

Num:219-267-3226

Emergency Phone Num:219-267-3226

CAGE:98911

=== Contractor Identification ===

Company Name: MORTON THIOKOL, INC; ARMSTRONG PRODUCTS COMPANY

Address:407-ARGONNE ROAD

Box:647

City:WARSAW

State:IN

ZIP:46580-3811

Country:US

Phone:219-267-3226

CAGE:98911

======= Composition/Information on Ingredients ========

Ingred Name: ASBESTOS (AMIANTHUS, OBSOLETE AMOSITE), (FOR OSHA PEL, SEE

29CFR 1910.1101)

CAS:1332-21-4

RTECS #:CI6475000 Fraction by Wt: 2%

OSHA PEL:0.2 FIBERS/CC

DOT Rpt Qty:1 LB Ingred Name: EPOXY CURING AGENT ============== Hazards Identification ======================= Effects of Overexposure: EYE: EXTREMELY IRRITATING. SKIN: IRRITATION. First Aid:EYE: FLUSH WITH WATER 15 MINUTES, CONSULT PHYSICIAN IMMEDIATELY. SKIN: WASH WITH SOAP AND WATER, REMOVE CONTAMINATED CLOTHING. INHALATION: REMOVE TO FRESH AIR. INGESTION: SEE **PHYSICIAN** IMMEDIATELY. ============ Fire Fighting Measures ========================= Flash Point:365F/18C (TOC) Extinguishing Media:CO*2,DRY CHEMICAL,FOAM. ======== Accidental Release Measures ============ Spill Release Procedures: SOAK UP WITH ABSORBENT MATERIAL AND SCOOP UP. FLUSH WITH 5% SOLUTION OF ACETIC ACID AND EMULSIFY-RINSE WITH HOT WATER.FOLLOW WITH SOAP & HOT WATER RINSE. ============ Handling and Storage =========================== ling and Storage Precautions: NORMAL, COOL STORAGE RECOMMENDED. KEEP CONTAINER TIGHTLY CLOSED. Other Precautions: MAINTAIN GOOD HOUSEKEEPING STANDARDS. ====== Exposure Controls/Personal Protection ======== Respiratory Protection: NONE (MFR) Ventilation:LOCAL EXHAUST Protective Gloves:PLASTIC Eye Protection: SAFETY GLASSES. Other Protective Equipment: AS REQUIRED TO PREVENT SKIN CONTACT. Supplemental Safety and Health

PART B OF A TWO PART KIT. TYPE 2 PRODUCT CONTAINER SIZE: 4 OZ K

ACGIH TLV:0.5 FIBERS/CC; A1;89

EPA Rpt Qty:1 LB

KEY1:J1.
========= Physical/Chemical Properties ==========
HCC:Z1 Spec Gravity:1.00 Solubility in Water:NEGLIGIBLE Appearance and Odor:WHITE TO CREAM LIQUID
========= Stability and Reactivity Data =========
Stability Indicator/Materials to Avoid:YES Hazardous Decomposition Products:CO*2,CARBON MONOXIDE
======= Disposal Considerations ==========
Waste Disposal Methods:COMPLY WITH LOCAL,STATE AND FEDERAL REGULATIONS

Di sclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.