

GEO. SENN,DIV.GLOBE SOLVENTS(PHIPPS PRODUCTS CORP) -- TT-T-266D,THINNER,DOPE & LACQUER -- 8010-00-160-5788

===== Product Identification =====

Product ID:TT-T-266D,THINNER,DOPE & LACQUER

MSDS Date:01/01/1985

FSC:8010

NIIN:00-160-5788

MSDS Number: BDDGL

=== Responsible Party ===

Company Name:GEO. SENN,DIV.GLOBE SOLVENTS(PHIPPS PRODUCTS CORP)

Address:186 LINCOLN ST SUITE 502

City:BOSTON

State:MA

ZIP

:02111-2403

Country:US

CAGE:KO355

=== Contractor Identification ===

Company Name:GEO. SENN,DIV.GLOBE SOLVENTS(PHIPPS PRODUCTS CORP)

Address:186 LINCOLN ST SUITE 502

Box:City:BOSTON

State:MA

ZIP:02111-2403

Country:US

CAGE:KO355

Company Name:PHIPPS PRODUCTS CORP

Address:186 LINCOLN ST SUITE 502

Box:City:BOSTON

State:MA

ZIP:02111-2403

Country:US

Phone:OUT OF BUSINESS

CAGE:86511

===== Composition/Information on Ingredients =====

Ingred Name:ISOBUTYL ACETATE (SARA III)

CAS:110-19

-0  
RTECS #:AI4025000  
Fraction by Wt: 15%  
OSHA PEL:150 PPM  
ACGIH TLV:150 PPM; 9192  
EPA Rpt Qty:5000 LBS  
DOT Rpt Qty:5000 LBS

Ingred Name:LACTOL SPIRITS  
Fraction by Wt: 30%

Ingred Name:TOLUENE (SARA III)  
CAS:108-88-3  
RTECS #:XS5250000  
Fraction by Wt: 18%  
OSHA PEL:200 PPM/150 STEL  
ACGIH TLV:50 PPM; 9293  
EPA Rpt Qty:1000 LBS  
DOT Rpt Qty:1000 LBS

Ingred Name:ISOPROPYL ALCOHOL (SARA III)  
CAS:67-63-0  
RTECS #:NT8050000  
Fraction by Wt: 15%  
OSHA PEL:400 PPM/500 STEL  
ACGIH TLV:400 PPM/500STEL;9192

In  
gred Name:METHYL ETHYL KETONE (2-BUTANONE) (MEK) (SARA III)  
CAS:78-93-3  
RTECS #:EL6475000  
Fraction by Wt: 22%  
OSHA PEL:200 PPM/300 STEL  
ACGIH TLV:200 PPM/300STEL 9192  
EPA Rpt Qty:5000 LBS  
DOT Rpt Qty:5000 LBS

=====  
Hazards Identification  
=====

Effects of Overexposure:HEADACHE, NAUSEA, DROWSINESS

=====  
First Aid Measures  
=====

First Aid:FLUSH SKIN W/WATER. IMMEDIATELY FLUSH EYES W/WATER AT LEAST  
15 MIN. CALL MD. INHA

LATION:MOVE TO FRESH AIR, ARTIFICIAN  
RESPIRATION. IF NECESSARY.

===== Fire Fighting Measures =====

Flash Point:15F TCC  
Extinguishing Media:WATER SPRAY, CO\*2, FOAM, DRY CHEMICAL  
Fire Fighting Procedures:NONE  
Unusual Fire/Explosion Hazard:NONE

===== Accidental Release Measures =====

Spill Release Procedures:REMOVE SOURCES OF IGNITION, RECOVER FREE  
LIQUID.

===== Handling and Storage =====

Handling and Storage Precautions:KEEP FROM HEAT,SPRAKS, & OPEN FLAME.  
Other Precautions:AVOID PROLONGED BREATHING OR CONTACT W/SKIN.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NIOSH/MSHA APPRVD RESP PROTECTN IF NECESSARY  
Ventilation:LOCAL EXHAUST-YES MECHANICAL-YES  
Protective Gloves:YES(NEOPRENE)  
Eye Protection:CHEMICAL GOGGLES  
Other Protective Equipment:NEOPRENE APRON  
Supplemental Safety and Health  
SPECIFIC GRAVITY GIVEN @ 60/60F.

=====  
===== Physical/Chemical Properties =====

HCC:F3  
NRC/State Lic Num:N?A  
Boiling Pt:B.P. Text:180F (IBP)  
Spec Gravity:0.800  
Solubility in Water:APPRECIABLE  
Appearance and Odor:WATER WHITE & MILD.  
Percent Volatiles by Volume:100

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES  
STRONG OXIDIZERS, CONCENTRATED SULFURIC ACID  
Hazardous Decomposition Products:CARBON MONOXIDE

===== Disposal Considerations =====

=====

Waste Disposal Methods:INCINERATE OR EVAPORATE IN ACCORDACNE  
W/LOCAL,STATE & FEDERAL REGULATONS.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent profe  
ssional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.