

CORONADO PAINT CO. 308 OLD COUNTY RD.,EDGEWATER,FL -- THINNER -- 8010-00-165-5591

=====  
Product Identification  
=====

Product ID:THINNER  
MSDS Date:01/01/1987  
FSC:8010

NIIN:00-165-5591

MSDS Number: BDDVP

=== Responsible Party ===

Company Name:CORONADO PAINT CO. 308 OLD COUNTY RD.,EDGEWATER,FL

Address:308 OLD COUNTY RD

Box:308

City:EDGEWATER

State:FL

ZIP:32032-1812

Country:US

CAGE:33200

=== Contract

or Identification ===

Company Name:CORONADO PAINT COMPANY, INC.

Address:308 OLD COUNTY ROAD

Box:City:EDGEWATER

State:FL

ZIP:32132-1812

Country:US

Phone:904-428-6461

CAGE:33200

=====  
Composition/Information on Ingredients  
=====

Ingred Name:ETHYL ACETATE (SARA III)

CAS:141-78-6

RTECS #:AH5425000

Fraction by Wt: 40.0%

OSHA PEL:400 PPM

ACGIH TLV:400 PPM; 9192

EPA Rpt Qty:5000 LBS

DOT Rpt Qty:5000 LBS

Ingred Name:N-BUTYL ACETATE (SARA III)

CAS:123-86-4

RTECS #:AF7350000

Fractio

n by Wt: 15.0%  
OSHA PEL:150 PPM/200 STEL  
ACGIH TLV:150 PPM/200STEL;9192  
EPA Rpt Qty:5000 LBS  
DOT Rpt Qty:5000 LBS

Ingred Name:DIACETONE ALCOHOL (4-HYDROXY-4-METHYL-2-PENTANONE)  
CAS:123-42-2  
RTECS #:SA9100000  
Fraction by Wt: 10.0%  
OSHA PEL:50 PPM  
ACGIH TLV:50 PPM; 9192

Ingred Name:METHYL ETHYL KETONE (2-BUTANONE) (MEK) (SARA III)  
CAS:78-93-3  
RTECS #:EL6475000  
Fraction by Wt: 35.0%  
OSHA PEL:200 PPM/300 STEL  
ACGIH TLV:200 PPM/300STEL 9192  
EPA Rpt Qty:5000 LBS  
DOT Rpt Qty:5000 LBS

=====  
===== Hazards Identification =====

Effects of Overexposure:IRRITATION OF EYES,NOSE AND THROAT.  
HEADACHE,INTOXICATION & DROWSINESS MAY OCCUR.DRYING OF SKIN

===== First Aid Measures =====

First Aid:IN CASE OF CONTACT,FLUSH THOROUGHLY WITH WATER. FO  
INHALATION, REMOVE TO RESH AIR AND ADMINISTER OXYGEN. CAL  
PHYSICIAN.SKIN CONTACT:WASH WITH MILD SOAP & WATER,APPLY A MILD  
SKIN CREAM,IN SEVERE CASESE ,CONTACT A PHYSICIAN

=====  
===== Fire Fighting Measures =====

Flash Point:24.F SETA  
Lower Limits:2.5  
Upper Limits:9.00  
Extinguishing Media:CO2 OR DRY CHEMICAL EXTINGUISHER OR FOAM

===== Accidental Release Measures =====

Spill Release Procedures:REMOVE ALL SOURCE OF IGNITION. AVOID BREATHING  
OF VAORS OR CONTACT WITH EYES. CONTAIN SPILL IN A DIKED AREA TO  
MINIMIZE VAPORS

===== Handling and Storage =====

Handling and Sto

Storage Precautions: DO NOT STORE ABOVE 100F. IF NECESSARY  
TO TRANSFER CONTENTS TO ANOTHER CONTAINER, GLASS, PLASTIC, SPECIAL  
LINED STEEL OR TIN ARE ACCEPTABLE.

Other Precautions: OTHER HANDLING IN ACCORDANCE WITH NFPA BULLETIN 30  
AND 77. AVOID PROLONGED OR REPEATED PERSONAL CONTACT

===== Exposure Controls/Personal Protection =====

Respiratory Protection: WHERE HIGH CONCENTRATIONS OF VAPOR EXIST, USE ALL  
PURPOSE CANISTER

Ventilation: LOCAL EXHAUST-FROM FLOOR AND LOW AREAS

S

Protective Gloves: IMPERMEABLE

Eye Protection: CHEMICAL GOGGLES

Other Protective Equipment: APRON, BARRIER CREME

Supplemental Safety and Health

ALL ELECTRICAL EQUIPMENT MUST BE EXPLOSION-PROOF

===== Physical/Chemical Properties =====

HCC: F3

Boiling Pt: B.P. Text: 171F

Vapor Pressure: 70

Vapor Density: 2.5

Specific Gravity: 0.86

Evaporation Rate & Reference: FASTER THAN NBUACT

Solubility in Water: 12.9 PERCENT

Appearance and Odor: CLEAR, COLORLESS LIQUID, PUNGENT-FRUITY ODOR

Percent Vol

Volatiles by Volume: 100

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid: YES

OXIDIZING MATERIALS

Stability Condition to Avoid: EXCESSIVE HEAT, SPARKS, OPEN FLAMES

Hazardous Decomposition Products: CARBON MONOXIDE

===== Disposal Considerations =====

Waste Disposal Methods: IF CUSTOM DISPOSAL SERVICE IS NOT AVAILABLE, LARGE  
QUANTITIES MAY BE BURNED IN A COMBUSTION CHAMBER BY A COMPETENT  
ENGINEER.

Disclaimer

er (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.