

CSD, INC -- MIL-T-6096A -- 8010-00-165-5592

=====  
Product Identification  
=====

Product ID:MIL-T-6096A  
MSDS Date:01/01/1987  
FSC:8010  
NIIN:00-165-5592  
MSDS Number: BDDVQ  
=== Responsible Party ===  
Company Name:CSD, INC  
Address:5 HACKBURY ST  
Box:687  
City:CONROE  
State:TX  
ZIP:77305  
Country:US  
Info Phone Num:409-756-1065/713-797-0395(MEDICAL)  
Emergency Phone Num:713-923-6641/800-424-9300(CHEMTREC)  
CAGE:0  
LWP6

==== Contractor Identification ===

Company Name:CHEMICAL SPECIALISTS AND DEVELOPMENT INC  
Address:2210 HACKBERRY LN  
Box:687  
City:CONROE  
State:TX  
ZIP:77305  
Country:US  
Phone:409-756-1065  
CAGE:4N760  
Company Name:CSD, INC  
Box:687  
City:CONROE  
State:TX  
ZIP:77305  
Country:US  
Phone:800-424-9300  
CAGE:0LWP6

=====  
Composition/Information on Ingredients  
=====

Ingred Name:SOLVENTS  
Fraction by Wt: 100%

=====  
Hazards Identification  
=====

Effects of Over

exposure:INHAL:ANEST.IRRIT RESPIRAT TRACT.MAY CAUS NERV  
DEPRESS BY THESE PROGRESSV STEPS:HDACH,DIZZ,STAGG,CON

=====  
First Aid Measures  
=====

First Aid:EYES & SKIN:FLUSH W/WATR F/AT LEAST 15 MIN. IF IRRIT, GET  
MEDICAL ATTN. VAPORS:REMOV FR EXPOSUR.RESTORE  
BREATHING.SWALLOWING:CALL DR.IMMED.INDUC VOMTNG PROMPTLY ACORD TO  
DR'S INSTRUCT OR HAVE PATNT STK FINGR DWN THROAT.NOTHING BY MOUTH  
TO UNCONSC PERSN

=====  
Fire Fighting  
Measures  
=====

Flash Point:52F 11C TCC  
Lower Limits:2.0  
Extinguishing Media:CO\*2 DRY CHEMICAL, OR FOAM.  
Fire Fighting Procedures:WATR SPRAY MAY BE INEFFECT.CAN PROTCT  
FIREFIGHTR & COOL CONT  
Unusual Fire/Explosion Hazard:KEEP CONTNR TIGHT CLOS.KEEP AWAY FR  
HEAT,SPARKS,ELECTR EQPMT & OPN FLAME.CLOS CONTNRS MAY EXPL

=====  
Accidental Release Measures  
=====

Spill Release Procedures:REMOV ALL SOURCES OF IGNIT.AVD BREATHING  
VAPOR. VENTILATE.R  
EMOV W/INERT,ABSORBENT, NON-SPARKING PRODUCTS.

=====  
Handling and Storage  
=====

Handling and Storage Precautions:DO NOT STORE ABOVE 120F. STORE LG  
AMTS. IN STRUCTURES MADE F/OSHA CLASS IB LIQUIDS. AVD FREE FALL OF  
LIQUID.GRND CONTNRS WHN POURING. DO NOT FLAME CUT  
Other Precautions:DO NOT FLAME CUT, SAW, BRAZE, OR WELD. EMPTY  
CONTAINER HAZARDOUS. CONTINUE ALL LABEL PRECAUTIONS.

=====  
Exposure Controls/Personal Protection  
=====

R  
Respiratory Protection:VENTILATE TO KEEP AIR BELOW 90PPM.IF OVR TLV,USE  
SELF-CONTND AIR PAK  
Ventilation:LOC EXHAUST,PREFERABLE; MECH-ACCEPTABLE.  
Protective Gloves:RECOMMENDED  
Eye Protection:CHEM GOGGLES  
Supplemental Safety and Health

=====  
Physical/Chemical Properties  
=====

HCC:F2  
Boiling Pt:B.P. Text:327  
Vapor Pres:55  
Vapor Density:3.0  
Spec Gravity:.859  
Evaporation Rate & Reference:ETHER 9.9  
Solubility in Water:APPRECIABLE  
Appearance and Odor:CLEAR, WATER-WH

ITE, KETONE ODOR  
Percent Volatiles by Volume:100

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES  
STRONG OXIDIZERS  
Stability Condition to Avoid:HEAT, SPARKS, & OPEN FLAME.  
Hazardous Decomposition Products:CARBON MONOXIDE FR BURNING

===== Disposal Considerations =====

Waste Disposal Methods:INCINERATE ACCORDING TO AIR POLLUTION  
REGULATIONS. DO NOT INCINERAT IN CLOSED CONTNRS.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.