

CHEMSEAL DIVISION FLAMEMASTER CORP -- CS 3201, CLASS B, PART A -- 8030-00-174-2598

=====
Product Identification
=====

Product ID:CS 3201, CLASS B, PART A

MSDS Date:05/14/1986

FSC:8030

NIIN:00-174-2598

Kit Part:Y

MSDS Number: BDFNL

=== Responsible Party ===

Company Name:CHEMSEAL DIVISION FLAMEMASTER CORP

Address:11120 SHERMAN WAY

City:SUN VALLEY

State:CA

ZIP:91352

Country:US

Emergency Phone Num:81

8-982-1650

CAGE:KO430

=== Contractor Identification ===

Company Name:CHEMSEAL DIVISION FLAMEMASTER CORP

Address:11120 SHERMAN WAY

Box:City:SUN VALLEY

State:CA

ZIP:91352

Country:US

CAGE:KO430

Company Name:FLAMEMASTER CORP THE CHEM SEAL DIV

Address:11120 SHERMAN WAY

Box:City:SUN VALLEY

State:CA

ZIP:91352-4949

Country:US

Phone:818-982-1650

CAGE:14439

=====
Composition/Information on Ingredients
=====

Ingred Name:LEAD PEROXIDE (LEAD DIOXIDE), (OSHA PEL FROM 29CFR
1910.1025)

C

AS:1309-60-0
RTECS #:OG0700000
Fraction by Wt: 70%.
Other REC Limits:SEE OSHA PEL
OSHA PEL:0.05 MG/M3 (PB)
ACGIH TLV:0.15 MG/M3(PB); 8990

Ingred Name:UNIDENTIFIED COMPONENTS
Fraction by Wt: 30%.
Other REC Limits:NONE

=====
Hazards Identification
=====

Routes of Entry: Inhalation:NO Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:TARGET ORGANS: GI TRACT, KIDNEY,
BLOOD, GINGIVAL TISSUE, CNS BIOAC
CUMULATIVE.
Effects of Overexposure:EYE: PALLOR OF EYE GROUNDS,SKN:IRRT, ABSORB,
INHL:EXPECTED. INGEST(ABSORB): LASSITUDE, INSOMNIA,ANOREXIA,LOW
WEIGHT, MALNUTRITION, CONSTIPATION, PAIN IN ABDOMEN, COLIC, ANEMIA,
GINGIVAL LEAD LINE, TRE MORS.

=====
First Aid Measures
=====

First Aid:INHAL:RMV TO FRESH AIR. IF NOT BRTHNG GIVE CPR; IF BRTHNG
DIFF GIVE OXYGEN. EYE:IMMED FLUSH W/PLENTY OF WATER. SKIN:WASH
W/SOAP & WATER. RMV CONTAM CLTHG &
SHOES. INGEST:DO NOT INDUCE
VOMIT. NOTHG BY MOUTH IF UNCONSC. GET MEDICAL ATTN.

=====
Fire Fighting Measures
=====

Flash Point:540F/282C
Extinguishing Media:WATER
Fire Fighting Procedures:NONE
Unusual Fire/Explosion Hazard:NONE

=====
Accidental Release Measures
=====

Spill Release Procedures:PASTE MATERIAL REQUIRES ONLY COLLECTION WITH
SPATULA, PLACE IN CLOSABLE CONTAINER. WIPE UP REMAINDER, WASH SPILL
AREA WITH DETER

GENT.

=====
===== Handling and Storage =====

Handling and Storage Precautions:NONE

=====
===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE

Ventilation:NONE

Protective Gloves:OPTIONAL

Eye Protection:OPTIONAL

Other Protective Equipment:"GOOD INDUSTRIAL PRACTICE"-MFR.

Work Hygienic Practices:WASH THOROUGHLY AFTER USE AND BEFORE EATING OR SMOKING

Supplemental Safety and Health

AVOID INGESTION OF PASTE.KEY1:D1.

=====

===== Physical/Chemical Properties =====

HCC:D1

Spec Gravity:3.

Solubility in Water:NEG

Appearance and Odor:BROWN PASTE

=====
===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

ORGANIC & COMBUSTIBLE MATERIALS.

Stability Condition to Avoid:TEMPERATURES ABOVE 212F/100C

Hazardous Decomposition Products:SMOKE SOOT, CARBON, LEAD OXIDES.

=====
===== Disposal Considerations =====

Waste Disposal Methods:

LANDFILL IAW ALL LAWS & REGS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this informati

on to their
particular situation.