

ARMSTRONG PRODUCTS CO. -- ARMSTRONG RESIN C-7. -- 8040-00-180-6200

=====
Product Identification
=====

Product ID:ARMSTRONG RESIN C-7.

MSDS Date:01/01/1987

FSC:8040

NIIN:00-180-6200

Kit Part:Y

MSDS Number: BDGBQ

=== Responsible Party ===

Company Name:ARMSTRONG PRODUCTS CO.

Emergency Phone Num:219-267-3226

CAGE:DO043

=== Contractor Identification ===

Company Name:ARMSTRONG PRODUCTS CO

Box:647

City:

WARSAW

State:IN

ZIP:46580

Phone:219-267-3226 OR 219-267-5375

CAGE:DO043

Company Name:MORTON THIOKOL,INC;ARMSTRONG PRODUCTS COMPANY

Address:407-ARGONNE ROAD

Box:647

City:WARSAW

State:IN

ZIP:46580-3811

Country:US

Phone:219-267-3226

CAGE:98911

=====
Composition/Information on Ingredients
=====

Ingred Name:NO INGREDIENT FOR THIS FORMULATION_INGREDIENT

=====
Hazards Identification
=====

Effects of Overexposure:PRIMARY IRRIT OF SKIN-ONPROLNG OR R

REPEATED

CONTACT.MINOR TRANSIENT IRRIT TO EYE CONTACT-NO CORNEA INJ

=====
First Aid Measures
=====

First Aid:REMOVE FR SKIN W/WATER OR WATERLESS SKIN CLEANER.REMOV CONTAM CLOTHNG & WASH BEFORE REUSE.EYES:FLSH EYES,IF ANY ILL EFFCTS DEVEL,GET MED ATTN.INHAL:REMOV PERSON TO FRESH AIR,GET MED ATTN.INGEST:NOT LI KELY PROB.NO KNOWN ANTIDOTE,TREAT SYST.INDUC VOMIT

=====
Fire Fighting Measures
=====

Flash Poin

t:480 F COC 249 C

Extinguishing Media:WATER SPRAY, FOAM, CO*2, DRY CHEMICALS

Fire Fighting Procedures:NONE-AVOID BREATHING SMOKE.

Unusual Fire/Explosion Hazard:NO UNUSUAL HAZARDS

=====
Accidental Release Measures
=====

Spill Release Procedures:CLEAN W/A CLOTH-OBSERVE FIRE HAZARD IF SOLVENTS ARE USED.

=====
Handling and Storage
=====

Handling and Storage Precautions:STORE IN A COOL PLACE. PRACTICE GOOD AUTION & PERSONAL CL

EANLINESS TO AVOID SKIN & EYE CONTACT. AVD BREATHING VAP OF HEATED MATERIAL

Other Precautions:HANDLE IN ACCORDANCE W/HAZARDOUS POTENTIALITIES OF THE CURING AGENT WHEN MIXED THEREWITH. SPI CLASSIFICATION 2.

=====
Exposure Controls/Personal Protection
=====

Respiratory Protection:NOT ORDINARILY REQD

Ventilation:LOC EXHAUST-ONLY IF HEATED,MECHANICAL-NOT ORDINARILY NEEDED.

Protective Gloves:RUBBER

Eye Protection:GOGGLES

Supplemental Safety and Health

MSDS UNDATED. LD5

0>2000MG/KG-RAT. CHEM

NAME:4,4ISOPROPYLIDENEDIPHENOL-EPICHLORHYDRIN RESIN.

CHEM.FORMULA:(C*15H*16O*2.C*3H*5C*10)*X.

===== Physical/Chemical Properties =====

Spec Gravity:1.17

Appearance and Odor:AMBER LIQUID,MILD AROMATIC ODOR

Percent Volatiles by Volume:1.0

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZING AGENTS

Stability Condition to Avoid:EXCESS HEATING OVER LONG PERIODS OF TIME

DEGRADES RESIN

Hazardous Decomposition Products:CARBON MONOXIDE,ALDEHYDES ACIDS, ETC.

Conditions to Avoid Polymerization:EXOTHERMS WHEN CURED.

===== Disposal Considerations =====

Waste Disposal Methods:KEEP IN COVERED DRUMS,PENDING DISPOSAL. HANDLE & DISPOSE IN FULL COMPLIANCE WITH ALL APPLICABLE INTERNATIONAL,FEDERAL,STATE, & LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated

for use by elements of the Department

of Defense. The United States of America in no manner whatsoever,

expressly or implied, warrants this information to be accurate and

disclaims all liability for its use. Any person utilizing this

document should seek competent professional advice to verify and

assume responsibility for the suitability of this information to their

particular situation.