

DEFT INC CHEMICAL COATING DIV -- 03-W-40 CATALYST,WHITE 17875,ISOCYANATE --
8010-00-181-8282

===== Product Identification =====

Product ID:03-W-40 CATALYST,WHITE 17875,ISOCYANATE

MSDS Date:08/25/1987

FSC:8010

NIIN:00-181-8282

Kit Part:Y

MSDS Number: BDGTL

=== Responsible Party ===

Company Name:DEFT INC CHEMICAL COATING DIV

Address:17451 VON KARMAN AVE.

City:IRVINE

State:CA

ZIP:92714-6205

Info Pho

ne Num:714-474-0400

Emergency Phone Num:714-474-0400

Preparer's Name:N. GAUL

CAGE:33461

=== Contractor Identification ===

Company Name:DEFT, INC.

Address:17451 VON KARMAN AVE

City:IRVINE

State:CA

ZIP:92614

Country:US

Phone:949-474-0400

CAGE:33461

===== Composition/Information on Ingredients =====

Ingred Name:METHYL ETHYL KETONE (2-BUTANONE) (MEK) (SARA III)

CAS:78-93-3

RTECS #:EL6475000

Fraction by Wt: 45%

OSHA PEL:200 PPM/300 STEL

ACGIH TLV:200 PPM/300STEL 9192

EPA Rpt Qty

:5000 LBS
DOT Rpt Qty:5000 LBS

Ingred Name:XYLENES (O-,M-,P- ISOMERS) (SARA III)
CAS:1330-20-7
RTECS #:ZE2100000
Fraction by Wt: 5.0%
OSHA PEL:100 PPM/150 STEL
ACGIH TLV:100 PPM/150STEL;9192
EPA Rpt Qty:1000 LBS
DOT Rpt Qty:1000 LBS

Ingred Name:2-ETHOXYETHYL ACETATE (CELLOSOLVE ACETATE) (EGEEA)
CAS:111-15-9
RTECS #:KK8225000
Fraction by Wt: 10%
OSHA PEL:S,100 PPM
ACGIH TLV:S, 5 PPM; 9192

Ingred Name:N-BUTYL ACETATE (SARA III)
CAS:123-86-4
RTECS #:AF7350000
Fraction by Wt: 5%
OSHA PEL:150 PPM
/200 STEL
ACGIH TLV:150 PPM/200STEL;9192
EPA Rpt Qty:5000 LBS
DOT Rpt Qty:5000 LBS

Ingred Name:BIURET OF 1,6 HEXAMETHYLENE DIISOCYANATE
CAS:28182-81-2
Fraction by Wt: 30%

=====
===== Hazards Identification =====
=====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:ACUTE: VAPORS/MIST CAN IRRITATE MUCOUS
MEMBRANES IN RESPIRATORY TRACT CAUSING RUNNY NOSE, SORE THROAT,
COU

GHING, CHEST DISCOMFORT, SHORTNESS OF BREATH & REDUCED LUNG FUNCTION. CHRONIC: REPEATED OVEREXPOSURES OR LARGE SINGLE DOSE MAY PRODUCTISOCYANATE SENSITIZATION IN CERTAIN INDIVIDUALS.

Explanation of Carcinogenicity:NONE OF THE LISTED HAZARDOUS INGREDIENTS ARE LISTED AS CARCINOGENS BY NTP, IARC MONOGRAPHS OR OSHA.

Effects of Overexposure:INHALATION: HEADACHE, DIZZINESS, STAGGERING GAIT, CONFUSION, UNCONSCIOUSNESS OR COMA. SKIN & EYE: REACTS WITH MOISTURE & CAN CAUSE IRRITATION

, SWELLING, REDNESS, RASH, AND

TEARING. SKIN ABSORPTION CAN CAUSE DRYING, DEFATTING & DERMATITIS.

INGESTION: MAY BURN MOUTH, STOMACH TISSUE, & DIGESTIVE TRACT.

Medical Cond Aggravated by Exposure:ISOCYANATE SENSITIZATION, ASTHMA & DERMATITIS

=====
===== First Aid Measures =====

First Aid:INHALATION: REMOVE TO FRESH AIR. RESTORE BREATHING. GET MEDICAL ATTENTION. SKIN: REMOVE CONTAMINATED CLOTHING. WASH THOROUGHLY WITH SOAP & WATER. EYES: FLUS

H WITH WATER FOR AT LEAST

15 MINUTES. GET MEDICAL ATTENTION. INGESTION: DO NOT INDUCE

VOMITING. DO NOT GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON.

GET MEDICAL ATTENTION.

=====
===== Fire Fighting Measures =====

Flash Point Method:TCC

Flash Point:23F,-5C

Lower Limits:1.0

Upper Limits:11.5

Extinguishing Media:FOAM, CO2, DRY CHEMICAL, WATER FOG

Fire Fighting Procedures:FULL EMERGENCY EQUIPMENT WITH SELF-CONTAINED BREATHING APPARATUS AND FULL PROTE

CTIVE CLOTHING SHOULD BE WORN BY

FIRE FIGHTERS. ISOLATE FROM HEAT, FLAME, ETC.

Unusual Fire/Explosion Hazard:HDI VAPORS & OTHER IRRITATING VAPORS MAY

BE GENERATED BY COMBUSTION. CLOSED CONTAINERS MAY EXPLODE WHEN EXPOSED TO EXTREME HEAT.

=====
===== Accidental Release Measures =====

Spill Release Procedures:EVACUATE ALL NONESSENTIAL PERSONNEL. REMOVE ALL SOURCES OF IGNITION. VENTILATE AREA. CONTAIN AND REMOVE WITH INERT ABSORBENT & NON-SPARKING TOOLS.

Neutralizing Agent:NONE

=====
Handling and Storage
=====

Handling and Storage Precautions:STORE IN BUILDING CONFORMING TO OSHA 1910.106. AVOID STORING NEAR HIGH TEMPERATURES, FIRE, OPEN FLAMES, & SPARK SOURCES. KEEP CONTAINER TIGHTLY CLOSED

Other Precautions:KEEP CONTAINERS DRY, CLOSED & UPRIGHT. DO NOT STORE NEAR HIGH TEMPERATURES, FIRE, ETC. DO NOT CONTAMINATE WITH MOISTURE. DO NOT RESEAL CONTAINER IF CONTAMINATED. DO NOT HANDLE UNTIL SA

FETY PRECAUTIONS HAVE BEEN READ & UNDERSTOOD.

=====
Exposure Controls/Personal Protection
=====

Respiratory Protection:NIOSH APPROVED AIR SUPPLIED RESPIRATOR FOR ISOCYANATES IS RECOMMENDED. OBSERVE OSHA REGULATIONS FOR RESPIRATOR USE.

Ventilation:EXHAUST VENTILATION SUFFICIENT TO KEEP AIRBORNE CONCENTRATIONS OF THE SOLVENT, HDI & POLYISOCYANATES BELOW THEIR TLV'S.

Protective Gloves:NEOPRENE, RUBBER, OR POLYETHYLENE

Eye Protection:SAFETY GLASSES W/SIDE SHIELDS /GOGGLES

Other Protective Equipment:USE LONG SLEEVE AND LONG LEG CLOTHING. REMOVE AND WASH CONTAMINATED CLOTHING BEFORE REUSE.

Work Hygienic Practices:WASH HANDS BEFORE EATING, SMOKING OR USING TOILET. LAUNDRY CONTAMINATED CLOTHING BEFORE REUSE. DO NOT SMOKE IN USE AREA.

Supplemental Safety and Health

TWO PART RESIN MODIFIED POLYURETHANE COATION;THIS DATA DESCRIBES CATALYST (COMPONENT II),TYPE I MATERIAL OF MIL-C-83286B;ALSO KNOWN AS "DEFTHANE CATALYST"

=====
P
Physical/Chemical Properties
=====

HCC:F2

Boiling Pt:B.P. Text:175 TO 313F

Vapor Pres:29

Vapor Density:>1.0

Spec Gravity:0.9

Evaporation Rate & Reference:SLOWER THAN ETHER

Solubility in Water:NEGLIGIBLE

Appearance and Odor:CLEAR, LIGHT AMBER COLORED LIQUID WITH SOLVENT ODOR

Percent Volatiles by Volume:65

=====
Stability and Reactivity Data
=====

Stability Indicator/Materials to Avoid:YES

WATER, AMINES, STRONG BASES, ALCOHOLS, METAL COMPOUNDS AND SURF

ACE

ACTIVE MATERIALS.

Stability Condition to Avoid: CONTACT WITH MOISTURE, MATERIALS WHICH REACT WITH ISOCYANATES AND HIGH TEMPERATURES.

Hazardous Decomposition Products: CARBON DIOXIDE, CARBON MONOXIDE, OXIDES OF NITROGEN, TRACES OF HCN, HDI.

===== Disposal Considerations =====

Waste Disposal Methods: WASTE MUST BE DISPOSED OF IN ACCORDANCE WITH FEDERAL, STATE & LOCAL ENVIRONMENTAL CONTROL REGULATIONS. EMPTY CONTAINERS MUST BE HANDLED WITH CARE DUE TO PRODUCT RESIDUE AND FLAMMABLE VAPOR. DO NOT INCINERATE CLOSED CONTAINERS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.