View NSN Online: https://aerobasegroup.ae/nsn/9150-00-186-6699

SUN REFINING AND MARKETING COMPANY -- SR 3813 10W-30 (LUBRICATING OIL)

9150-00-186-6699

Product ID:SR 3813 10W-30 (LUBRICATING OIL)

MSDS Date:04/04/1986

FSC:9150

NIIN:00-186-6699

MSDS Number: BDHDD === Responsible Party ===

Company Name: SUN REFINING AND MARKETING COMPANY

Address:TEN PENN CENTER 1801 MARKET STREET

City:PHILADELPHIA

State:PA ZIP:19103 Info Phone

Num:215-293-6323

Emergency Phone Num:215-293-6323 Preparer's Name:RAMONA PANSON

CAGE:8X531

=== Contractor Identification ===

Company Name: OCTAGON PROCESS INC.

Address:596 RIVER ROAD Box:City:EDGEWATER

State:NJ ZIP:07020 Country:US

Phone:201-945-9400

CAGE:82925

Company Name: SUN REFINING AND MARKETING COMPANY

Address:1801 MARKET ST, TEN PENN CTR

Box:City:PHILADELPHIA

State:PA

ZIP:19103-1699 Country:US

Phone:215-977-6133

CAGE:8X531

====== Composition/Information on Ingredients =======

Ingred Name: SEVERELY SOLVENT REFINED HEAVY PARAFFINIC DISTILLATE

(PETROLEUM) CAS:64741-88-4

RTECS #:PY8040500

Other REC Limits:5MG/CUM

OSHA PEL:5MG/CUM (OIL MIST) ACGIH TLV:5MG/CUM (OIL MIST)

Ingred Name: ETHYLENE PROPYLENE COPOLYMER

CAS:9010-79-1

Ingred Name:ZINC DIALKYL DITHIOPHOSPHATE (CONTAINS 0.10-0.13% ZINC)

CAS:68457-79-4

Ingred Name: MAGNESIUM SULFONATE

CAS:61789-87-5

Ingred Name: METHACRYLATE COPOLYMERS

Ingred Name: SODIUM SULFONATE

CAS:68608-26-4

Ingred Name: CALCIUM PHENATE

Ingred Name:POLYBUTENYLAMIDE

Ingred Name: POLYALKENYLSUCCINIC ANHYDRIDE

============= Hazards Identification ==================

LD50 LC50 Mixture:LD50>15G/KG

Health Hazards Acute and Chronic:EYES:MILD IRRITATION;SKIN:PRACTICALLY NON-TOXIC IF ABSORBED.MILD IRRITATION WITH PROLONGED OR REPEATED CONTACT.

Explanation of Carcinogenicity:PROLONGED OR REPEATED CONTACT COULD CAUSE SKIN CANCER (PER MANUFACTURER)

Effects of Overexposure:SEE HEALTH HAZARDS.

Medical Cond Aggravate

======================================
First Aid:EYES:FLUSH W/WATER.IF IRRITATION PERSISTS,SEEK MEDICAL ATTENTION;SKIN:WASH W/SOAP & WATER UNTIL NO ODOR REMAINS.WASH CLOTHING BEFORE REUSE;INHALATION:REMOVE TO FRESH AIR;INGESTION:GIVE LIQUIDS & INDUC E VOMIT UNLESS VICTIM IS UNCONSCIOUS.OBTAIN MEDICAL ASSISTANCE.IF SMALL AMOUNT ENTER MOUTH,RINSE OUT UNTIL TASTE IS GONE.
======================================
Flash Point Method:COC Flash Point:420F,216C (MIN) Autoignition Temp:Autoignition Temp Text:700F Extinguishing Media:WATER FOG,CHEMICAL FOAM,DRY CHEMICAL,CO*2 Fire Fighting Procedures:WEAR SCBA IN CONFINED AREAS. Unusual Fire/Explosion Hazard:NONE
======== Accidental Release Measures ==========
Spill Release Procedures:CONTAIN SPILL.ABSORB IN INERT MATERIAL AND PLACE IN APPROPRIATE DIAPOSAL CONTAINER.
======================================
Handling and Storage Precautions:STORE IN COOL,DRY,WELL VENTILATED,LOW FIRE RISK AREA. KEEP CONTAINERS CLOSED. Other Precautions:AVOID PROLONGED OR REPEATED CONTACT WITH SKIN. COULD CAUSE SKIN CANCER. PROMPTLY WASH AFFECTED AREA WITH SOAP & WATER.
====== Exposure Controls/Personal Protection ========
Respiratory Protection:NONE NORMALLY REQUIRED UNLESS PRODUCT IS HEATED OR MISTED. USE ONLY NIOSH/MSHA APPROVED RESPIRATORY PROTECTION. Ventilation:LO CAL EXHAUST Protective Gloves:RUBBER
Eye Protection:SPLASH GOGGLES Other Protective Equipment:AS REQUIRED TO PREVENT PROLONGED CONTACT Work Hygienic Practices:WASH THOROUGHLY AFTER HANDLING. WASH CLOTHING BEFORE REUSE Supplemental Safety and Health
========== Physical/Chemical Properties ==========
HCC:V6 Boiling Pt:B.P. Text:WIDE RANGE Vapor Pres:NIL Vapor Density:10+ Spec Gravity:0.87 pH:7.0 Viscosity:11 CS
Evaporation Rate & Dr. Reference: 1000X SLOWER (ETHYLETH=1)

d by Exposure:NONE NOTED

Solu

bility in Water:NIL Appearance and Odor:DARK AMBER FLUID,LITTLE ODOR Percent Volatiles by Volume:NIL
========= Stability and Reactivity Data =============

Stability Indicator/Materials to Avoid:YES STRONG OXIDIZERS. Stability Condition to Avoid:HEAT,IGNITION SOURCES Hazardous Decomposition Products:CO,TRACE OXIDES OF S,P,ZN,ASPHYXIANTS.

====== Disposal Considerations ==========

Waste Disposal Methods:DO NOT FLUSH TO DRAIN,STORM SEWER.CONTRACT TO AU

THORIZED DISPOSAL SERVICE.COMPLY WITH ALL APPLICABLE FEDERAL,STATE & LOCAL REGS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assu

me responsibility for the suitability of this information to their particular situation.