View NSN Online: https://aerobasegroup.ae/nsn/6750-00-200-4206

CHEMICAL COMMODITIES (DIST), STAUFFER CHAMICAL(MFR) -- HYDROCHLORIC ACID -- 6750-00-200-4206

Product ID:HYDROCHLORIC ACID MSDS Date:01/01/1985 FSC:6750 NIIN:00-200-4206 MSDS Number: BDJGJ === Responsible Party === Company Name: CHEMICAL COMMODITIES (DIST), STAUFFER CHAMICAL(MFR) Address:BERGEY RD Box:100 City:HATFIELD State:PA ZIP:19440 Country:US CAGE:00063 === Con tractor Identification === Company Name: CHEMICAL COMMODITIES (DIST), KEYSTONE-INGHAM (MFR). Box:1087R Phone:213-926-4461 CAGE:00063 Company Name: STEIERT A AND SON INC Address:BERGEY RD Box:100 City:HATFIELD State:PA ZIP:19440 Country:US CAGE:97856 Ingred Name: HYDROGEN CHLORIDE (HYDROCHLORIC ACID) (SARA III) CAS:7647-01-0 RTECS #:MW4025000 Fraction by Wt: 36.0% **OSHA PEL:C 5 PPM** ACGIH TLV:C 5 PPM; 9192 EPA Rpt Qty:5000 LBS

DOT R

pt Qty:5000 LBS

Effects of Overexposure: IRRITATION OF NOSE & LUNGS.LIQUID CAUSES BURNS TO SKIN & EYES.IF INHALED, MAY BE HARMFUL, SHOCK, FEVER.

First Aid:MOVE VICTIM TO FRESH AIR,CALL DOCTOR.REMOVE & ISOLATE CONTAMINATED CLOTHING & SHOES.IN CASE OF CONTACT W/MATERIAL,IMMEDIATELY FLUSH SKIN OR EYES W/RUNNING WATER FOR AT LEAST 15 MIN.KEEP VICTI M QUIET & MAINTAIN NORMAL BODY TEMP.

Extinguishing Media:SODA ASH,FLAKED LIME,CO*2,DRY CHEMICAL EXTINGUISHERS OR H*20

Unusual Fire/Explosion Hazard:HCL IS NON-FLAMMABLE,BUT IN CONTACT W/VARIOUS MATERIALS,ITS CORROSIVE ACTION WILL CAUSE H*2 TO EVOLV

Spill Release Procedures:DO NOT TOUCH SPILLED MATERIAL,STOP LEAK IF YOU CAN DO IT W/OUT RISK.SMAL

L SPILLS:TAKE UP W/SAND,OR OTHER NONCOMBUSTIVLE ABSORBENT MATERIAL,THEN FLUSH AREA W/WATER,OR COVER W/SODIUM CARBONATE OR AN EQU AL MIX OF SODA ASH & SLAKED LIME.

Handling and Storage Precautions:PROTECT CONTAINERS AGAINST PHYSICAL DAMAGE.STORE IN A COOL,WELL-VENTILATED PLACE SEPARATED FROM OXIDIZING SUBSTANCES.WEAR RUBBER GLOVES.DO NOT ST.SUNS
Other Precautions:WEAR SELF CONTAINED BREATHING APPARATUS,STORE IN WELL-VENTILATED PLACES & AWAY FROM HIGHLY FLAMMABLE SUBSTANCES,ALSO AWAY FROM ELEVATORS,GANGWAYS & ALL LOCALS WHERE MOVING OBJECTS MAY FALL.

======== Exposure Controls/Personal Protection ===============

Respiratory Protection:SELF-CONTAINED BREATHING APPARATUS W/CHEMICAL PROTECTIVE SUIT. Ventilation:MECHANICAL IS REQUIRED Protective Gloves:RUBBER Eye Protection:FACE SHIELDS,SAFTY GOGGLS Other Protective Equipment:SAFETY SHOWERS,RUBBER OR ACID RESISTANT APRONS & BOOTS. Supplemental Safety and Health DEVLIST DTD 13 APR 62 ASAPH 40104 IS USED IN CONJUNCTION WITHFED.SPEC.0-C-275.DO NOT STORE ITEM NEAR HEATING DEVICES OR DIRECT SUNLIGHT (SUNS).

HCC:C1 Boiling Pt:B.P. Text:230F Vapor Pres:73 Spec Gravity:1.17 Solubility in Water:COMPLETE Appearance and Odor:CLEAR,COLORLESS TO SLIGHTLY YELLOW LIQ./SHARP ODOR

Stability

Indicator/Materials to Avoid:YES METALS & METAL OXIDES,WHICH EVOLVES ESPLOSIVE H*2 GAS,OXIDS. Stability Condition to Avoid:HCL WILL YELLOW UPON EXPOSURE TO IRON,CHLORINE,ORG.SUBSTANCE Hazardous Decomposition Products:TOXIC & IRRITATION VAPORS WHEN HEATED,L.G.CHLORINE GAS.

Waste Disposal Methods:ADD SLOWLY TO A LARGE AMOUNT OF SOLUTION OF SODA ASH & SLAKED LIME BY STIRRING.DISCHARGE THE SOLUTION W/LARGE AMOUNT O

F WATER INTO A SINK LINED W/PROTECTIVE MATTING & FILLED W/CHIPPED MARBLE OR DISPOS E ACCORDING TO LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent pro fessional advice to verify and assume responsibility for the suitability of this information to their

particular situation.