View NSN Online: https://aerobasegroup.ae/nsn/6810-00-241-1188

Product ID:IODINE, 2208 MSDS Date:03/09/1992 FSC:6810 NIIN:00-241-1188 **MSDS Number: BDMLQ** === Responsible Party === Company Name: J.T. BAKER CHEMICAL CO. Address:222 RED SCHOOL LANE City:PHILLIPSBURG State:NJ ZIP:08865 Country:US Info Phone Num:800-582-2537 Emergency Phone Num:908-859-2151;800-424-8802/93 00 CAGE:5B970 === Contractor Identification === Company Name: J.T. BAKER CHEMICAL COMPANY SUB OF RICHARDSON-VICKS INC Address:995 ZEPHYR AVE Box:City:HAYWARD State:CA ZIP:94544-7917 Country:US Phone:UNK CAGE:5B970 Company Name: MALLINCKRODT BAKER, INC. Address:222 RED SCHOOL LANE Box:City:PHILLIPSBURG State:NJ ZIP:08865 Country:US Phone:800-582-2537 CAGE:70829

Ingred Name:IODINE CAS:7553-56-2 RTECS #:NN1575000 Fraction by Wt: 90-100% OSHA PEL:0.1 PPM, C ACGIH TLV:0.1 PPM, C

LD50 LC50 Mixture:LD50:(ORAL,RAT) 14 G/KG. Routes of Entry: Inhalation:YES Skin:NO Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:ACUTE:INHAL:IRRITATION OF MUCOUS MEMBRANES, SEVERE IRRITATION OR BURNS OF RESPIRATORY SYSTEM, PULMONARY EDEMA, LUNG INFLAMMATION & MAY BE FATAL. SKIN CONTACT:SEVERE IRRITATION OR BURN S. EYE CONTACT: SE VERE IRRITATION OR BURNS, PROLONGED CONTACT MAY CAUSE PERMANENT CORNEAL DAMAGE & BLINDNESS MAY OCCUR. (EFTS OF OVEREXP) Explanation of Carcinogenicity:NOT RELEVANT Effects of Overexposure: HLTH HAZ: INGEST: IRRITATION & BURNS OF MOUTH & THROAT, GASTROINTESTINAL PAIN, NAUSEA, VOMITING, FEVER, SHOCK, BLOODY URINE, DIFFICULT BREATHING & MAY BE FATAL. CHRONIC:LUNG DAMAGE, THYROID DAMAGE, BLAD DER DAMAGE. TARGET ORGANS: RESPIRATORY SYSTEM, EYES, SKIN, CENTRAL NER VOUS SYSTEM, CARDIOVASCULAR SYSTEM. Medical Cond Aggravated by Exposure:NONE IDENTIFIED.

First Aid:INGEST:CALL MD. IF SWALLOWED, DO NOT INDUCE VOMITING. IF CONSCIOUS, GIVE WATER, MILK OR MILK OF MAGNESIA. INHAL:REMOVE TO FRESH AIR. IF NOT BREATHING, GIVE ARTF RESP. IF BREATHING IS DIFFICULT, GIVE O XYGEN. SKIN:IMMEDIATELY FLUSH W/PLENTY OF WATER FOR AT LEAST 15 MINUTES. EYES:IMMEDIATELY FLUSH W/PLENTY OF WATER

FOR AT LEAST 15 MINUTES.

Flash Point Method:CC

Extinguishing Media:USE EXTINGUISHING MEDIA APPROPRIATE FOR SURROUNDING FIRE.

Fire Fighting Procedures:USE NIOSH/MSHA APPROVED SCBA & FULL PROTECTIVE EQUIPMENT .

Unusual Fire/Explosion Hazard:MODERATE OXIDIZER. CONTACT W/OTHER MATERIAL MAY CAUSE FIRE.

Spill Release Procedures:WEAR NIOSH/MSHA AP

PROVED SCBA & FULL PROTECTIVE CLOTHING. WITH CLEAN SHOVEL, CAREFULLY PLACE MATERIAL INTO CLEAN, DRY CONTAINER & COVER; REMOVE FROM AREA. FLUSH SPILL AREA W/WATER.

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

Handling and Storage Precautions: KEEP CONTAINER TIGHTLY CLOSED. STORE IN CORROSION-PROOF AREA. KEEP CONTAINERS OUT OF SUN & AWAY FROM HEAT.

Other Precautions: CORROSIVE, MAY BE FATAL IF SWALLOWED O R INHALED.

CAUSES SEVERE IRRITATION. DO NOT GET IN EYES, ON SKIN, ON CLOTHING. AVOID BREATHING DUST. USE W/ADEQUATE VENTILATION.

Respiratory Protection: NONE REQUIRED WHERE ADEQUATE VENTILATION CONDITIONS EXIST. IF AIRBORNE CONCENTRATION EXCEEDS TLV, A NIOSH/MSHA APPROVED SELF-CONTAINED BREATHING APPARATUS IS ADVISED. Ventilation: USE GENERAL OR LOCAL EXHAUST TO MEET TLV REQUIREMENTS. VENT HOOD. **Protective GI** oves:RUBBER Eye Protection: SAFETY GOGGLES. Other Protective Equipment: EMERGENCY EYE WASH & DELUGE SHOWER . UNIFORM & APRON ARE RECOMMENDED. LAB COAT. Work Hygienic Practices: WASH THOROUGHLY AFTER HANDLING. Supplemental Safety and Health PH:5.4 (SATURATED SOLN). MATLS TO AVOID:ACTIVE METALS, POWDERED METALS,

CARBIDES, AMMONIUM HYDROXIDE.

HCC:N1 Boiling Pt:B.P. Text:364F/184C Melt/Freeze Pt:M.P/F.P Text:237F,114C Vapor Pres:0.31 @ 20C Vapor Density:9 Spec Gravity:4.93 (H*2O=1) pH:SUPDAT Solubility in Water:NEGLIGIBLE (