View NSN Online: https://aerobasegroup.ae/nsn/6810-00-241-1207

J.T. BAKER CHEMICAL CO. -- POTASSIUM NITRATE -- 6810-00-241-1207

======== Product Identification ============

Product ID:POTASSIUM NITRATE

MSDS Date:01/01/1985

FSC:6810

NIIN:00-241-1207

MSDS Number: BDMMQ === Responsible Party ===

Company Name: J.T. BAKER CHEMICAL CO.

Address:222 RED SCHOOL LANE

City:PHILLIPSBURG

State:NJ

ZIP:08865-2219 Country:US

Info Phone Num:201-859-2151

Emergency Phone Num:201-859-2151

CAGE:5B970

=== Contractor Identification ===

Company Name: J.T. BAKER CHEMICAL COMPANY SUB OF RICHARDSON-VICKS INC

Address:995 ZEPHYR AVE

Box:City:HAYWARD

State:CA

ZIP:94544-7917

Country:US

Phone:UNK

CAGE:5B970

Company Name: MALLINCKRODT BAKER, INC.

Address:222 RED SCHOOL LANE

Box:City:PHILLIPSBURG

State:NJ ZIP:08865 Country:US

Phone:800-582-2537

CAGE:70829

====== Composition/Information on Ingredients ========

Ingred Name: POTASSIUM NITRATE

CAS:7757-79-1

RTECS #:TT3700000

Fraction

by Wt: 100%
======================================
Effects of Overexposure:CHRONIC EXPOSURE CAN CAUSE ANEMIA, NEPHRITIS AND METHEMOGLOBINEMIA (SAX,5TH ED)
======================================
First Aid:INGEST:IF CONSCIOUS,INDUCE VOMITING & CALL MD. SKIN: FLUSH W/WATER. EYES: FLUSH W. H*20 FOR 15 MIN & CALL MD.
======================================
Extinguishing Media:WATER SPRAY, DRY CHEM , CO*2
Unusual Fire/Explosion Hazard:STRONG OXIDIZER; CONTACT W/ OTHER MATERIAL MAY CAUSE FIRE.
======== Accidental Release Measures ==========
Spill Release Procedures:CAREFULLY SWEEP UP & ISOLATE SPILL. DILUTE W/ SUFFICIENT WATER. ADD SODA ASH. MIX & NEUTRALIZE W/ 6M-HCL.
============ Handling and Storage =============
Handling and Storage Precautions:AVOID CONTACT W/EYES,SKIN,CLOTHING & COMBUSTIBLES. WASH THOROUGHLY AFTER HANDLING. KEEP CANS TIGHTLY
CLOSED, IN A COOL PLACE, AWAY FROM HEAT & ORGANICS Other Precautions: INCOMPATABILITY: LEAD NITRATE; SODIUM HYDROSULFITE; LEAD PHOSPHITE; TIN; SOLDER; TIN PLATE; STANATES; ORGANIC MATERIALS; STRONG OXIDIZING AGENTS; SODIUM PHOSPHITE.
====== Exposure Controls/Personal Protection ========
Respiratory Protection:NIOSH/MSHA APPRVD SCBA (MFR) Ventilation:LOCAL & MECHANICAL/GENERAL RECOMMENDED Protective Gloves:RUBBER Eye Protection:SAFETY GLASSES Other Protective Equipme

PROD DECOMPOSES ABOUT 400C; MELTING PT 337C. CONTAINER: 4 OZ BOTTLE CRYSTAL.
======== Physical/Chemical Properties =========
HCC:D1 Spec Gravity:2.11 Solubility in Water:SOLUBLE Appearance and Odor:COLORLESS CRYSTALS
========= Stability and Reactivity Data =========
Stability Indicator/Materials to Avoid:YES SODIUM ACETATE & TARTRATES;SODIUM PHOSPHITE;(OTHER PRECAU)
======== Dis

Waste Disposal Methods:MFR RECOMMENDS DISPOSAL @ WASTE TREATMENT PLANT. DISPOSAL METHOD MUST BE IAW FEDERAL, STATE & LOCAL CODES.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.

posal Considerations =========

nt:APPRVD WORKING CLOTHES.
Supplemental Safety and Health