

AMERICAN WRITING INK CO.,INC. -- MIL-L-6085B,LUBRICATING OIL,INSTRUMENT ACRF --  
9150-00-257-5449

=====  
Product Identification  
=====

Product ID:MIL-L-6085B,LUBRICATING OIL,INSTRUMENT ACRF

MSDS Date:01/01/1985

FSC:9150

NIIN:00-257-5449

MSDS Number: BDPKP

=== Responsible Party ===

Company Name:AMERICAN WRITING INK CO.,INC.

Emergency Phone Num:(617)-482-9167

CAGE:82956

=== Contractor Identification =

==

Company Name:AMERICAN INK AND OIL CORP

Address:33 ENDICOTT STREET

Box:City:NORWOOD

State:MA

ZIP:02062-3006

Country:US

Phone:781-762-0026 / FAX: 781-762-1617

CAGE:82956

=====  
Composition/Information on Ingredients  
=====

Ingred Name:SYNTHETIC BASE OIL

Fraction by Wt: UNK

Ingred Name:ADDITIVES(TYPE UNSPECIFIED)

Fraction by Wt: UNK

Ingred Name:ESTERS OF DIBASIC ORGANIC ACIDS(DIBASIC ACID ESTERS)

Fraction by Wt: UNK

=====  
Hazards Identification  
=====

Effects of Overexposure:NONE NOTED BY MFR. LOW TOXICITY & LOW HAZARD TO HEALTH.

=====  
First Aid Measures  
=====

First Aid:GET MED ATTN FOR EYE IRRITATION.

=====  
Fire Fighting Measures  
=====

Flash Point:365F-OC

Lower Limits:UNK

Upper Limits:UNK

Extinguishing Media:FOAM,CO\*2,DRY CHEM OF CCL\*4

Fire Fighting Procedures:NONE

Unusual Fire/Explosion Hazard:NONE

=====  
Accidental Release Measures  
=====

=====

Spill Release Procedures:EVACUATE UNPROTECTED PERSONS. ELIM IGNITION SOURCES. STOP LEAK. H\*2O SPRAY COOL CONT/DIVERT SPILL FROM FIRE/HEAT. PROVIDE VENTILATION. ABSORB W COMMERCIAL ABSORBENT,SHOVEL INTO METAL DRUMS:LG SPILL:DI KE W COMMERCIAL ABSORBENT,PUMP INTO COVERED DRUMS.

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN COOL,DRY,WELL VENTILATED AREA. PROTECT FROM PHYSICAL DAMAGE.KEEP CONTAINER S CLOSED. MAINTAIN STANDARD HYGIENE FOR CHEM HANDLING.  
Other Precautions:NONE NOTED BY MFR.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE SHOULD BE NEEDED  
Ventilation:NO SPECIAL REQUIREMENTS W ADEQUATE VENT.  
Protective Gloves:IMPERVIOUS  
Eye Protection:GOGGLES  
Other Protective Equipment:NONE  
Supplemental Safety and Health  
MSDS UNDATED; MIL SPEC REFERENCE:MIL-L-6085B

===== Physical/Chemical Properties =====

HCC:V  
6  
Spec Gravity:UNK  
Evaporation Rate & Reference:0.91 AT 210F-23HRS  
Solubility in Water:NEGLIGIBLE  
Appearance and Odor:CLEAR,TRANSPARENT COLOR LIQUID NOT DRKR THAN SASTM  
Percent Volatiles by Volume:UNK

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES  
Stability Condition to Avoid:NONE  
Hazardous Decomposition Products:NONE NOTED,BUT EXPECT CO, CO\*2, H\*2O.

===== Disposal Considerations =====

Waste D

isposal Methods:MFR NOTES TO WASH DOWN TO DRAIN.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.