

WELDING SUPPLY & SVC CO (DIST), SUPERIOR FLUX (MFR -- SUPERIOR NO.11 -- 3439-00-260-1267

=====  
Product Identification  
=====

Product ID: SUPERIOR NO.11

MSDS Date: 01/01/1985

FSC: 3439

NIIN: 00-260-1267

MSDS Number: BDPLV

=== Responsible Party ===

Company Name: WELDING SUPPLY & SVC CO (DIST), SUPERIOR FLUX (MFR

Emergency Phone Num: 216-461-3315

CAGE: 6F776

=== Contractor Identification ===

Company Name: WEL

DING SUPPLY & SVC CO INC

Box: 3146

City: MACON

State: GA

ZIP: 31297-4099

Country: US

CAGE: 6F776

=====  
Composition/Information on Ingredients  
=====

Ingred Name: SODIUM NITRATE

CAS: 7631-99-4

RTECS #: WC5600000

Fraction by Wt: 30.0%

Ingred Name: SODA ASH

CAS: 497-19-8

RTECS #: VZ4050000

Fraction by Wt: 30.0%

Ingred Name: SODIUM TETRABORATE, DECAHYDRATE

CAS: 1303-96-4

RTECS #: VZ2275000

Fraction by Wt: 30.0%

OSHA PEL: 10 MG/M3

ACGIH TLV: 5 MG/M3; 9192

=====  
Hazards Identific

ation =====

Effects of Overexposure:LARGE AMOUNTS TAKEN BY MOUTH MAY HAVE SERIOUS  
OR EVEN FATAL EFFECTS

===== First Aid Measures =====

First Aid:EXTERNALLY:WASH WITH WATER WHEN EXPOSED TO EYES OR SKIN.  
INTERNALLY:DRINK SEVERAL GLASSES OF WATER OR MILK & CALL MD.

===== Fire Fighting Measures =====

Flash Point:NONE

Extinguishing Media:NONE

Fire Fighting Procedures:USE PLENTY OF WATER

Unusual Fire/

Explosion Hazard:MODERATE, WHEN MIXED WITH ORGANIC MATTER,  
WILL IGNITE ON FRICTION.EXPLODES WHEN MIXED WITH CYANIDES

===== Accidental Release Measures =====

Spill Release Procedures:WASH WITH WATER MATERIAL IS RELATIVELY  
HARMLESS EXCEPT ON INGESTION.

===== Handling and Storage =====

Handling and Storage Precautions:KEEP AWAY FROM EXTREME HEAT

Other Precautions:STORE IN DRY, COOL AREA. WATER OR MOISTURE WILL  
REDUCE SHE

LF LIFE

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NON-TOXIC, MASK WHEN WORKING OR BRAZING

Ventilation:MECHANICAL IS PREFERRED

Protective Gloves:RUBBER

Eye Protection:SAFETY GLASSES OR GOGGLES

Other Protective Equipment:USUAL & CUSTOMARY

Supplemental Safety and Health

ITEM IS TYPE "C" OF MIL-F-16136

===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:DECOMPOSED

Spec Gravity:2.15

Evaporation Rate & Refer

ence:NEGLIGIBLE

Solubility in Water:APPRECIABLE

Appearance and Odor:WHITE HYGROSCOPIC POWDER, SLIGHT BITTER TASTE

Percent Volatiles by Volume:1.0

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

REDUCING MATERIALS AT HIGH TEMPERATURES

Stability Condition to Avoid:HEATING IN PRESENCE OF CYANIDES OR OTHER  
REDUCING AGENTS

Hazardous Decomposition Products:FMES CONTAIN NITROGEN OXIDES & B2O\*3

===== Disposal Considerations =====

Waste Disposal Methods:WASH WITH ABUNDANT WATER.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.