

NATIONWIDE INDUSTRIES -- PENETRATING OIL -- 9150-00-261-7899

===== Product Identification =====

Product ID: PENETRATING OIL

MSDS Date: 01/01/1987

FSC: 9150

NIIN: 00-261-7899

MSDS Number: BDPPB

=== Responsible Party ===

Company Name: NATIONWIDE INDUSTRIES

Address: 501 S BASINGER RD

City: PANDORA

State: OH

ZIP: 45877-9749

Country: US

Emergency Phone Num: 419-384-3241

CAGE: 6T203

=== Contractor Identification =

==

Company Name: NATIONWIDE INDUSTRIES INC

Address: 501 S BASINGER RD

Box: City: PANDORA

State: OH

ZIP: 45877-9749

Country: US

CAGE: 6T203

===== Composition/Information on Ingredients =====

Ingred Name: PETROLEUM DISTILLATES (NAPHTHA OR RUBBER SOLVENT)

CAS: 8002-05-9

RTECS #: SE7449000

Fraction by Wt: 71%

OSHA PEL: 400 PPM

ACGIH TLV: 400 PPM; 8990

Ingred Name: MINERAL OIL (EXPOSURE REGULATED AS 'OIL MIST')

CAS: 8012-95-1

RTECS #: PY8030000

Fraction by Wt: 25%

OSHA PEL: 5 MG/M3

ACGIH TLV: 5 MG

/M3/10 STEL;9192

Ingred Name:ORTHENE CAS.NO. 30560-19-1)(PHOSPHORAMIDOTHIOIC  
ACID,N-ACETYL-,O-S-DIMETHYL ESTER)

CAS:30560-19-1

RTECS #:TB4760000

Fraction by Wt: 3%

Ingred Name:PHENOL

CAS:108-95-2

RTECS #:SJ3325000

Fraction by Wt: 1%

OSHA PEL:S, 5 PPM

ACGIH TLV:S, 5 PPM; 8990

EPA Rpt Qty:1000 LBS

DOT Rpt Qty:1000 LBS

===== First Aid Measures =====

First Aid:IF SWALLOWED,DO NOT INDUCE VOMITING, CALL PHYSICIAN  
IMMEDIATELY.

===== Fire  
Fighting Measures =====

Flash Point:125F/51.7C TOC

Extinguishing Media:CO2, FOAM, DRY CHEM.

Fire Fighting Procedures:NONE

Unusual Fire/Explosion Hazard:MATERIAL WILL BURN. LIQUID RUN-OFF WILL  
SPREAD FIRE.

===== Accidental Release Measures =====

Spill Release Procedures:TREAT AS LIGHT OIL SPILL. TAKE UP WITH  
ABSORBENT MATERIAL & INCINERATE.

===== Handling and Storage =====

Handling and Storage Precautions:EXERCISE REASONABLE CARE. STORE IN A  
COOL DRY AREA.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NO SPECIAL REQMNTS UNDER ORDINARY CONDITIONS/  
ADEQUATE VENT.

Ventilation:MECHANICAL (GENERAL/LOCAL EXHAUST)

Protective Gloves:AS REQUIRED

Eye Protection:AS REQUIRED

Other Protective Equipment:NORMAL WORK CLOTHING COVERING ARMS & LEGS.

Supplemental Safety and Health

MSDS FROM NATIONWIDE NOT DATED; OLD NAME OF NATIONWIDE INDUSTRIES WAS  
KO

NALRAD, INC. UNDER FSCM 6T203: SPEC REF: VV- P-216C, TYPE I; SEE  
ADDL DATA FOR DISCONTINUATION INFO. KEY1:F4

===== Physical/Chemical Properties =====

HCC:F4

Boiling Pt:B.P. Text:315F/157.2C

Vapor Pres:UNK

Vapor Density:UNK

Spec Gravity:0.83

Viscosity: