View NSN Online: https://aerobasegroup.ae/nsn/8030-00-264-2063

GC ELECTRONICS -- 10-5802 VINYLITE CEMENT -- 8030-00-264-2063

Product ID:10-5802 VINYLITE CEMENT MSDS Date:01/01/1987 FSC:8030 NIIN:00-264-2063 **MSDS Number: BDQHN** === Responsible Party === Company Name: GC ELECTRONICS Address:1801 MORGAN ST Box:1209 City:ROCKFORD State:IL ZIP:61105-1209 Country:US Info Phone Num:815-968-9661 Emergency Phone Num:815-968-9661 CAGE:7 2653 === Contractor Identification === Company Name: GC THORSEN Address:1801 MORGAN STREET Box:City:ROCKFORD State:IL ZIP:61105 Country:US Phone:815-968-9661 CAGE:72653 Ingred Name: VINYL ACETATE RESIN CAS# 9003-20-7 CAS:9003-20-7 RTECS #:AK0920000 Fraction by Wt: 42% Ingred Name: ACETONE (SARA III) CAS:67-64-1 RTECS #:AL3150000 Fraction by Wt: 58% OSHA PEL:1000PPM ACGIH TLV:750PPM/1000STEL;9293 EPA Rpt Qty:5000 LBS DOT Rpt Qt

y:5000	LBS

======================================
Effects of Overexposure:DIZZINESS,NAUSEA
======================================
First Aid:FRESH AIR,CALL A PHYSICIAN.IF SWALLOWED,INDUCE VOMITING;EYES:FLUSH WITH WATER FOR 15 MIN;IF IRRITATION PERSISTS,SEE A PHYSICIAN;SKIN:WASH WITH SOAP & WATER.
======================================
Flash Point:-4F,-20C CC Extinguishing Media:CO*2,FOAM Fire F
ighting Procedures:WEAR SELF CONTAINED BREATHING APPARATUS Unusual Fire/Explosion Hazard:KEEP FROM HEAT,FLAME OR SPARKS
======================================
Spill Release Procedures:REMOVE ALL SOURCES OF IGNITION.SPREAD ABSORBENT MATERIAL OVER AREA.
======================================
Handling and Storage Precautions:DO NOT STORE NEAR HEAT, FLAME OR SPARKS Other Precautions:USE WITH ADEQUATE VENTILATION.
======== Exposu re Controls/Personal Protection ====================================
Respiratory Protection:N/K(PER MFR) Ventilation:LOCAL EXHAUST,KEEP 1 Spec Gravity:0.79
Evaporation Rate & amp; Reference:7.7(N-BUAC) Solubility in Water:INSOLUBLE Appearance and Odor:CLEAR LIQUID,ACETONE ODOR Percent Volatiles by Volume:58
======================================
Stability Indicator/Materials to Avoid:YES Stability Condition to Avoid:HEAT,SPARKS,FLAME
======================================

Waste Disposal Methods: ACCORDING TO LOCAL REGULATIONS; INCINERATE. DISPOSE OF IN ACCORDANCE WITH ALL APPLICABLE FEDERAL, STATE AND LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and

assume responsibility for the suitability of this information to their particular situation.