

BETHLEHEM STEEL CORP -- AMMONIUM SULFATE -- 6810-00-264-6546

=====
Product Identification
=====

Product ID:AMMONIUM SULFATE

MSDS Date:01/01/1987

FSC:6810

NIIN:00-264-6546

MSDS Number: BDQNK

=== Responsible Party ===

Company Name:BETHLEHEM STEEL CORP

Emergency Phone Num:215-694-5105

CAGE:80406

=== Contractor Identification ===

Company Name:BETHLEHEM STEEL CORP

Address:701 E 3RD ST

Box:City:BETHLEHE

M

State:PA

ZIP:18015

Country:US

Phone:215-694-2424

CAGE:80406

=====
Composition/Information on Ingredients
=====

Ingred Name:AMMONIUM SULFATE (SOLUTION) (SARA III)

CAS:7783-20-2

RTECS #:BS4500000

Fraction by Wt: 99.8%

Ingred Name:H*2O (CAS# 7732-18-5)

CAS:7732-18-5

RTECS #:ZC0110000

Fraction by Wt: 0.1%

Ingred Name:TRACE ELEMENTS

Fraction by Wt: 0.1%

=====
Hazards Identification
=====

Effects of Overexposure:EYE/SKIN:DUST IRRIT.INHAL:DUS

T POSS RESP TRACT
IRRIT,BRONCHOCONSTRICTION.INGEST: (SEE SUPP DATA)

=====
First Aid Measures
=====

First Aid:EYE:FLUSH THOROUGHLY W/LARGE AMOUNTS OF H*2O FOR @ LEAST 15
MIN. SKIN:FLUSH EXPOSED AREAS W/LARGE AMOUNTS OF H*2O. INHAL:REMOVE
FROM EXCESSIVE DUST EXPOSURE LEVELS. INGEST:CONTACT POISON CONTROL
CENTE R/SEEK MEDICAL ATTENTION PROMPTLY.

=====
Accidental Release Measures
=====

Spill Release Procedures:MATE
RIAL SHOULD BE SWEEPED OR VACUUMED INTO
APPROPRIATE CONTAINERS.

=====
Handling and Storage
=====

Handling and Storage Precautions:PROTECT CONTAINERS AGAINST PHYSICAL
DAMAGE.

Other Precautions:IN ANIMAL STUDY,CHEM DUST IRRIT ARTF-INDUCED
EMPHYSEMA,ENLARGED ALVEOLI,ALVEOLAR DUCTS,SACS.IN VITRO
STUDY-SYNERGISM BETWEEN OXIDANT AIR POLLUTANTS,OZONE,NO*2 &
AMMONIUM SULFATE AEROSOL (MFR).

=====
Exposure Controls/Personal Protection
=====

Respiratory Protection:NIOSH/MSHA APPROVED DUST & MIST RESPIRATOR.
Ventilation:SUFFICIENT VENT TO KEEP DUST LEVELS < EXPOSURE LIMIT.
Protective Gloves:RECOMMENDED
Eye Protection:SAFETY GLASSES/GOGGLES
Other Protective Equipment:PROTECTIVE CLOTHING RECOMMENDED IN DUSTY
ATMOSPHERES.
Supplemental Safety and Health
OVEREXP:MODERATELY TOXIC;LGE AMT POSS DIURESIS,SYSTEMIC AMMONIA
POISONING;DIGESTIVE TRACT SURFACE LINING IRRIT. OTHER MFR PHONE
#:215-694-7066. CONTAINER: 1 LB BOTTL
E. DATE OF PREP:11-85.

=====
Physical/Chemical Properties
=====

HCC:N1
Spec Gravity:1.77
Solubility in Water:APPRECIABLE
Appearance and Odor:WHITISH CRYSTALLINE MATERIAL NO ODOR.

=====
Stability and Reactivity Data
=====

Stability Indicator/Materials to Avoid:YES
Hazardous Decomposition Products:AMMONIA,SULFUR OXIDES,SULFURIC ACID &
OTHER POSSIBLE GASES.

=====
Disposal Considerations
=====

Waste Dispo

sal Methods:PERMITTED HAZARDOUS WASTE LANDFILL OR OTHER
METHODS IN ACCORDANCE W/LOCAL,STATE & FEDERAL REGULATIONS. WASTE
MAY BE RECLAIMED OR SALVAGED FOR FURTHER USE.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any per
son utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.