

DOW CHEMICAL U S A GOVERNMENT MARKETING -- GLYCERINE,USP,99.5% -- 6810-00-264-6637

=====
Product Identification
=====

Product ID:GLYCERINE,USP,99.5%

MSDS Date:03/18/1985

FSC:6810

NIIN:00-264-6637

MSDS Number: BDQTX

=== Responsible Party ===

Company Name:DOW CHEMICAL U S A GOVERNMENT MARKETING

Address:2020 DOW CENTER

City:MIDLAND

State:MI

ZIP:48640-6030

Country:US

Emergency Phone Num:(517)636-4400

CAGE:71981

=== Contractor Identification ===

Company Name:DOW CHEMICAL CO

Address:100 LARKIN CENTER

Box:City:MIDLAND

State:MI

ZIP:48674

Country:US

Phone:800-258-2436

CAGE:96717

Company Name:DOW CHEMICAL U S A

Address:BARSTOW BLDG

City:MIDLAND

State:MI

ZIP:48640

Country:US

Phone:517-636-4400

CAGE:71981

=====
Composition/Information on Ingredients
=====

Ingred Name:GLYCERIN

CAS:56-81-5

RTECS #:MA8050000

Fraction by Wt: 99.5%

Other REC Limits:NONE SPECIFIED

OSHA PEL:15 MG/M3 TDU

ST
ACGIH TLV:10 MG/M3 (MIST) 9293

=====
Hazards Identification
=====

Routes of Entry: Inhalation:YES Skin:NO Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:EYE-SLIGHT TRANSIENT IRRITATION.
SKIN-ESSENTIALLY NON-IRRITATING. INGEST-LOW SINGLE & REPEATED DOSE
TOXICITY. INHALE-ACGIH TLV IS 10 MG/M3 AS A NUISANCE MIST.
Explanation of Carcinogenicity:NONE OF THE CHEMICALS IN THIS PRODUCT IS
LISTED BY
IARC, NTP OR OSHA AS A CARCINOGEN.
Effects of Overexposure:IRRITATION.
Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

=====
First Aid Measures
=====

First Aid:EYE: IMMEDIATELY FLUSH WITH PLENTY OF WATER FOR 5 MINUTES.
SKIN: WASH OFF IN FLOWING WATER. INHALE: REMOVE TO FRESH AIR. CALL
A DOCTOR AND/OR TRANSPORT TO MEDICAL FACILITY. INGEST: LOW
TOXICITY. INDUCE VOMITING IF LARGE AMOUNTS ARE INGESTED.

=====
Fire Fighting Measures
=====

Flash Point Method:PMCC
Flash Point:390F,199C
Autoignition Temp:Autoignition Temp Text:698F
Extinguishing Media:USE WATER FOG, CARBON DIOXIDE, ALCOHOL FOAM, OR DRY
CHEMICAL.
Fire Fighting Procedures:NONE SPECIFIED BY MANUFACTURER.
Unusual Fire/Explosion Hazard:NONE SPECIFIED BY MANUFACTURER.

=====
Accidental Release Measures
=====

Spill Release Procedures:SPILL-COVER WITH ABSORBENT MATERIAL, SOAK UP
AND SWEEP INTO A DRUM.
Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

=====
Handling and Storage
=====

Handling and Storage Precautions:PRACTICE REASONABLE CARE AND CAUTION.
Other Precautions:AVOID CONTACT WITH SKIN AND EYES.

=====
Exposure Controls/Personal Protection
=====

Respiratory Protection:NONE NORMALLY REQUIRED.
Ventilation:RECOMMENDED CONTROL OF MIST TO SUGGESTED GUIDE.
Protective Gloves:NONE NORMALLY REQUIRED.
Eye Protection:NONE NORMALLY REQUIRED.

Y REQUIRED.

Other Protective Equipment:NONE SPECIFIED BY MANUFACTURER.

Work Hygienic Practices:NONE SPECIFIED BY MANUFACTURER.

Supplemental Safety and Health

MSDS DATED 03-18-85/

===== Physical/Chemical Properties =====

HCC:N1

NRC/State Lic Num:NONE

Boiling Pt:B.P. Text:554F,290C

Vapor Pres: