View NSN Online: https://aerobasegroup.ae/nsn/6810-00-264-9020

THOMPSON-HAYWARD CHEMICAL COMPANY -- SODIUM SULFITE ANHY 50 #16-05104-00. 6810-00-264-9020

Product ID:SODIUM SULFITE ANHY 50 #16-05104-00. MSDS Date:04/09/1986 FSC:6810 NIIN:00-264-9020 MSDS Number: BDQZT === Responsible Party === Company Name: THOMPSON-HAYWARD CHEMICAL COMPANY Address:5200 SPEAKER ROAD **City:KANSAS CITY** State:KS ZIP:66106-1048 Country:US Info P hone Num:913-321-3131 Emergency Phone Num:913-321-3131 Preparer's Name: EDWARD E.CHAPMAN CAGE:5G633 === Contractor Identification === Company Name: THE AGRICULTURE AND NUTRITION CO INC. Address:N/K (FORMERLY THOMPSON-HAYWARD CHEMICAL City:KANSAS CITY State:KS ZIP:66106 Country:US Phone:913-321-3131 CAGE:09531 Company Name: THOMPSON-HAYWARD CHEMICAL CO Address:5200 SPEAKER RD Box:City:KANSAS CITY State:KS ZIP:66106 Country:US Phone:913-321-3131 CAGE:5G633

======= Composition/Information on I

ngredients =========

Ingred Name:SODIUM SULFITE (ANHYDROUS) CAS:7757-83-7 RTECS #:WE2150000 Fraction by Wt: 100% Other REC Limits:10MG/CUM (TOTAL DUST

LD50 LC50 Mixture:NOT KNOWN;AQUATIC TOXICITY 2600 PPM TL/W Routes of Entry: Inhalation:YES Skin:UNKNOWN Ingestion:YES Health Hazards Acute and Chronic:ACUTE:IRRITANT TO EYES,SKIN OR BURN; IRRITATION TO RESPIRATORY OR G.I. TRACT NAUSE, VOMITING, DIARRHEA. CHRONIC: IRR ITATION OR DERMATITIS. Effects of Overexposure: EYES: IRRITATION OR BURNING. SKIN: IRRITATION. INHALATION: IRRITATING TO RESPIRATORY TRACT. INGESTION: IRRITATES G.I.TRACT, COLIC AND DIARRHEA, CNS EFFECTS. Medical Cond Aggravated by Exposure: CONDITION MAY WORSEN; STRONG **IRRITATION.** First Aid: EYES: FLUSH AT ONCE WITH PLENTY OF WATER & CALL A DR. SKIN:WASH W/SOAP & WATER;CALL A PHYSICIAN IF NEEDED. INHALATION:REMOV E TO FRESH AIR; GIVE O*2 IF NEEDED & CALL A DR. INGESTION: GIVE GLASS OF WATER , CALL A PHYSICIAN. Flash Point:NONE Extinguishing Media: USE EXTINGUISHING MEDIA APPROPRIATE FOR SURROUNDING FIRE. Fire Fighting Procedures: USE NIOSH/MSHA APPROVED SCBA IN AN ENCLOSED AREA; USE WATER SPRAY TO KEEP CONTAINERS COOL. Unusual Fire/Explosion Hazard: WHEN PRODUCT HEATED TO DECOMPOSITION TEMP OXIDES OF SULFUR RELEASED.SODIUM S **ULFIDE RESIDUE AFTER** DECOMPOSITION, A SERIOUS FIRE RISK. Spill Release Procedures: USE PROPER PERSONAL PROTECTION; SWEEP UP OR VACUUM POWDER MATERIAL AND PLACE IN CLEAN CONTAINERS FOR PROPER DISPOSAL. Neutralizing Agent:ACID

Handling and Storage Precautions:STORE IN COOL DRY AREA. DO NOT BREATHE DUST.KEEP CONTAINER CLOSED WHEN NOT IN USE.WASH TH

OROUGHLY AFTER EACH USE.

Respiratory Protection: USE NIOSH/MSHA APPROVED RESPIRATOR FOR DUST OR VAPORS. Ventilation:LOCAL EXHAUST Protective Gloves: IMPERVIOUS GLOVES Eye Protection: CHEMICAL SAFETY GOGGLES Other Protective Equipment: FULL PROTECTION, APRON BOOT, SAFETY SHOWER, EYE BATH. Work Hygienic Practices: AVOID CONTACT W/EYES AND SKIN, DO NOT BREATHE VAPORS/DUST.DO NOT SMOKE, EAT OR DRINK IN WORK AREA. WASH AFTER EACH USE. Supplemental Safety and Health MSDS RECEIVED BY DGSC: OCT 30,1987. HCC:N1 Decomp Temp:Decomp Text:900C Spec Gravity:2.63 (SOLID) Solubility in Water: APPRECIABLE (17%) Appearance and Odor:WHITE GRANULAR CRYSTALS OR POWDER Stability Indicator/Materials to Avoid:YES STRONG ACIDS, STRONG OXIDIZERS. Stability Condition to Avoid: EXTREME HEAT

Hazardou

s Decomposition Products:OXIDES OF SULFUR,SODIUM SULFIDE RESIDUE (FLAMMABLE)

Waste Disposal Methods:DISPOSE OF COLLECTED MATERIAL IN ACCORDANCE WITH LOCAL,STATE AND FEDERAL REGS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.