

CSD INC. -- DRY CLEANING SOLVENT -- 6850-00-264-9039

=====  
Product Identification  
=====

Product ID:DRY CLEANING SOLVENT

MSDS Date:07/22/1986

FSC:6850

NIIN:00-264-9039

MSDS Number: BDRBY

=== Responsible Party ===

Company Name:CSD INC.

Address:5 HACKBERRY LANE

Box:687

City:CONROE

State:TX

ZIP:77305

Country:US

Info Phone Num:409-756-1065

Emergency Phone Num:409-756-1065

CAGE:JO933

=== Contractor Iden

tification ===

Company Name:CHEMICAL SPECIALISTS AND DEVELOPMENT INC

Address:2210 HACKBERRY LN

Box:687

City:CONROE

State:TX

ZIP:77305

Country:US

Phone:409-756-1065

CAGE:4N760

Company Name:CSD INC.

Address:5 HACKBERRY LANE

Box:687

City:CONROE

State:TX

ZIP:77305

Country:US

Phone:409-756-1065

CAGE:JO933

=====  
Composition/Information on Ingredients  
=====

Ingred Name:MINERAL SPIRITS

Fraction by Wt: 100%

ACGIH TLV:350PPM(MFR)

=====  
Hazards Identification  
=====

=====

Effects of Overexposure:INH:DIZZ,HEAD,UNCONC;SKIN:DRY,DEFAT,IRR,DERMAT

===== First Aid Measures =====

First Aid:INHAL:RMV TO FRESH AIR. IF NOT BRTHNG GIVE CPR; IF BRTHNG  
DIFF GIVE OXYGEN. EYE:IMMED FLUSH W/PLENTY OF WATER. SKIN:WASH  
W/SOAP & WATER. RMV CONTAM CLTHG & SHOES. INGEST:DO NOT INDUCE  
VOMIT. NOTHG BY MOUTH IF UNCONSC. GET MEDICAL ATTN.

===== Fire Fighting Measures =====

Flash Point:1

08F,42C

Lower Limits:0.9

Upper Limits:6.0

Extinguishing Media:CO\*2, FOAM, DRY CHEM & H\*2O FOG.

Fire Fighting Procedures:USE SCBA FOR ENCLOSED.COOL EXPSD CONT.W.WTR  
SPRAY.

Unusual Fire/Explosion Hazard:DO NOT MIX,STORE W.STRONG OXIDANTS LIKE  
LIQUID CHLORINE OR CONC.OXYGEN-COMBUSTIBLE LIQUID-

===== Accidental Release Measures =====

Spill Release Procedures:REMOVE IGNITION SOURCES,VENTILATE AREA  
WELL.ABSORB WITH VERMICULITE OR OTHER MATERIALS, SUCH AS  
S

AWDUST,RAGS,PAPER & PLACE IN CLOSED CONTNR. USE NON SPARKING  
TOOLS. WEAR PROPER PROTCTV. EQUIP. DURING CLEAN UP;KEEP  
PETROL.PROD.OUT OF SEWERS,WTRCOURS

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN COOL,DRY WELL VENTED LOW FIRE  
RISK AREA. PROTECT FROM HEAT,SHOCK,FRICION. KEEP CONTAINERS  
CLOSED.

Other Precautions:AVOID BREATHING VAPORS.AVOID PROLONGED/REPEATED  
CONTACT W.SKIN.REMOVE CONTAM.CLOTHING.LAUNDR BEFOR

E REUSE.REMOVE

CONTAM SHOES&DRY BEFORE REUSE.WASH SKIN THOROUGHLY W.SOAP&WTR AFTER  
CONTACT.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:USE HYDROCARBON VAP.CANISTER OR SCBA IN CONFINED  
SPACES.

Ventilation:LOCAL EXHAUST TO ELIMINATE MISTS/FUMES/GASES.

Protective Gloves:CHEM.RESIST.

Eye Protection:CHEM SPLASH GOGGLES

Other Protective Equipment:CHEM.RESISTANT APRON.

Supplemental Safety and Health

MSDS DATED 07-22-86/

=====

Physical/Chemical Properties =====

HCC:F4

Boiling Pt:=148.9C, 300.F

Vapor Pres: