

PHIPPS PRODUCTS CO -- TT-N-95,TYPE II -- 6810-00-265-0664

=====
Product Identification
=====

Product ID:TT-N-95,TYPE II

MSDS Date:01/01/1985

FSC:6810

NIIN:00-265-0664

MSDS Number: BDRDR

=== Responsible Party ===

Company Name:PHIPPS PRODUCTS CO

Address:186 LINCOLN ST SUITE 502

City:BOSTON

State:MA

ZIP:02111-2403

Country:US

Emergency Phone Num:NONE

CAGE:86511

=== Contractor Identification ===

Compa

ny Name:PHIPPS PRODUCTS CORP

Address:186 LINCOLN ST SUITE 502

Box:City:BOSTON

State:MA

ZIP:02111-2403

Country:US

Phone:OUT OF BUSINESS

CAGE:86511

=====
Composition/Information on Ingredients
=====

Ingred Name:NAPHTA (PETROLEUM SPIRITS OR BENZIN)

CAS:8030-30-6

RTECS #:DE3030000

Fraction by Wt: 100%

OSHA PEL:100 PPM

=====
Hazards Identification
=====

Effects of Overexposure:SEVERE EYE IRRITATION,DRYING OF SKIN,EXCESSIVE
INHALATION CAUSES,

HEADACHE,DIZZINESS AND NAUSEA

===== First Aid Measures =====

First Aid:EYE CONTACT:FLUSH WITH WATER,SKIN CONTACT:WASH WITH MILD SOAP AND WATER AND APPLY SKIN CREAM,INHALATION:REMOVE TO FRESH AIR,CALL DOCTOR. GIVE ARTIFICIAL RESPIRATION IF NECESSARY.

===== Fire Fighting Measures =====

Flash Point:16F TCC

Lower Limits:1.2

Upper Limits:6.8

Extinguishing Media:WATER SPRAY-CARBON DIOXIDE -FORM-DRY CHEMICAL

Fire Fighti

ng Procedures:NONE

Unusual Fire/Explosion Hazard:NONE

===== Accidental Release Measures =====

Spill Release Procedures:ABSORB SPILL AND FLUSH EXCESS WITH WATER.AVOID EXPOSURE TO SPARKS,FIRE OR HOT SURFACES.

===== Handling and Storage =====

Handling and Storage Precautions:KEEP AWAY FROM HEAT,SPARKS,OPEN FLAME.USE WITH ADEQUATE VENTILATION.AVOID PROLONGED OR REPEATED SKIN CONTACT

Other Precautions:NONE

===== Exposure Controls/Personal Protection =====

Respiratory Protection:SELF CONTAINED BREATHING APPARATUS

Ventilation:LOCAL-YES

Protective Gloves:RUBBER

Eye Protection:GOGGLES

Other Protective Equipment:EYE BATH AND SAFETY SHOWER

Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:F2

Boiling Pt:B.P. Text:200-230F

Vapor Pres:38

Vapor Density:3.65

Spec Gravity:0.727

Evaporation Rate & Reference:1.8

Solubility in Water:NEGLIGIBLE

Appea

rance and Odor: CLEAR-SLIGHT ODOR
Percent Volatiles by Volume: 100

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid: YES

STRONG OXIDIZING AGENTS

Stability Condition to Avoid: HEAT, SPARKS, OPEN FLAME, FIRE

Hazardous Decomposition Products: THERMAL DECOMPOSITION MAY YIELD CARBON MONOXIDE

===== Disposal Considerations =====

Waste Disposal Methods: PLACE ABSORBED MATERIAL IN DOT CONTAINER

SUITABLE FOR SHIP

PING FLAMMABLE WASTES

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.