

DAVIS-HOWLAND OIL CORPORATION -- VV-L-765A, GRADE 140 (LUBRICATING OIL) --
9150-00-270-0067

=====
===== Product Identification =====

Product ID:VV-L-765A, GRADE 140 (LUBRICATING OIL)

MSDS Date:01/01/1985

FSC:9150

NIIN:00-270-0067

MSDS Number: BDRNM

==== Responsible Party ====

Company Name:DAVIS-HOWLAND OIL CORPORATION

Emergency Phone Num:(716)473-6650

CAGE:FO626

==== Contractor Identification ====

Company Na

me:DAVIS HOWLAND OIL CORP.

Address:200 ANDERSON AVE.

City:ROCHESTER

State:NY

ZIP:14607

Country:US

Phone:716-473-6650

CAGE:5A565

Company Name:DAVIS-HOWLAND OIL CORPORATION

Address:200 ANDERSON AVENUE

City:ROCHESTER

State:NY

ZIP:14607

Phone:(716) 473-6650

CAGE:FO626

=====
===== Composition/Information on Ingredients =====

Ingred Name:COMPLEX MIXTURE OF PETROLEUM HYDROCARBON BASE OIL

Fraction by Wt: 100%

ACGIH TLV:5MG/CUM OILMIST

=====
===== Hazards Identification =====

=====

Effects of Overexposure:MAY CAUSE EYE AND SKIN IRRITATION ON PROLONGED OR REPEATED CONTACT.SVOID BREATHING VAPOR OR FUMES.

===== First Aid Measures =====

First Aid:EYE CONTACT:FLUSH WITH LARGE AMOUNTS OF WATER FOR 15 MINUTES.CALL PHYSICIAN IF NEEDED.SKIN CONTACT:WASH THOROUGHLY WITH SOAP AND WARM WATER.

===== Fire Fighting Measures =====

Flash Point:560C (C.O.C.)

Lower Limits:1.0%

Upper Limits

:6.0%

Extinguishing Media:FOAM, DRY CHEMICAL, CO*2 OR WATER FOG OR SPRAY

Fire Fighting Procedures:USE SCBA FOR ENCLOSED AREAS.COOL CONTAINERS W.WATER SPRAY

Unusual Fire/Explosion Hazard:DO NOT MIX OR STORE WITH STRONG OXIDANTS LIKE LIQUID CHLORINE OR CONCENTRATED OXYGEN

===== Accidental Release Measures =====

Spill Release Procedures:RECOVER FREE LIQUIC.ADD ABSORBENT (SAND,EARTH,SAW DUST,ETC.)TO SPILL AREA.KEEP THIS PRODUCT OUT OF SEWERS AND WATERCOU RSES BY DIKING OR IMPOUNDING.

===== Handling and Storage =====

Handling and Storage Precautions:KEEP CONTAINERS CLOSED WHEN NOT IS USE.DO NOT HACLE OR STORE NEAR HEAT.SPARKS,FLAMES OR STRONG OXIDANTS.

Other Precautions:AVOID SKIN OR EYE CONTACT.DO NOT BREATH OIL MIST.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NO SPECIAL REQMNTS UNDER ORDINARY CONDITIONS/ADEQUATE VENT.

Ventilation:PROVIDE MECHAN(GE

N/LOCAL EXHAUST)VENT TO MAINTN