

BRAY OIL COMPANY -- BRAYCO 880H (MIL-L-7808G) -- 9150-00-270-4057

=====
Product Identification
=====

Product ID:BRAYCO 880H (MIL-L-7808G)

MSDS Date:01/01/1985

FSC:9150

NIIN:00-270-4057

MSDS Number: BDRQX

=== Responsible Party ===

Company Name:BRAY OIL COMPANY

Emergency Phone Num:213-575-1212

CAGE:EO565

=== Contractor Identification ===

Company Name:BRAY OIL COMPANY, INC.

CAGE:EO565

Company Name:C

ASTROL INDUSTRIAL NORTH AMERICA INC.

Address:5511 DISTRICT BLVD

Box:City:LOS ANGELES

State:CA

ZIP:90040

Country:US

Phone:213-890-4420

CAGE:98308

=====
Composition/Information on Ingredients
=====

Ingred Name:TRIORTHOCRESYL PHOSPHATE

CAS:78-30-8

RTECS #:TD0350000

OSHA PEL:S, 0.1 MG/M3

ACGIH TLV:S, 0.1 MG/M3; 9192

Ingred Name:SYNTHETIC BASE ESTER PLUS ADDITIVES

=====
Hazards Identification
=====

Effects of Overexposure:EYE/SKIN: IRRITATION

=====
First Aid Measures
=====

First Aid:EYE: FLUSH WITH WATER 15 MINUTES,CONSULT PHYSICIAN. SKIN:
WASH WITH SOAP AND WATER. INGESTION: DO NOT INDUCE VOMITING,CALL A
PHYSICIAN.

=====
Fire Fighting Measures
=====

Flash Point:>400F/204C (COC)
Extinguishing Media:DRY CHEMICAL,CARBON DIOXIDE,FOAM,WATER FOG
Fire Fighting Procedures:SELF-CONTAIN BREATH APP.WATER FOG TO COOL
EXPOSED CONTAINER

=====
Acc
idental Release Measures
=====

Spill Release Procedures:STOP FLOW & SECURE SOURCES OF IGNITION.
WIPE,MOP UP KOR ABOSRB WITH CLAY,DIATOMACEOUS EARTH OR OTHER INERT
MATERIAL. STORE IN CLOSED METAL CONTAINERS.

=====
Handling and Storage
=====

Handling and Storage Precautions:DO NOT STORE NEAR HEAT,OPEN FLAME OR
OTHER IGNITION SOURCES.

=====
Exposure Controls/Personal Protection
=====

Respiratory Protection:NIOSH/MSH
A APPROVED RESP DEVICE IN ACCORD WITH
EXPOSURE OF CONCERN.
Ventilation:LOCAL/MECHANICAL IF OIL-MIST EXCEEDS TLV
Protective Gloves:RUBBER/PLASTIC
Eye Protection:SAFETY GLASSES
Supplemental Safety and Health
CONTAINER SIZE: 1 GAL CAN

=====
Physical/Chemical Properties
=====

HCC:V6
Boiling Pt:B.P. Text:>500F/260C
Vapor Density:>1
Spec Gravity:0.9561
Evaporation Rate & Reference:17.1
Solubility in Water:TRACE
Appearance and Odor:LIGHT AMBER

=====
S

tability and Reactivity Data =====

Stability Indicator/Materials to Avoid: YES

STRONG OXIDIZING AGENTS

Hazardous Decomposition Products: CARBON MONOXIDE AND ASPHYXIANTS

===== Disposal Considerations =====

Waste Disposal Methods: COMPLY WITH LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of

America in no manner whatsoever,

expressly or implied, warrants this information to be accurate and

disclaims all liability for its use. Any person utilizing this

document should seek competent professional advice to verify and

assume responsibility for the suitability of this information to their

particular situation.