

SULFLO,INC. -- VVG-671E-1 LUBRICATING GREASE -- 9150-00-272-7652

=====
Product Identification
=====

Product ID:VVG-671E-1 LUBRICATING GREASE

MSDS Date:10/13/1987

FSC:9150

NIIN:00-272-7652

MSDS Number: BDRXH

=== Responsible Party ===

Company Name:SULFLO,INC.

Address:1158 ERIE AVE

Box:285

City:N TONAWANDA

State:NY

ZIP:14120-3507

Country:US

Emergency Phone Num:716-695-3585

Preparer's Name:THOMAS G. M

USILLI,TECH DR

CAGE:KO495

=== Contractor Identification ===

Company Name:SULFLO INC

Address:1158 ERIE AVE

Box:285

City:NORTH TONAWANDA

State:NY

ZIP:14120-3507

Country:US

Phone:716-695-3585

CAGE:1V074

Company Name:SULFLO,INC.

Address:1158 ERIE AVE.

Box:285

City:NORTH TONAWANDA

State:NY

ZIP:14120-3507

Phone:716-695-3585

CAGE:KO495

=====
Composition/Information on Ingredients
=====

Ingred Name:CALCIUM STEARATE

CAS:1592-23-0

RTECS #:WI3000000

Fraction by Wt: 10.0%

ACGIH TLV:NOT S

PECIFIED

Ingred Name:MINERAL OIL (PETROLEUM DISTILLATES,HYDROTREATED HEAVY NAPHTENIC)

CAS:64742-52-5

RTECS #:PY8035000

Fraction by Wt: 85.0%

OSHA PEL:5MG/CUM (OIL MIST)

ACGIH TLV:5MG/CUM(OILMIST)

Ingred Name:GRAPHITE, NATURAL

CAS:7782-42-5

RTECS #:MD9659600

Fraction by Wt: 5.0%

OSHA PEL:15 MPPCF RDUST

ACGIH TLV:2 MG/M3 RDUST; 9293

=====
===== Hazards Identification =====

Routes of Entry: Inhalation:NO Skin:YES Ingestion:NO

Reports of Carcinogenicity:NTP:NO

IARC:NO OSHA:NO

Explanation of Carcinogenicity:MANUFACTURER STATES NO KNOWN CARCINOGENS OR MUTAGENS.

Effects of Overexposure:PER MFR.NO KNOWN ILL EFFECTS;MAY IRRITATE EYES,SKIN AND RESPIRATORY TRACT.INGEST:G.I.TRACT PROBLEM

Medical Cond Aggravated by Exposure:NONE NOTED

=====
===== First Aid Measures =====

First Aid:EYES:FLUSH WITH WATER FOR 15 MINUTES,GET MEDICAL

ATTENTION;SKIN:REMOVE CONTAMINATED CLOTHING & LAUNDER,FLUSH AREA OF CONTACT WITH SO

AP AND WATER;INHALATION:REMOVE TO FRESH

AIR;INGESTION:INDUCE VOMIT.G ET MEDICAL ATTENTION.

=====
===== Fire Fighting Measures =====

Flash Point Method:COC

Flash Point:340F/171C (D-92)

Autoignition Temp:Autoignition Temp Text:390F

Extinguishing Media:WATER FOG,CO*2,DRY CHEMICAL,FOAM,EARTH OR SAND.

Fire Fighting Procedures:WATER MAY CAUSE FROTHING;USE NIOSH APPROVED SCBA IN ENCLOSED

Unusual Fire/Explosion Hazard:NONE NOTED

=====
===== Accidental Relea

se Measures =====

Spill Release Procedures:USE PROPER PERSONAL PROTECTION;ABSORB WITH SAND OR INERT MATERIAL.SWEEP OR SCOOP UP AND REMOVE FOR PROPER DISPOSAL.

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN COOL DRY AND WELL VENTILATED AREA.KEEP AWAY FROM SPARKS AND OPEN FLAMES.KEEP CONTAINER CLOSED WHEN NOT IN USE.

Other Precautions:AVOID CONTACT WITH SKIN AND EYES;DO NOT INHALE VAPORS/MIST.WASH T HOROUGHLY AFTER EACH USE.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE REQUIRED WITH ADEQUATE VENTILATION.
Ventilation:MECH(GEN)OR LOCAL EXHAUST THAT PROVIDES ADEQUATE VENTILATION

Protective Gloves:NEOPRENE

Eye Protection:GOGGLES/FACE SHIELD

Other Protective Equipment:FULL WORK CLOTHING TO PREVENT REPEATED OR PROLONGED CONTACT.

Work Hygienic Practices:STANDARD HYGIENIC PRACTICES.

Supplemental Safety and Health

===== Phys
ical/Chemical Properties =====

HCC:V6

Boiling Pt:B.P. Text:700F/371C

Melt/Freeze Pt:M.P/F.P Text:200F,93C

Spec Gravity:0.91

Solubility in Water:NEGLIGIBLE

Appearance and Odor:GRAY SEMI-SOLID--BLAND

Percent Volatiles by Volume:0.0

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZERS

Stability Condition to Avoid:HEAT AND OPEN FLAMES

Hazardous Decomposition Products:CO& CO*2 IF INCOMPLETE COMBUSTION

=====

===== Disposal Considerations =====

Waste Disposal Methods:INCINERATE. DISPOSE OF IAW FEDERAL,STATE AND LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this do
cument should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.