View NSN Online: https://aerobasegroup.ae/nsn/9150-00-272-7652

SULFLO,INC. -- VVG-671E-1 LUBRICATING GREASE -- 9150-00-272-7652

Product ID: VVG-671E-1 LUBRICATING GREASE MSDS Date:10/13/1987 FSC:9150 NIIN:00-272-7652 MSDS Number: BDRXH === Responsible Party === Company Name:SULFLO,INC. Address:1158 ERIE AVE Box:285 **City:N TONAWANDA** State:NY ZIP:14120-3507 Country:US Emergency Phone Num:716-695-3585 Preparer's Name: THOMAS G. M USILLI, TECH DR CAGE:KO495 === Contractor Identification === **Company Name:SULFLO INC** Address:1158 ERIE AVE Box:285 **City:NORTH TONAWANDA** State:NY ZIP:14120-3507 Country:US Phone:716-695-3585 CAGE:1V074 Company Name:SULFLO,INC. Address:1158 ERIE AVE. Box:285 **City:NORTH TONAWANDA** State:NY ZIP:14120-3507 Phone:716-695-3585 CAGE:KO495

Ingred Name:CALCIUM STEARATE CAS:1592-23-0 RTECS #:WI3000000 Fraction by Wt: 10.0% ACGIH TLV:NOT S

## PECIFIED

Ingred Name:MINERAL OIL (PETROLEUM DISTILLATES,HYDROTREATED HEAVY NAPHTENIC) CAS:64742-52-5 RTECS #:PY8035000 Fraction by Wt: 85.0% OSHA PEL:5MG/CUM (OIL MIST) ACGIH TLV:5MG/CUM(OILMIST

Ingred Name:GRAPHITE, NATURAL CAS:7782-42-5 RTECS #:MD9659600 Fraction by Wt: 5.0% OSHA PEL:15 MPPCF RDUST ACGIH TLV:2 MG/M3 RDUST; 9293

Routes of Entry: Inhalation:NO Skin:YES Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Explanation of Carcinogenicity:MANUFACTURER STATES NO KNOWN CARCINOGENS OR MUTAGENS. Effects of Overexposure:PER MFR.NO KNOWN ILL EFFECTS;MAY IRRITATE

EYES,SKIN AND RESPIRATORY TRACT.INGEST:G.I.TRACT PROBLEM Medical Cond Aggravated by Exposure:NONE NOTED

First Aid:EYES:FLUSH WITH WATER FOR 15 MINUTES,GET MEDICAL ATTENTION;SKIN:REMOVE CONTAMINATED CLOTHING & LAUNDER,FLUSH AREA OF CONTACT WITH SO AP AND WATER;INHALATION:REMOVE TO FRESH AIR;INGESTION:INDUCE VOMIT.G ET MEDICAL ATTENTION.

Flash Point Method:COC Flash Point:340F/171C (D-92) Autoignition Temp:Autoignition Temp Text:390F Extinguishing Media:WATER FOG,CO\*2,DRY CHEMICAL,FOAM,EARTH OR SAND. Fire Fighting Procedures:WATER MAY CAUSE FROTHING;USE NIOSH APPROVED SCBA IN ENCLOSED Unusual Fire/Explosion Hazard:NONE NOTED

============ Accidental Relea

se Measures ===============

Spill Release Procedures: USE PROPER PERSONAL PROTECTION; ABSORB WITH SAND OR INERT MATERIAL. SWEEP OR SCOOP UP AND REMOVE FOR PROPER DISPOSAL.

 Handling and Storage Precautions:STORE IN COOL DRY AND WELL VENTILATED AREA.KEEP AWAY FROM SPARKS AND OPEN FLAMES.KEEP CONTAINER CLOSED WHEN NOT IN USE.
 Other Precautions:AVOID CONTACT WITH SKIN AND EYES;DO NOT INHALE VAPORS/MIST.WASH T

HOROUGHLY AFTER EACH USE.

Respiratory Protection:NONE REQUIRED WITH ADEQUATE VENTILATION.
Ventilation:MECH(GEN)OR LOCAL EXHAUST THAT PROVIDES ADEQUATE VENTILATION
Protective Gloves:NEOPRENE
Eye Protection:GOGGLES/FACE SHIELD
Other Protective Equipment:FULL WORK CLOTHING TO PREVENT REPEATED OR PROLONGED CONTACT.
Work Hygienic Practices:STANDARD HYGIENIC PRACTICES.
Supplemental Safety and Health

HCC:V6 Boiling Pt:B.P. Text:700F/371C Melt/Freeze Pt:M.P/F.P Text:200F,93C Spec Gravity:0.91 Solubility in Water:NEGLIGIBLE Appearance and Odor:GRAY SEMI-SOLID--BLAND Percent Volatiles by Volume:0.0

Stability Indicator/Materials to Avoid:YES STRONG OXIDIZERS Stability Condition to Avoid:HEAT AND OPEN FLAMES Hazardous Decomposition Products:CO& CO\*2 IF INCOMPLETE COMBUSTION

======

Waste Disposal Methods:INCINERATE. DISPOSE OF IAW FEDERAL, STATE AND LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this do

cument should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.