

OCTAGON PROCESS INC. -- O-D-825 TYPE I -- 7510-00-272-9802

=====
Product Identification
=====

Product ID:O-D-825 TYPE I

MSDS Date:01/01/1987

FSC:7510

NIIN:00-272-9802

MSDS Number: BDRYQ

=== Responsible Party ===

Company Name:OCTAGON PROCESS INC.

Address:596 RIVER ROAD

City:EDGEWATER

State:NJ

ZIP:07020-1105

Country:US

Info Phone Num:201-313-1187/FAX -1057

Emergency Phone Num:201-313-1187/800-424-9

300(CHEMTREC)

CAGE:82925

=== Contractor Identification ===

Company Name:OCTAGON PROCESS INC.

Address:596 RIVER ROAD

Box:City:EDGEWATER

State:NJ

ZIP:07020

Country:US

Phone:201-945-9400

CAGE:82925

=====
Composition/Information on Ingredients
=====

Ingred Name:SOLVENTS SD3A ALCOHOL (SPECIALLY DENATURED ALCOHOL) (ETHYL ALCOHOL)

Fraction by Wt: 95%

ACGIH TLV:1000PPM

Ingred Name:ETHYLENE GLYCOL MONETHYL (ETHER(CELLOSOLVE SOLVENT))

RTECS #:KW7840000

Fraction by Wt: 5%

=====

=====
Hazards Identification
=====

Effects of Overexposure:DIZZINESS,NAUSEA,PROLNG OR REPEATED CONTCT
W/SKIN MAY CAUS DERMATITIS.

=====
First Aid Measures
=====

First Aid:IF SWALLOWED, GIVE EMETIC TO INDUCE VOMITING, FOLLOW BY
REPEATED DOSES OF BICARBONATE OF SODA (2 TSP IN WATER) OR WHITE OF
EGG. INHAL:REMOVE TO FRESH AIR.

=====
Fire Fighting Measures
=====

Flash Point:62F OC 17C O

C

Extinguishing Media:WATER

Fire Fighting Procedures:SELF CONTAINED BREATHING APPARATUS TO AVD
INHAL OF FUMES.

Unusual Fire/Explosion Hazard:NONE

=====
Accidental Release Measures
=====

Spill Release Procedures:FLUSH AREA W/WATER.

=====
Handling and Storage
=====

Handling and Storage Precautions:STORE IN COOL, DRY AREA AWAY FROM
CORROSIVES & OXIDIZERS.

Other Precautions:USE ONLY IN WELL VENTILATED WORK AREAS TO AVOID TOXI

C

& CUMULATIVE EFFECTS OF FUMES.

=====
Exposure Controls/Personal Protection
=====

Respiratory Protection:SELF-CONTNED BREATHING APPARATUS

Ventilation:MECHANICAL

Protective Gloves:YES

Eye Protection:GOGGLES/FACE SHIELD

Supplemental Safety and Health

=====
Physical/Chemical Properties
=====

HCC:F2

Boiling Pt:B.P. Text:180F

Vapor Pres:40

Vapor Density:1.65

Spec Gravity:0.814

Solubility in Water:COMPLETE

Appearance and Odor:CLEAR LIQUID,CHARACTE

RISTIC ALCOHOL ODOR
Percent Volatiles by Volume:95

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

CORROSIVES & OXIDIZERS.

Stability Condition to Avoid:DO NOT USE NEAR OPEN FLAME OR FIRE

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this
information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.