

AMERON PROTECTIVE COATINGS -- GREEN 14110 -- 8010-00-286-7727

=====  
Product Identification  
=====

Product ID:GREEN 14110  
MSDS Date:01/01/1987  
FSC:8010  
NIIN:00-286-7727  
MSDS Number: BDTWQ  
=== Responsible Party ===  
Company Name:AMERON PROTECTIVE COATINGS  
Address:201 NORTH BERRY STREET  
City:BREA  
State:CA  
ZIP:92622-1020  
Country:US  
Info Phone Num:714-529-1951  
Emergency Phone Num:714-529-1951  
CAGE:0Y2E4

=== Contractor Identification ===  
Company Name:AMERON PROTECTIVE COATINGS  
Address:201 NORTH BERRY STREET  
Box:1020  
City:BREA  
State:CA  
ZIP:92622-1020  
Country:US  
Phone:714-529-1951  
CAGE:0Y2E4

=====  
Composition/Information on Ingredients  
=====

Ingred Name:BENZIN, NAPHTHA, MINERAL SPIRITS, PETROLEUM NAPHTHA  
CAS:8030-30-6  
RTECS #:DE3030000  
Fraction by Wt: 44.9%  
Other REC Limits:STEL 400 PPM  
OSHA PEL:100 PPM  
ACGIH TLV:300 PPM

=====  
Hazards Identification  
=====

=====

Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:INHALATION: ANESTHETIC. IRRITATION OF  
RESPIRATORY TRACT & NERVOUS SYSTEM DEPRESSION. SKIN/EYES:  
IRRITATION.  
Explanation of Carcinogenicity:NONE  
Effects of Overexposure:IRRITATION

===== First Aid Measures =====

First Aid:SKIN/EYES: FLUSH W/WATER. INHALATION: REMOVE TO FRESH AIR.  
OBTAIN MEDICAL ATTENTION IN ALL CASES.

===== Fire Fighting Measures =====

Flash Point Method:TCC  
Flash Point:85F  
Lower Limits:1.1  
Extinguishing Media:SMALL FIRES: CO2/DRY CHEMICAL. LARGE FIRES: FOAM  
Fire Fighting Procedures:SELF-CONTAINED BREATHING APPARATUS FOR  
FIREMEN.  
Unusual Fire/Explosion Hazard:CLOSED CONTAINERS EXPOSED TO HEAT MAY  
EXPLODE.

===== Accidental Release Measures =====

Spill Release Procedures:REMOVE ALL SOURCES OF IGNITION. AVOID  
BREATHING VAPORS. REMOVE W/INERT ABSORBENT & NON-SPARKING TOOLS.

===== Handling and Storage =====

Handling and Storage Precautions:DON'T STORE ABOVE 120F. STORE LARGE  
QUANTITIES IN BUILDINGS DESIGNED FOR STORAGE OF NFPA CLASS ONE  
FLAMMABLES.  
Other Precautions:CONTAINERS SHOULD BE GROUNDED WHEN POURING. AVOID  
FREE FALL OF LIQUID IN EXCESS OF A FEW INCHES.

===== Exposure Controls/Personal Protection =====

Respira

tory Protection:USE NIOSH APPROVED PAINT RESPIRATOR/AIR SUPPLIED  
RESPIRATOR. RESPIRATOR USED BASED ON CHEMICAL CONDITION &  
CONDITIONS USED.

Ventilation:PROVIDE GENERAL DILUTION/LOCAL EXHAUST AS NECESSARY

Work Hygienic Practices:REMOVE/LAUNDER CONTAMINATED CLOTHING BEFORE  
REUSE.

Supplemental Safety and Health

=====  
===== Physical/Chemical Properties =====

HCC:F4

Boiling Pt:B.P. Text:113-373F

Vapor Density:>1

Evaporation Rate & Reference:SLOWER THAN ETHER

Pe

Percent Volatiles by Volume:63.4

=====  
===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

Stability Condition to Avoid:FIRE, HEAT, HOT SURFACES

=====  
===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE IN ACCORDANCE W/LOCAL, STATE & FEDERAL  
REGULATIONS. DON'T INCINERATE CLOSED CONTAINERS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for

use by elements of the Department

of Defense. The United States of America in no manner whatsoever,

expressly or implied, warrants this information to be accurate and

disclaims all liability for its use. Any person utilizing this

document should seek competent professional advice to verify and

assume responsibility for the suitability of this information to their

particular situation.