

MCGEAN CHEMICAL CO INC. -- NICKEL SULFAMATE SOLUTION -- 6810-00-437-6583

=====  
Product Identification  
=====

Product ID:NICKEL SULFAMATE SOLUTION

MSDS Date:01/01/1987

FSC:6810

NIIN:00-437-6583

MSDS Number: BDYWZ

=== Responsible Party ===

Company Name:MCGEAN CHEMICAL CO INC.

Emergency Phone Num:(216)621-6425

CAGE:3P663

=== Contractor Identification ===

Company Name:MCGEAN CHEMICAL COMPANY INC

Address

s:9520 E CEE BEE DR

City:DOWNEY

State:CA

ZIP:90241-5501

Country:US

CAGE:3P663

Company Name:MCGEAN-ROHCO INC

Address:1314 MURPHY AVENUE S.W.

Box:City:ATLANTA

State:GA

ZIP:30310-4004

Country:US

Phone:216-441-4900

CAGE:8U841

=====  
Composition/Information on Ingredients  
=====

Ingred Name:NICKEL SULFAMATE

CAS:13770-89-3

RTECS #:QR9275000

Fraction by Wt: UNK

OSHA PEL:0.1 MG/M3 (NI)

ACGIH TLV:0.1 MG/M3 (NI); 8990

Ingred Name:WATER CAS#7732-18-5

Fraction by Wt: UNK

=====

==== Hazards Identification =====

Effects of Overexposure:INHAL:IRRITATION TO MUCOUS MEMBRANE OF THE UPPER RESPIRATORY TRACT.EYES:IRRITATION.SEE SUPP.DATA.

==== First Aid Measures =====

First Aid:INHALE:REMOVE TO FRESH AIR, GIVE CPR/O\*2 IF NEED;EYES/SKIN:FLUSH W LG AMTS H\*2O FOR 15 MIN;INGEST:RINSE MOUTH; GET MEDICAL ATTENTION FOR EYES, BREATHING DIFFICULTY, OR OTHER SYMPTOMS OF OVEREXPOSURE.

==== Fir  
e Fighting Measures =====

Flash Point:NONE  
Extinguishing Media:NOT SPECIFIED  
Fire Fighting Procedures:NOT SPECIFIED (ANY FIRE-FIGHTING AGENT)  
Unusual Fire/Explosion Hazard:NOT SPECIFIED

==== Accidental Release Measures =====

Spill Release Procedures:USE PROPER PERSONAL PROTECTIVE EQUIPMENT.COLLECT SPILLED MATERIAL IN A SUITABLE CONTAINER.MAY BE ABSORBED IN VERMICULITE.DRY SAND,EARTH,OR SIMILAR MATERIAL.

==== Handling and  
Storage =====

Handling and Storage Precautions:STORE IN COOL AND DRY PLACE.AVOID EXTREME HEAT OR COLD  
Other Precautions:AVOID SKIN AND EYE CONTACT.DO NOT BREATH MIST OR FUMES.USE PROPER PERSONAL PROTECTIVE EQUIPMENT.

==== Exposure Controls/Personal Protection =====

Respiratory Protection:USE NIOSH/MSHA APPROVED RESPIRATORS.  
Ventilation:PROVIDE MECHAN(GEN/LOCAL EXHAUST)VENT TO MAINTN 90

==== Stability and Reactivity Data =====

=====

Stability Indicator/Materials to Avoid: YES  
ACIDS, STRONG ALKALIS  
Stability Condition to Avoid: NOT SPECIFIED  
Hazardous Decomposition Products: NOT SPECIFIED  
Conditions to Avoid Polymerization: HIGH TEMPERATURE

===== Disposal Considerations =====

Waste Disposal Methods: CONSULT LOCAL AUTHORITIES. DISPOSAL MUST BE IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.