View NSN Online: https://aerobasegroup.ae/nsn/9320-00-449-0809

3M COMPANY, INDUSTRIAL SPECIALTIES DIVISION -- SCOTCH-MOUNT 4962(FORMERLY Y-9122) -- 9320-00-449-0809

============= Product Identification ==================

Product ID:SCOTCH-MOUNT 4962(FORMERLY Y-9122)

MSDS Date:01/01/1985

FSC:9320

NIIN:00-449-0809

MSDS Number: BDZCD === Responsible Party ===

Company Name: 3M COMPANY, INDUSTRIAL SPECIALTIES DIVISION

Emergency Phone Num:612-733-1110

CAGE:52152

=== Contractor Identific

ation ===

Company Name: MINNESOTA MINING & MFG CO INDUSTRIAL TAPE & SPECIALTIES

DIV

Address:3M CENTER Box:City:ST PAUL

State:MN

ZIP:55144-1000

Country:US

Phone:1-800-364-3577

CAGE:52152

Company Name: MINNESOTA MINING AND MFG CO, DBA 3M

Address:3M CENTER BLDG 224-5S-04

Box:City:SAINT PAUL

State:MN

ZIP:55144-1000 Country:US

Phone:866-556 5712 / 612-733-1110

CAGE:76381

======= Composition/Information on Ingredients ========

Ingred Name: PRESSURE SENSITIVE ACRYLIC ADHESIVE

Ingred N

Ingred Name: POLYETHYLENE (AS PLASTIC LINER) SEE SUP DATA CAS:9002-88-4 RTECS #:TQ3325000 Ingred Name: SILICONE COATED PAPER LINER (SEE SUPP DATA)> =========== Hazards Identification ========================== Effects of Overexposure: ACUTE ORAL TOXICITY VERY LOW. SKIN IRRIT OR SENSITIZATION NOT EXPECTED. First Aid:SKIN & EYE:WASH WITH WATER FOR 15 MINUTES. ====== Fire Fighting Measures =========== Extinguishing Media:WATER, CO*2, FOAM & DRY CHEMICAL Unusual Fire/Explosion Hazard: WILL GENERATE HCL ON THERMAL DECOMPOSITION. ======== Accidental Release Measures ============ Spill Release Procedures: COLLECT SPILLED MATERIAL ============= Handling and Storage ========================== Other Precautions: AVOID PROLONGED OR REPEATED SKIN CONT ACT. THIS IS A TAPE AND NOT NORMALLY CONSIDERED DANGEROUS. ====== Exposure Controls/Personal Protection ======== Other Protective Equipment: TO AVOID PROLONGED OR REPEATED SKIN CONTACT Supplemental Safety and Health OLD TRADE NAME:SCOTCH-MOUNT 4-9122, PRODUCT WILL CONTAIN EITHER THE POLYETHYLENE PLASTIC LINER OR THE SILICONE COATED PAPER LINER. CONTAINER SIZE:2592 IN X 1.5 IN ========= Physical/Chemical Properties =========== HCC:N1 Solubility in Water: INSOLUBLE Appearance and Odor:BLACK, DOUBLE COATED FOAM TAPE

ame: NEOPRENE (AS FOAM-32 MIL)

RTECS #:EI9660000

========= Stability and Reactivity Data ===========
Stability Indicator/Materials to Avoid:YES NONE Stability Condition to Avoid:NONE Hazardous Decomposition Products:HYDROCHLORIC ACID ON THERMAL DECOMPOSITION.
========= Disposal Considerations =============

Waste Disposal Methods:MANUFACTURER RECOMMENDS BURINE IN SANITARY LANDFILL, DISPOSAL METHODS MUST BE IAW FEDERAL, STATE & LOCA REGULATIONS.

Disclaimer (provided with t

SLIGHT AROMATIC ODOR

his information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.