

MALTER INTERNATIONAL BULK CHEMICAL DIVISION -- VVL-800C, LUBRICATING OIL, AEROSOL --  
9150-00-458-0075

===== Product Identification =====

Product ID:VVL-800C, LUBRICATING OIL, AEROSOL

MSDS Date:03/01/1989

FSC:9150

NIIN:00-458-0075

MSDS Number: BDZHP

=== Responsible Party ===

Company Name:MALTER INTERNATIONAL BULK CHEMICAL DIVISION

Address:80 FIRST STREET

City:GRETNA

State:LA

ZIP:70053

Country:US

|

Info Phone Num:504-362-3232

Emergency Phone Num:504-362-3232

CAGE:27978

=== Contractor Identification ===

Company Name:MALTER INTERNATIONAL BULK CHEMICAL DIVISION

Address:80 FIRST STREET

Box:City:GRETNA

State:LA

ZIP:70053

Country:US

Phone:504-362-3232, OR 800-535-4095

CAGE:27978

===== Composition/Information on Ingredients =====

Ingred Name:DICHLORODIFLUOROMETHANE (SARA III)

CAS:75-71-8

RTECS #:PA8200000

Fraction by Wt: 20% %

Other REC Limits:NONE SPECIFIED

OSHA PEL:1000 PPM

ACGIH TLV:1000 PPM; 9192  
EPA Rpt Qty:5000 LBS  
DOT Rpt Qty:5000 LBS  
Ozone Depleting Chemical:1

Ingred Name:TRICHLOROFLUOROMETHANE (CFC-11) (SARA III)  
CAS:75-69-4  
RTECS #:PB6125000  
Fraction by Wt: 20% %  
Other REC Limits:NONE SPECIFIED  
OSHA PEL:1000 PPM  
ACGIH TLV:C, 1000 PPM; 9293  
EPA Rpt Qty:5000 LBS  
DOT Rpt Qty:5000 LBS  
Ozone Depleting Chemical:1

Ingred Name:LIGHTWEIGHT OIL  
Fraction by Wt: 55.2% %  
Other REC Limits:NONE SPECIFIED  
OSHA PEL:5 MG/M3 OIL MIST  
ACGIH TLV:5 MG/M3 OIL MIST

Ingred Name:  
CORROSION INHIBITOR IN GREASE (ALOX-2201)  
Fraction by Wt: 3.6% %  
Other REC Limits:NONE SPECIFIED

Ingred Name:THERMO SETTING ACRYLIC PLASTICIZER  
Fraction by Wt: 0.6% %  
Other REC Limits:NONE SPECIFIED

Ingred Name:ANTIOXIDANT FOOD GRADE  
Fraction by Wt: 0.3% %  
Other REC Limits:NONE SPECIFIED

Ingred Name:NON-TOXIC, LOW FOAMING SURFACTANT  
Fraction by Wt: 0.3% %  
Other REC Limits:NONE SPECIFIED

==== Hazards Identification =====

LD50 LC50 Mixture:NONE SPECIFIED B

Y MANUFACTURER.

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:ACUTE: INGESTION: MAY CAUSE NAUSEA, VOMITING AND DIARRHEA. INHALATION: ASPIRATION INTO LUNGS MAY CAUSE CHEMICAL PNEUMONIA WHICH MAY BE FATAL. EYE: MAY CAUSE SEVERE IRRITATION, REDNESS, TEARING, BLURRED VISION. CHRONIC: PROLONGED/REPEATED CONTACT WITH SKIN MAY CAUSE MODERATE IRRITATION, DEFATTING, DERMATITIS.

Explanation

of Carcinogenicity:PRODUCT CONTAINS NO MATERIALS CURRENTLY CLASSIFIED AS CARCINOGENIC BY NTP, IARC OR OSHA.

Effects of Overexposure:OVEREXPOSURE MAY LEAD TO RESPIRATORY IRRITATION, DERMATITIS, EYE IRRITATION, AND AT HIGH CONCENTRATIONS, NARCOSIS.

Medical Conditions Aggravated by Exposure:PERSONS WITH A PRE-EXISTING SKIN AND/OR RESPIRATORY DISORDER SHOULD USE CAUTION WHEN HANDLING OR USING THIS PRODUCT.

=====  
===== First Aid Measures =====

First Aid

SKIN: REMOVE CONTAMINATED CLOTHING. WASH WITH SOAP AND WATER. GET MEDICAL ATTENTION IF IRRITATION PERSISTS. INHALATION: REMOVE TO FRESH AIR & RESTORE BREATHING IF NECESSARY. GET MEDICAL ATTENTION. EYE: IMMEDIATELY FLUSH WITH WATER FOR 15 MINUTES WHILE HOLDING EYELIDS OPEN. GET MEDICAL ATTENTION. INGESTION: IMMEDIATELY GET MEDICAL ATTENTION. DO NOT INDUCE VOMITING. NOTHING BY MOUTH IF UNCONSCIOUS.

=====  
===== Fire Fighting Measures =====

Fire

Extinguishing Method:PMCC

Flash Point:275F,135C

Autoignition Temp:Autoignition Temp Text:1

Specific Gravity: