

BOSTIK WEST,DIV. OF USM CORP, AN EMHART UNIT -- BOSTIK -- 8010-00-482-5652
===== Product Identification =====

Product ID:BOSTIK
MSDS Date:01/01/1985
FSC:8010
NIIN:00-482-5652
Kit Part:Y
MSDS Number: BDZYT
=== Responsible Party ===
Company Name:BOSTIK WEST,DIV. OF USM CORP, AN EMHART UNIT
Emergency Phone Num:213-320-6800
CAGE:LO442
=== Contractor Identification ===
Company Name:BOSTIK WEST,DIV. OF
EMHART CORP
CAGE:LO442
Company Name:MILITARY SPECIFICATIONS PROMULGATED BY MILITARY
Address:DEPTS/AGENCIES UNDER AUTH OF DEF STD
Box:MANUAL
City:4120 3-M
Phone:804-279-4371 DSN 695-4371
CAGE:81349

===== Composition/Information on Ingredients =====

Ingred Name:ETHYL ACETATE
RTECS #:KQ4900000
Fraction by Wt: 20-2%
ACGIH TLV:400PPM

Ingred Name:CELLOSOLVE ACETATE
RTECS #:FJ4375000
Fraction by Wt: 20-2%
ACGIH TLV:100PPM

Ingred Name:TOLUENE (SARA III)
CAS:108-88-3
RTECS #:XS5250

000

Fraction by Wt: 15-2%

OSHA PEL:200 PPM/150 STEL

ACGIH TLV:50 PPM; 9293

EPA Rpt Qty:1000 LBS

DOT Rpt Qty:1000 LBS

Ingred Name:XYLENES (O-,M-,P- ISOMERS) (SARA III)

CAS:1330-20-7

RTECS #:ZE2100000

Fraction by Wt: 5-10%

OSHA PEL:100 PPM/150 STEL

ACGIH TLV:100 PPM/150STEL;9192

EPA Rpt Qty:1000 LBS

DOT Rpt Qty:1000 LBS

=====
===== Hazards Identification =====

Effects of Overexposure:HEADACHE,NAUSEA,DIZZINESS.BREATHING VAPOR WILL BE IRRITATING TO NOSE,THROAT AND EYES.

=====
===== First Aid Measures =====

First Aid:SKIN EXPOSURE;WASH AFFECTED AREA WITH SOAP AND WATER.EYE EXPOSURE;FLUSH W/WATER FOR AT LEAST 15 MINUTES,CONSULT PHYSICIAN,INGESTION:CONSULT PHYSICIAN IMMEDIATELY.INHALATION:REMOVE VICTIM TO FRESH AIR, CONSULT PHYSICIAN.

=====
===== Fire Fighting Measures =====

Flash Point:24 F TCC -4C

Lower Limits:1.0

Extinguishing Media:EXCLUDE AIR - USE FOAM,CO*2 STEAM,WATER FOG,DRY

CHEMICALS.DO

Fire Fighting Procedures:DO NOT USE WATER,EXCLUDE AIR,USE WATER SPRAY TO COOL FIRE EX

Unusual Fire/Explosion Hazard:VAPOR FORMS EXPLOSIVE MIXTURE WITH AIR BETWEEN UPPER AND LOWER EXPLOSION LIMITS.

=====
===== Accidental Release Measures =====

Spill Release Procedures:ELIMINATE SOURCES OF IGNITION AND CLEAR FUMES FROM AREA.PREVENT LIQUID FROM ENTERING SEWERS,WATER SOURCES,OR LOW AREAS.KEEP UNNECESSARY PERSONNEL AWAY.SHUT OFF SOURCE,IF POSS

IBLE
TO DO SO WITHOUT HAZARD. CONTAIN SPILLED LIQUID W/SAWDUST OR OIL
ABSORBENT

=====
Handling and Storage
=====

Handling and Storage Precautions: MATERIAL IS SENSITIVE TO MOISTURE AND
SHOULD BE KEPT IN TIGHTLY CLOSED CONTAINERS.

Other Precautions: ALL HANDLING EQUIPMENT SHOULD BE ELECTRICALLY
GROUNDED. TREAT AS A VERY FLAMMABLE LIQUID.

=====
Exposure Controls/Personal Protection
=====

Respiratory Protection: USE APPROVED RESPIRATORY PROTECTION SUCH AS AN
AIR-SUPPLIED MASK IF

Ventilation: FACE VELOCITY >60 FPM IN CONFINED AREA.

Protective Gloves: CHEMICALLY RESISTANT

Eye Protection: CHEMICAL SPLASH GOGGLES OR

Other Protective Equipment: EYE BATH AND SAFETY SHOWER.

Supplemental Safety and Health

171-321 F 72-162 C

=====
Physical/Chemical Properties
=====

HCC: F3

Boiling Pt: B.P. Text: 171-321 F

Evaporation Rate & Reference: SLOWER THAN ETHER

Percent Volatiles by Volume: 71%

=====
Stability and Reactivity Data
=====

Stability Indicator/Materials to Avoid: YES

STRONG OXIDIZING AGENTS, INORGANIC ACIDS, SPARKS AND OPEN FIRE

Stability Condition to Avoid: STORAGE AT HIGH TEMPERATURES.

Hazardous Decomposition Products: BY FIRE, CO, CO², OXIDES OF
NITROGEN. AVOID CONTACT W/WATER, ALC

=====
Disposal Considerations
=====

Waste Disposal Methods: USE APPROVED RESPIRATORY PROTECTION SUCH AS AN
AIR-SUPPLIED MASK IF USED IN NON-VENTILATED

AREA.MECHANICAL:EXPLOSION-PROOF VENTILATION EQUIPMENT.NO SMOKING OR
OPEN LIGHTS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assu

me responsibility for the suitability of this information to their particular situation.