

WITCO,SOUTHWEST PETRO-CHEM (OLATHE) -- VV-L-751C PRODUCT 17615 -- 9150-00-530-7293
===== Product Identification =====

Product ID:VV-L-751C PRODUCT 17615
MSDS Date:01/02/1980
FSC:9150
NIIN:00-530-7293
MSDS Number: BFDDN
=== Responsible Party ===
Company Name:WITCO,SOUTHWEST PETRO-CHEM (OLATHE)
Address:1400 SOUTH HARRISON
City:OLATHE
State:KS
ZIP:66061
Info Phone Num:800-424-9300 (CHEMTREC)

Emergen
cy Phone Num:913-782-5800
Preparer's Name:DANIEL C. COCHRAN
CAGE:KO745
=== Contractor Identification ===
Company Name:EXXON CO USA-SOUTHWEST GREASE BUSINESS UNIT
Address:1400 S HARRISON
Box:1974
City:OLATHE
State:KS
ZIP:66061
Country:US
Phone:913-656-3701/800-424-9300(CHEMTREC)
CAGE:70878
Company Name:WITCO,SOUTHWEST PETRO-CHEM (OLATHE)
Address:1400 SOUTH HARRISON
City:OLATHE
State:KS
ZIP:66061
Phone:800-424-9300 (CHEMTREC)
CAGE:KO745

===== Composition/Information on Ingredients =====

=====

Ingred Name:PETROLEUM HYDROCARBONS

Fraction by Wt: 100%

Other REC Limits:NO DATA

OSHA PEL:5MG/M*3(MIST)

ACGIH TLV:5MG/M*3(MIST)

===== Hazards Identification =====

Health Hazards Acute and Chronic:SEE SIGNS AND SYMPTOMS OF
OVEREXPOSURE.

Explanation of Carcinogenicity:MANUFACTURER STATES PRODUCT IS
CARCINOGENIC (BY TELEPHONE WITH LABORATORY CHEMIST 11-10-88).

Effects of Overexposure:POSS IRRIT TO BOTH SKIN & EYES W/DIRECT
EXPOSURE.

Medical

Cond Aggravated by Exposure:NONE NOTED

===== First Aid Measures =====

First Aid:EYES: FLUSH W/PLENTY WATER, CALL MD. SKIN: WASH W/SOAP &
WATER. IF SWALLOWED, CALL MD IMMED.

===== Fire Fighting Measures =====

Flash Point Method:COC

Flash Point:400F(204C)

Extinguishing Media:DRY CHEMICAL,CO*2,FOAM,WATER FOG

Fire Fighting Procedures:FIRE FIGHTERS SHOULD WEAR SELF-CNTND BRTHNG
APPARATUS

Unusual Fire/Explosion Hazard:

NONE NOTED

===== Accidental Release Measures =====

Spill Release Procedures:TRANSFER BULK OF MATL TO ANOTHER CNTNR.
ABSORB REMAINING RESIDUE W/PROPER ABSORBENT. SWEEP UP & DISPOSE OF
SOLID WASTE IAW LOCA, STATE, FED REG.

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN DRY AREA. KEEP CNTNRS CLOSED.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE

REQ
Ventilation:NORMAL ROOM VENTILATION
Protective Gloves:RUBBER/PLASTIC
Eye Protection:SPLASH GOGGLES OR FULL FACE SHIELD
Other Protective Equipment:WORK CLOTH PROTECTING ARMS AND LEGS
Work Hygienic Practices:WASH THOROUGHLY AFTER HANDLING. REMOVE AND LAUNDRER CONTAMINATED CLOTHING.

Supplemental Safety and Health
THIS IS AN OLD MSDS WHICH IS VALID FOR MATERIAL PRODUCED PRIOR TO AND INCLUDING OCTOBER 1985,AND WHICH CONTAINED CARCINOGENIC INGREDIENTS. FOR NEW MSDS,SEE PNI B,SAME NSN.

===== Physical/Chemical Properties =====

HCC:V6
Boiling Pt:B.P. Text:>475F,>246C
Spec Gravity:0.9452
Solubility in Water:NEGLIGIBLE
Appearance and Odor:BLACK, VISCOUS LIQ W/NORMAL PETROELUM ODOR

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
STRONG OXIDIZING AGENTS
Stability Condition to Avoid:HEAT,SPARKS,OPEN FLAMES
Hazardous Decomposition Products:DENSE SMOKE, CO, CO*2, & POSS OTHER UNKNOWN ORGANIC CMPD

===== Disposal Considerations =====

Waste Disposal Methods:PUT INTO APPRVD STORAGE CNTNR & SHIP TO APPRVD DISPOSAL AREA.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.