

CONVOY OIL CORP -- LUBRICANT DOD-L-25681D -- 9150-00-543-7220

===== Product Identification =====

Product ID:LUBRICANT DOD-L-25681D

MSDS Date:04/20/1989

FSC:9150

NIIN:00-543-7220

MSDS Number: BFDZ

=== Responsible Party ===

Company Name:CONVOY OIL CORP

Address:1412 NORTH FRONT STREET

City:PHILADELPHIA

State:PA

ZIP:19122

Country:US

Info Phone Num:215-739-5281

Emergency Phone Num:215-739-5281

Prep

Preparer's Name:STANLEY JAKUBOWSKI

CAGE:6A438

=== Contractor Identification ===

Company Name:CONVOY OIL CORP

Address:1410 N FRONT STREET

Box:29366

City:PHILADELPHIA

State:PA

ZIP:19125

Country:US

Phone:215-739-5281

CAGE:6A438

===== Composition/Information on Ingredients =====

Ingredient Name:MOLYBDENUM DISULFIDE

CAS:1317-33-5

RTECS #:QA4697000

Fraction by Wt: 50%

OSHA PEL:10 MG/M3 TDUST (MO)

ACGIH TLV:10 MG/M3 (MO); 8990

Ingredient Name:METHYL PHENYL POLYSILOXANE

CAS:63148-52-7

Fraction

by Wt: 50%

=====  
Hazards Identification  
=====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:MAY CAUSE TEMPORY DISCOMFORT TO EYES.  
MAY BE HARMFUL IF SWALLOWED. CHRONIC: NO KNOWN CHRONIC ADVERSE  
EFFECTS.  
Explanation of Carcinogenicity:THE PRODUCT CONTAINS NO INGREDIENT THAT  
IS LISTED BY IARC, NTP OR OSHA AS A CARCINOGEN.  
Effects of Overexposure:EYES: REDN  
ESS, DISCOMFORT. INGESTION: NAUSEA,  
VOMITING.  
Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

=====  
First Aid Measures  
=====

First Aid:EYES-FLUSH WITH WATER. SKIN-REMOVE WITH SOAP & WATER.  
INHAL-REMOVE TO FRESH AIR. INGEST-CONSULT PHYSICIAN.

=====  
Fire Fighting Measures  
=====

Flash Point Method:COC  
Flash Point:>400F,>204C  
Extinguishing Media:CARBON DIOXIDE OR FOAM  
Fire Fighting Procedures:FIRE  
FIGHTERS SHOULD USE NIOSH APPROVED SCBA &  
FULL PROTECTIVE EQUIPMENT WHEN FIGHTING CHEMICAL FIRE. USE WATER  
SPRAY TO COOL NEARBY CONTAINERS EXPOSED TO FIRE.  
Unusual Fire/Explosion Hazard:NONE KNOWN

=====  
Accidental Release Measures  
=====

Spill Release Procedures:USE ABSORBENT MATERIALL TO COLLECT & CONTAIN  
FOR SALVAGE OR DISPOSAL.  
Neutralizing Agent:NO AVAILABLE INFORMATION

=====  
Handling and Storage  
=====

Handling an

d Storage Precautions:NONE

Other Precautions:NONE

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE NORMALLY REQUIRED.

Ventilation:GEN MECHANICAL RECOMMENDED

Protective Gloves:NONE NORMALLY REQUIRED

Eye Protection:SAFETY GLASSES

Other Protective Equipment:AS REQUIRED BY EMPLOYER

Work Hygienic Practices:WASH HANDS AFTER USE AND BEFORE EATING,  
DRINKING, OR SMOKING. LAUNDER CONTAMINATED CLOTHES BEFORE REUSE.

Supplemental Safety and Health

NONE

==

===== Physical/Chemical Properties =====

HCC:V6

Boiling Pt:B.P. Text:>300F/149C

Vapor Pres: