

E.I. DUPONT DE NEMOURS & CO,INC -- FREON T-P 35 -- 6810-00-546-4343

=====
Product Identification
=====

Product ID:FREON T-P 35

MSDS Date:01/01/1985

FSC:6810

NIIN:00-546-4343

MSDS Number: BFDTM

=== Responsible Party ===

Company Name:E.I. DUPONT DE NEMOURS & CO,INC

Address:1007 MARKET STREET

Box:1635

City:WILMINGTON

State:DE

ZIP:19899

Country:US

Info Phone Num:800-441-7515

Emergency Phone Num:800-44

1-7515

CAGE:19898

=== Contractor Identification ===

Company Name:E.I. DUPONT DE NEMOURS & CO

Address:1007 MARKET STREET

Box:City:WILMINGTON

State:DE

ZIP:19898

Country:US

Phone:800-441-7515;800-441-9442

CAGE:18873

Company Name:E.I. DUPONT DE NEMOURS & CO., INC.

Box:1635

CAGE:19898

=====
Composition/Information on Ingredients
=====

Ingred Name:1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE (FREON 113) (SARA
III)

CAS:76-13-1

RTECS #:KJ4000000

Fraction by Wt: 64.7%

OSHA PEL:1000PPM/1

250STEL
ACGIH TLV:1000PPM/1250STEL9192
Ozone Depleting Chemical:1

Ingred Name:NITROMETHANE
CAS:75-52-5
RTECS #:PA9800000
Fraction by Wt: 0.3%
OSHA PEL:100 PPM
ACGIH TLV:100 PPM; 9192

Ingred Name:ISOPROPYL ALCOHOL (SARA III)
CAS:67-63-0
RTECS #:NT8050000
Fraction by Wt: 35%
OSHA PEL:400 PPM/500 STEL
ACGIH TLV:400 PPM/500STEL;9192

===== Hazards Identification =====

Effects of Overexposure:LIGHT-HEAD,GIDDY,SHORT OF BRTH,POSSIBL
NARCOSIS,POSSIBLE CARDIAC AR
RHYTHMIAS AT HIGH CONCENTRATIONS.

===== First Aid Measures =====

First Aid:REMOVE TO FRESH AIR. GIVE CPR/OXYGEN IF NEED. SKIN:WASH WITH
SOAP & WATER. EYES:FLUSH WITH WATER 15 MIN. KEEP WARM AND QUIET.DO
NOT GIVE EPINEPHRINE OR SIMILAR DRUGS.

===== Fire Fighting Measures =====

Flash Point:120F/49C TOC
Lower Limits:UNK
Upper Limits:UNK
Extinguishing Media:ANY AVAILABLE TYPE RECOMMENDED BY MFR.
Fire Fighting Procedures:WEAR SELF-CNTND BRTHG APP,IF INVOLVED IN FIRE.
Unusual Fire/Explosion Hazard:ADDITION OF EXCESS WATER(>9%) WILL
EXTRACT ALCOHOL AND MAY FORM A FLAMMABLE,SUPERNATANT LIQUID LAYR.

===== Accidental Release Measures =====

Spill Release Procedures:VENTILATE AREA.ELIMINATE IGNITION
SOURCES,ESPECIALLY LOW AREAS WHERE VAPORS MIGHT COLLECT.STOP
LEAK.WEAR PROTECTIVE CLOTHES,SCBA.ABSORB SM SPILL WITH SUITABLE
ABSORBENT.SHOVEL INTO CONTAINER.LG SPILL: DIKE W

ITH SUITABLE
ABSORBENT FOR LATER DISPOSAL.

=====
Handling and Storage
=====

Handling and Storage Precautions:STORE IN CLEAN,DRY,WELL VENTED
AREA.KEEP CONTAINERS CLOSED.PROTECT FROM PHYSICAL DAMAGE.DO NOT
STROE ABOVE 125F.

Other Precautions:FOR FURTHER INFORMATION,SEE FREON PRODUCTS BULLETIN
S-16,FST-5F,S-30.

=====
Exposure Controls/Personal Protection
=====

Ventilation:MECHAN. IN LOW PLACES;LOCAL EXHAUST WHEN LARGE AMTS

RELEASED

Protective Gloves:IMPERVIOUS

Eye Protection:CHEM SPLASH GOGGLES

Other Protective Equipment:USE APPROPEATE HYGIENE PRACTICES.

Supplemental Safety and Health

FLASH POINT DECREASES AFTER 40% EVAPORATES.MIST/SPRAY IS FLAMMABLE.

=====
Physical/Chemical Properties
=====

HCC:F4

Boiling Pt:B.P. Text:120F/49C

Vapor Pres:284

Vapor Density:2.2

Spec Gravity:1.15

Evaporation Rate & Reference:3.7(CARBON TET=1)

Solubility in Water:MODERATE

Appearance and Odor:COLORLE

SS LIQUID-SLIGHT SOLVENT ODOR.

Percent Volatiles by Volume:100

=====
Stability and Reactivity Data
=====

Stability Indicator/Materials to Avoid:YES

ALKALI OR ALKALINE EARTH METALS-POWDERED AL,ZN,BE,ETC.

Stability Condition to Avoid:HIGH TEMPERATURES,IGNITION SOURCES

Hazardous Decomposition Products:HYDROCHLORIC AND HYDROFLUORIC
ACIDS-POSSIBLE PHOSGENE.

=====
Disposal Considerations
=====

Waste Disposal Methods:ELIMINATE IGNITION S

SOURCES.CONTACT QUALIFIED

DISPOSAL CONTRACTOR OR MANUFACTURER FOR DISPOSAL METHODS.SEND TO
MFR/DISPOSAL CONTRACTOR FOR RECYCLE BY DISTILLATION.PACKAGE &
DISPOSE IN ACCORDANCE WITH LOCAL,STATE & FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate

and

disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.