

THREE M SUPPLY CO. -- 291E -- 8010-00-558-7026

=====
Product Identification
=====

Product ID:291E

MSDS Date:01/01/1985

FSC:8010

NIIN:00-558-7026

MSDS Number: BFFJZ

=== Responsible Party ===

Company Name:THREE M SUPPLY CO.

CAGE:LO060

=== Contractor Identification ===

Company Name:FEDERAL SPECIFICATIONS, PROMULGATED BY GSA

Box:City:WASHINGTON

State:DC

Country:US

CAGE:81348

Company Name:THREE M SUPP

LY COMPANY

Address:1852 JANKE RD

Box:City:NORTHBROOK

State:IL

ZIP:60062-6709

Country:US

CAGE:LO060

=====
Composition/Information on Ingredients
=====

Ingred Name:SOLVENTS

Fraction by Wt: 100%

ACGIH TLV:250PPM

=====
Hazards Identification
=====

Effects of Overexposure:MAY CAUSE DEPRESSION & SIGNS OF DIZZINESS, LOSS OF COORDINATION, HEADACHE.

=====
First Aid Measures
=====

First Aid:INHAL-REMOVE TO

OPEN AIR, RECOVERY USUALLY RAPID. EYE
CONTACT- FLUSH REPEATEDLY WITH WATER. INGESTION-DO NOT INDUCE
VOMITING; GET MEDICAL ATTENTION.

===== Fire Fighting Measures =====

Flash Point:100F TCC 38C
Lower Limits:1.0
Upper Limits:6.0
Extinguishing Media:CO*2, DRY CHEM, FOAM, WATER SPRAY.
Fire Fighting Procedures:SELF-CONTND BREATHING APPARAT. NORM COMBUST
PRODUCTS, AVOID(SUP

===== Accidental Release Measures =====

Spill Release Pr
cedures:ELIMINATE ALL SOURCES OF IGNITION IN VICINITY
OF SPILL; CLEAN UP SPILLS AS SOON AS POSSIBLE; VENTILATE WELL.

===== Handling and Storage =====

Handling and Storage Precautions:DANGER! HARMFUL IF SWALLOWED.
COMBUSTIBLE! KEEP AWAY FROM OPEN FLAME OR HEAT. USE IN WELL
VENTILATED AREA.
Other Precautions:IF SWALLOWED DO NOT INDUCE VOMITING CALL PHYSICIAN
IMMEDIATELY.

===== Exposure Controls/Personal Protection =====

Resp
iratory Protection:FOR CONCENTR ABOV TLV USE ORGANIC VAPOR RESPIR
OR SELF-CONTND BREATH
Ventilation:ADEQUATE TO KEEP BELOW TLV.
Protective Gloves:RUBBER OR NEOPR
Eye Protection:GOGGLES
Other Protective Equipment:WATER WASH FACILITIES SHOULD BE AVAIL F/EYE
OR SKIN CONTACT.
Supplemental Safety and Health
SPEC. FIRE FIGHTING PROCED: OXYGEN DEPLETION.

===== Physical/Chemical Properties =====

HCC:F4
Boiling Pt:B.P. Text:300-405F
Vapor Pres:77
Vapor Density:4.9
Sp

Specific Gravity:0.78

Evaporation Rate & Reference:0.12

Solubility in Water:INSOLUBLE

Appearance and Odor:COLORLESS LIQUID,ODOR OF HYDROCARBON SOLVENTS.

Percent Volatiles by Volume:99

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

MAY REACT WITH STRONG OXIDIZING MATERIALS.

Hazardous Decomposition Products:NORMAL COMBUST FORM CO*2 + WATER,
INCOMPLETE MAY FORM CO.

===== Disposal Considerations =====

Waste Disposal Methods:ABSORB LARGE SPILLS WITH CLAY OR EARTH.

VENTILATE AREA TO REMOVE VAPORS. WASH REMAINING LIQUID TO DRAIN
WITH WATER.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
docume

nt should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.