

CONTINENTAL CHEMICAL CORP. -- PETROLEUM ETHER TECH -- 6810-00-584-3079

=====
Product Identification
=====

Product ID:PETROLEUM ETHER TECH

MSDS Date:01/01/1987

FSC:6810

NIIN:00-584-3079

MSDS Number: BFGKN

=== Responsible Party ===

Company Name:CONTINENTAL CHEMICAL CORP.

Emergency Phone Num:812-235-8035

CAGE:23894

=== Contractor Identification ===

Company Name:CONTINENTAL CHEM CORP

Address:1330 BEE

CH STREET

Box:City:TERRE HAUTE

State:IN

Country:US

CAGE:23894

=====
Composition/Information on Ingredients
=====

Ingred Name:NAPHTA (PETROLEUM SPIRITS OR BENZIN)

CAS:8030-30-6

RTECS #:DE3030000

Fraction by Wt: 100%

OSHA PEL:100 PPM

=====
Hazards Identification
=====

Effects of Overexposure:INHAL:MAY PRODUCE ANESTHETIC EFFECTS.EYES:MAY CAUSE IRRITATION;SKIN:MAY BE IRRITATING

=====
First Aid Measures
=====

=====

First Aid:INHALE:REMOVE TO FRESH AIR, GIVE CPR/O*2 IF

NEED;EYES/SKIN:FLUSH W LG AMTS H*2O FOR 15 MIN;INGEST:RINSE MOUTH;
GET MEDICAL ATTENTION FOR EYES, BREATHING DIFFICULTY, OR OTHER
SYMPTOMS OF OVEREXPOSURE.

=====
Fire Fighting Measures
=====

Flash Point:-50F (ESTIMATED)

Lower Limits:1.1

Upper Limits:5.9

Extinguishing Media:FOAM,CO*2,DRY CHEMICALS.

Fire Fighting Procedures:USE NIOSH APPROVED SCBA FOR FIREFIGHTING

Unusual Fire/Explosion Ha

zard:NONE SPECIFIED BY THE MFR

===== Accidental Release Measures =====

Spill Release Procedures:CONTAIN SPILL.PROTECT FROM IGNITION.KEEP OUT OF WATER SOURCES AND SEWERS.ABSORB IN DRY,INERT MATERIAL(SAND,CLAY,SAWDUST,ETC.)USE NIOSH APROVED PERSONAL PROTECTIVE EQUIPMENT

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN COOL,WELL-VENTILATED AREAS.PROTECT FROM IGNITION.PROVIDE MEANS OF CONTROL LING LEAKS AND

SPILLS.BOND GROUND DURING LIQUID TRANSFER.

Other Precautions:DO NOT BREATH VAPORS.AVOID EYES AND SKIN CONTACT.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:USE NIOSH APROVED RESPIRATOR FOR THIS PRODUCT IF ABOVE TLV.

Ventilation:PROVIDE MECHAN(GEN/LOCAL EXHAUST)VENT TO MAINTN 1 (BUT ACET=1)

Solubility in Water:NEGLIGIBLE

Appearance and Odor:CLEAR LIQUID,ODOR LIKE GASOLINE

Percent Volatiles by Volume:100

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
OXYGEN AND STRONG OXIDIZING MATERIALS.

Stability Condition to Avoid:IGNITION SOURCES

Hazardous Decomposition Products:CARBON MONOXIDE MAY BE FORMED DURING COMBUSTION.

===== Disposal Considerations =====

Waste Disposal Methods:CONSULT LOCAL AUTHORITIES FOR INCINERATION OR DISPOSAL.DISPOSAL MUST BE IAW FEDERAL,STATE & LOCAL REGS.

Disclaimer (provided with this infor

mation by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.