

ENMAR -- 30279 -- 8010-00-597-7841

=====
Product Identification
=====

Product ID:30279
MSDS Date:01/01/1985
FSC:8010
NIIN:00-597-7841
MSDS Number: BFHBH
=== Responsible Party ===
Company Name:ENMAR
Address:201 N BERRY ST
City:BREA
State:CA
ZIP:92621-3904
Country:US
CAGE:OO111

==== Contractor Identification ====

Company Name:AMERON INDUSTRIAL COATINGS DIVISION
Address:201 N BERRY ST
Box:City:BREA
State:CA
ZIP:92621-3904
Country:US
Phone:714-529-4597
CAGE:09869
Company Name:ENMAR
Address:201 N BERRY ST
Box:City:BREA
Phone:(316)-7333-1361
CAGE:OO111

=====
Composition/Information on Ingredients
=====

Ingred Name:NAPHTHA (PETROLEUM SPIRITS OR BENZIN)
CAS:8030-30-6
RTECS #:SE7555000
Fraction by Wt: 52%
OSHA PEL:100 PPM

=====
Hazards Identification
=====

Effects of Overexposure:EYE,THROAT,SKIN,LUNG IRRITANT,ANESTHESIA

=====

= First Aid Measures =====

First Aid:WASH SKIN THOROUGHLY FLUSH EYES WITH WATER,REMOVE TO FRESH AIR,REMOVE CONTAMINATED CLOTHING.GIVE ARTIFICIAL RESPIRATION IF NEEDED, CALL DOCTOR

===== Fire Fighting Measures =====

Flash Point:86F,30C TCC

Lower Limits:1.1

Extinguishing Media:FOAM,DRY CHEMICAL,FOG,CARBON DIOXIDE

Fire Fighting Procedures:SELF CONTAINED BREATHING APPARATUS

Unusual Fire/Explosion Hazard:AVOID FIRE,HEAT,SPARKS,IGNITION

SOURCES,STORAGE IN DIRECT SUNLIGHT

===== Accidental Release Measures =====

Spill Release Procedures:VENTILATE AREA MECHANICALLY,KEEP FROM FLAME,FIRE,SPARKS,IGNITION SOURCES;DO NOT BREATHE VAPORS;CLEAN UP WITH ABSORBENT MATERIAL AND NON-SPARKING TOOLS.

===== Handling and Storage =====

Handling and Storage Precautions:KEEP FROM HEAT,SPARKS,FIRE,SOURCES OF IGNITION;STORAGE IN DIRECT SUNLIGHT;AVOID PROLONGED SKIN

C
ONTACT;STORE CONTAINERS CLOSED AND UPRIGHT

===== Exposure Controls/Personal Protection =====

Respiratory Protection:SELF-CONTAINED BREATHING APPARATUS

Ventilation:LOCAL,MECHANICAL

Eye Protection:SAFETY WITH SIDE SHIELDS

Supplemental Safety and Health

BOILING RANGE 155-189.4C

===== Physical/Chemical Properties =====

HCC:F4

Boiling Pt:B.P. Text:311-373F

Vapor Pres:3.2

Vapor Density:>AIR

Evaporation Rate & Reference:< ETHER

Appearance and Odor:B

ROWN

Percent Volatiles by Volume:60.2

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

Stability Condition to Avoid:FIRES,HEAT,HOT SURFACES

===== Disposal Considerations =====

Waste Disposal Methods:IN ACCORDANCE WITH REGULATIONS

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever,

expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.

expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.