

GENERAL ELECTRONIC CO. -- 49F653 -- 5910-00-615-9957

===== Product Identification =====

Product ID:49F653  
MSDS Date:01/01/1985  
FSC:5910  
NIIN:00-615-9957  
MSDS Number: BFHXH  
=== Responsible Party ===  
Company Name:GENERAL ELECTRONIC CO.  
Address:3135 EASTON TURNPIKE  
City:FAIRFIELD  
State:CT  
ZIP:06431  
Country:US  
Info Phone Num:800-626-2000  
Emergency Phone Num:800-626-2000  
CAGE:JO842  
=== Contractor Ident  
ification ===  
Company Name:GENERAL ELECTRIC CO  
Address:3135 EASTON TURNPIKE  
Box:City:FAIRFIELD  
State:CT  
ZIP:06431  
Country:US  
Phone:800-626-2000/800-626-2004 (CHRIS)  
CAGE:24446  
Company Name:GENERAL ELECTRONIC CO.  
Address:3135 EASTON TURNPIKE  
Box:City:FAIRFIELD  
State:CT  
ZIP:06431  
Country:US  
Phone:800-626-2000  
CAGE:JO842

===== Composition/Information on Ingredients =====

Ingred Name:POLYCHLORINATED BIPHENYLS (PCBS) (SARA III)  
CAS:1336-36-3  
RTECS #:TQ1350000  
EPA Rpt Qty:1 LB  
DOT

Rpt Qty:1 LB

=====  
===== Hazards Identification =====  
=====

Effects of Overexposure:ABSORBED THRU SKIN,LUNGS,INTESTINE.CAUSES  
CANCER,LIVER,KIDNEY,STOMACH,EYE,HEARING DISORDER(SUP DATA)

=====  
===== First Aid Measures =====  
=====

First Aid:EYES:FLUSH W/WATER IMMED.SKIN:WASH W/SOAP IMMED.INHAL:REMOVE  
TO FRESH AIR.GIVE ART.RESPIR. AS NEEDED.INGEST:GET MEDICAL  
ATTN.GIVE LARGE QTY OF SALT WATER,INDUCE VOMITING,BUT DO NOT MAKE  
UNCONSC  
IOUS PE RSON VOMIT.

=====  
===== Accidental Release Measures =====  
=====

Spill Release Procedures:USE ABSORBENT & DIKES TO PREVENT  
RUNOFF.ISOLATE & NOTIFY PROPER AUTHORITIES.

=====  
===== Handling and Storage =====  
=====

Handling and Storage Precautions:STORAGE MUST FOLLOW RCRA REQUIREMENTS.

=====  
===== Exposure Controls/Personal Protection =====  
=====

Respiratory Protection:SUPPLIED AIR W/FULL FACEPIECE,HELMET OR HOOD  
Ventilation:LOCAL EXHAUS

T

Protective Gloves:RUBBER-IMPERV

Eye Protection:GOGGLES FACE SHIELD

Other Protective Equipment:FULL CLOTHING TO PREVENT SKIN CONTACT

Supplemental Safety and Health

OVEREXPOS:CAN CAUSE FORMATION OF CYSTS.CAUSES STILLBIRTHS.IRRITATES  
EYES,NOSE,THROAT.

=====  
===== Physical/Chemical Properties =====  
=====

HCC:Z3

Appearance and Odor:LIGHT STRAW COLORED LIQUID,AROMATIC ODOR

=====  
===== Stability and Reactivity Data =====  
=====

STRONG OXIDIZERS

=====

== Disposal Considerations =====

Waste Disposal Methods:CONTROLLED DISPOSAL REQUIRED-GENERALLY HIGH  
TEMPERATURE INCINERATION.ONLY APPROVED DISPOSAL OPERATOR PERMITTED.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for it  
s use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.