

UNOCAL CHEMICALS DIV. -- AMSCO SOLV 1106 140 SOLVENT 66/3 11106 -- 6850-00-637-6135
===== Product Identification =====

Product ID:AMSCO SOLV 1106 140 SOLVENT 66/3 11106

MSDS Date:06/14/1991

FSC:6850

NIIN:00-637-6135

MSDS Number: BFJRR

=== Responsible Party ===

Company Name:UNOCAL CHEMICALS DIV.

Address:1700 EAST GOLF ROAD

City:SCHAUMBURG

State:IL

ZIP:60173

Country:US

Info Phone Num:708-490-250

0

Emergency Phone Num:708-490-2500/CHEMTREC 800-424-9300

CAGE:5W323

=== Contractor Identification ===

Company Name:CHEMICAL SPECIALISTS AND DEVELOPMENT INC

Address:2210 HACKBERRY LN

Box:687

City:CONROE

State:TX

ZIP:77305

Country:US

Phone:409-756-1065

CAGE:4N760

Company Name:PHIPPS PRODUCTS CORP

Address:186 LINCOLN ST SUITE 502

Box:City:BOSTON

State:MA

ZIP:02111-2403

Country:US

Phone:OUT OF BUSINESS

CAGE:86511

Company Name:UNOCAL CHEMICALS DIV UNION OIL CO OF CALIFORNIA

Address:1345 N MEACHAM RD

Box:City:SCHAUMBURG
State:IL
ZIP:60195
Country:US
Phone:800-967-7601
CAGE:5W323

=====
Composition/Information on Ingredients
=====

Ingred Name:STODDARD SOLVENT
CAS:8052-41-3
RTECS #:WJ8925000
Fraction by Wt: 100%
Other REC Limits:NONE SPECIFIED
OSHA PEL:500 PPM
ACGIH TLV:100 PPM; 9293

=====
Hazards Identification
=====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazard

s Acute and Chronic:ACUTE: INHALATION- IRRITATION, CNS
EFFECTS. EYES- IRRITATION. SKIN- IRRITATION, SKIN DAMAGE.
INGESTION- IRRITATION OF DIGESTIVE TRACT, CNS EFFECTS. CHRONIC:
PAINTER'S SYNDROME (BRAIN & NERVOUS SYSTEM DAMAGE).

Explanation of Carcinogenicity:NONE

Effects of Overexposure:EYE:REDNESS, BURNING SENSATION. SKIN: REDNESS,
DRYING, CRACKING. INHALED:IRRITATION OF RESPIRATORY TRACT,
DIZZINESS, HEADACHE, FATIGUE, DROWSINESS. INGESTED: NAUSEA,
VOMITING, DIARRHEA, C

NS EFFECTS SI MILAR TO INHALATION.

Medical Cond Aggravated by Exposure:NONE REPORTED. PEOPLE WITH
PRE-EXISTING SKIN OR RESPIRATORY DISORDERS MAY BE MORE SUSCEPTABLE
TO THIS PRODUCT.

=====
First Aid Measures
=====

First Aid:EYE: FLUSH WITH WATER FOR 15 MINUTES. SEE DOCTOR. SKIN:REMOVE
CONTAMINATED CLOTHING. WASH WITH SOAP & WATER. INHALED: REMOVE FROM
EXPOSURE. GIVE OXYGEN OR ARTIFICIAL RESPIRATION IF NEEDED. GET
MEDICAL ATTENTION. INGE

STED:DO NOT INDUCE VOMITING. GET MEDICAL
ATTENTION. IF SYMPTOMS PERSIST,GET MEDICAL ATTENTION.

===== Fire Fighting Measures =====

Flash Point Method:TCC

Flash Point:140F,60C

Lower Limits:1.0

Upper Limits:7.0

Extinguishing Media:DRY CHEMICAL, CARBON DIOXIDE, FOAM, HALON, OR WATER
SPRAY

Fire Fighting Procedures:WEAR SELF CONTAINED BREATHING APPARATUS. USE
WATER TO COOL FIRE EXPOSED CONTAINERS,BEING CAREFUL NOT TO SPREAD
FIRE WITH WATER.

Unusual F

ire/Explosion Hazard:MATERIAL WILL NOT IGNITE READILY,BUT CAN
BE IGNITED BY FLAME AND WILL BURN EASILY ONCE IGNITED. VAPORS ARE
HEAVIER THAN AIR AND MAY ACCUMULATE IN LOW AREAS.

===== Accidental Release Measures =====

Spill Release Procedures:ELIMINATE SOURCES OF IGNITION. VENTILATE AREA.
ABSORB WITH INERT MATERIAL. STORE IN CLOSED CONTAINER FOR DISPOSAL.

Neutralizing Agent:NONE

===== Handling and Storage =====

Handli

ng and Storage Precautions:STORE TIGHTLY CLOSED IN A
COOL,DRY,WELL VENTILATED AREA FREE FROM IGNITION SOURCES. PROPERLY
BOND AND GROUND CONTAINERS DURING TRANSFER OPERATIONS.

Other Precautions:"EMPTY" DRUMS MAY CONTAIN SUFFICIENT RESIDUE OR VAPOR
TO BE EXPLOSION HAZARD. DO NOT CUT,WELD,GRIND ON "EMPTY"
CONTAINERS.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:USE NIOSH ORGANIC VAPOR RESPIRATOR OR SUPPLIED
AIR RESPIRATOR IF EXPOSE
D ABOVE TLV(PEL).

Ventilation:USE ADEQUATE MECHANICAL VENTILATION. USE EXPLOSION PROOF
EQUIPMENT.

Protective Gloves:NITRILE

Eye Protection:SAFETY GLASSES AND/OR SPLASH GOGGLES

Other Protective Equipment:IMPERVIOUS CLOTHING (IF NEEDED TO PREVENT
PROLONGED/REPEATED CONTACT). EYE WASH/SAFETY SHOWER.

Work Hygienic Practices:USE NORMAL CHEMICAL HYGIENE PROCEDURES. DO NOT
EAT, DRINK, OR SMOKE UNTIL WASHING HANDS.

Supplemental Safety and Health

MSDS DATED:07/23/86:ITEM IS OF TYPE II OF SPEC

:P-D-680;EFFECTS OF
OVEREXP:EYES:BURNING,TEARING&REDNESS;SKIN:CRACKING OF
SKIN;INHAL:CNS DEPRESSION,DIZZINESS;DROWSINESS;INGEST:IRRIT.G.I
TRACT.

===== Physical/Chemical Properties =====

HCC:N1

Boiling Pt:B.P. Text:370F,188C

Vapor Pres: