

GOAL CHEMICAL SEALANTS CORP.3137 E 26 ST.L.A.CALIF -- GC-3001 -- 8030-00-664-4019  
===== Product Identification =====

Product ID:GC-3001  
MSDS Date:01/01/1985  
FSC:8030  
NIIN:00-664-4019  
MSDS Number: BFKNP  
=== Responsible Party ===  
Company Name:GOAL CHEMICAL SEALANTS CORP.3137 E 26 ST.L.A.CALIF  
Emergency Phone Num:213-269-0461  
CAGE:04011  
=== Contractor Identification ===  
Company Name:GOAL CHEMICAL SE  
ALANTS CORP  
Address:3137 E 26TH ST  
Box:City:LOS ANGELES  
State:CA  
ZIP:90023-4206  
Country:US  
Phone:213-269-0461  
CAGE:04011

===== Composition/Information on Ingredients =====

Ingred Name:METHYL ETHYL KETONE (2-BUTANONE) (MEK) (SARA III)  
CAS:78-93-3  
RTECS #:EL6475000  
Fraction by Wt: 81.0%  
OSHA PEL:200 PPM/300 STEL  
ACGIH TLV:200 PPM/300STEL 9192  
EPA Rpt Qty:5000 LBS  
DOT Rpt Qty:5000 LBS

Ingred Name:PHENOLIC  
Fraction by Wt: 7.0%

===== Hazards Identification ===

=====

Effects of Overexposure:REMOVE VICTIM TO CENTRAL NERVOUS SYSTEM, MAY CAUSE DIZZINESS

===== First Aid Measures =====

First Aid:REMOVE VICTIM TO OPEN AREA AWAY FROM FUMES. IN CASE OF EYE CONTACT FLUSH WITH WATER AND SEE A PHYSICIAN

===== Fire Fighting Measures =====

Flash Point:>35F CC  
Extinguishing Media:DRY CHEMICALS, CO2, ETC.  
Fire Fighting Procedures:FIGHT AS EXPLOSIVE SOLVENT  
Unusual Fire/Explosion Hazard:NONE

===== Accidental Release Measures =====

Spill Release Procedures:CLEAN UP WITH TOLUENE OR KETONES.

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN COOL PLACE BELOW 80F  
Other Precautions:WASH THOROUGHLY AFTER HANDLING,STORE BELOW 80F

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE REQUIRED FOR REGULAR OPEN AREA USE.  
Ventilation:LOCAL EXHAUST  
Protective Gloves:YES-RECOMMENDED  
Eye Protection:YES-RECOMMENDED  
Other Protective Equipment:CHEMICAL RESISTANT APRON  
Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:F2  
Solubility in Water:NIL  
Appearance and Odor:CLEAR AMBER  
Percent Volatiles by Volume:85.0

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES  
Stability Condition to Avoid:HEAT ABOVE 80F  
Conditions to Avoid

Polymerization:HEAT ABOVE 80F

===== Disposal Considerations =====

Waste Disposal Methods:FIREPROOF CONTAINER

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.