

CSD, INC. -- DRY CLEANING SOLVENT -- 6850-00-664-5685

=====  
Product Identification  
=====

Product ID:DRY CLEANING SOLVENT

MSDS Date:01/01/1987

FSC:6850

NIIN:00-664-5685

MSDS Number: BFKQJ

=== Responsible Party ===

Company Name:CSD, INC.

Address:5 HACKBURY ST

Box:687

City:CONROE

State:TX

ZIP:77305

Country:US

Info Phone Num:409-756-1065

Emergency Phone Num:409-756-1065

CAGE:KO005

=== Contractor Iden

tification ===

Company Name:CHEMICAL SPECIALISTS AND DEVELOPMENT INC

Address:2210 HACKBERRY LN

Box:687

City:CONROE

State:TX

ZIP:77305

Country:US

Phone:409-756-1065

CAGE:4N760

Company Name:CSD, INC.

Address:5 HACKBURY ST

Box:687

City:CONROE

State:TX

ZIP:77305

Country:US

Phone:409-756-1065

CAGE:KO005

=====  
Composition/Information on Ingredients  
=====

Ingred Name:MINERAL SPIRITS

CAS:64475-85-0

RTECS #:PY8240000

Fraction by Wt: 100%

ACGIH TLV:350 PPM

=====  
Hazar

ds Identification =====

Effects of Overexposure:INHAL OF HIGH VAPOR CONCENTRAT MAY HAVE RESULTS RANGNG FR DIZZI & HEADNESS TO UNCONSCIOUSNESS.

===== First Aid Measures =====

First Aid:IF OVERCOME BY VAPOR,REMOV FROM EXPOSUR IMMED;CALL A DR.IF BREATHING IS IRREG OR STOPPED,START RESUSCITATION,ADMIN. OXYGEN.IF INGESTED,DO NOT INDUCE VOMITING,CALL A DR.IN CASE OF SKIN CONTACT,REMOVE AN Y CONTAMINATED CLOTHING.

===== Fire Fighting Measures =====

Flash Point:108F TCC 42C T  
Lower Limits:0.9%  
Upper Limits:6.0%  
Extinguishing Media:FOAM,DRY CHEM,CO\*2 OR WATER FOG OR SPRAY.  
Fire Fighting Procedures:AIR-SUPPLIED BREATHNG EQPMT F/ENC AREAS.COOL EXPOS CONTR  
Unusual Fire/Explosion Hazard:DO NOT MIX OR STORE W/STRONG OXIDANTS LIKE LIQUID CHLORIDE OR CONCENTRAT OXYGEN.COMBUSTIBLE LIQUID.

===== Accidental Release Measures =====

Spill Release Procedures:REMO  
V ALL IGNIT SOURCES.KP PEOPLE AWAY.RECOVER FREE LIQUID,ADD ABSORBENT (SAND,EARTH,SAWDUST,ETC.) TO SPILL AREA.AVOID BREATHING VAPORS.VENTILAT CONFINED SPACES.OPN ALL WINDOWS/DOORS.KP PETROL PRODCTS OUT OF SEWERS/WATRCOURSES BY DIKING ORIMPOUNDING

===== Handling and Storage =====

Handling and Storage Precautions:KP CONTNRS CLOS WHN NOT IN USE. DO NOT HANDLE OR STORE NEAR HEAT,SPARKS,FLAME OR STRONG OXIDANTS.ADEQ\*VENT REQD.\*ADEQ MEANS EQ  
UIVAL TO OUTDOORS.  
Other Precautions:AVD BREATHING VAPORS.AVOID PROLNG/REPEAT CONTACT WITH SKIN.REMOVE CONTAM CLOTHNG,LAUNDR BEFORE REUSE.REUSE CONTAM SHOES & THORO DRY BEFORE REUSE.WASH SKN THORO W SOAP/WATR AFTER CONTACT.

===== Exposure Controls/Personal Protection =====

Ventilation:LOC EXHAUS-FACE VELOCITY>60 FPM,USE ONLY W/ADEQ VENTIL.  
Protective Gloves:CHEM-RESISTANT  
Eye Protection:SPLASH GOGG OR FACE SHIEL  
Other Protective Equipment:CHEM-RESISTANT APRON RECOMMEN

DED.  
Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:F4  
Boiling Pt:B.P. Text:300F 149C  
Vapor Density:4.8  
Evaporation Rate & Reference:N-BUTYL ACET