

FEDERAL SPECIFICATIONS, PROMULGATED BY GSA -- KINGCO 21-114 LABEL ADHESIVE --
8040-00-682-6817

===== Product Identification =====

Product ID:KINGCO 21-114 LABEL ADHESIVE
MSDS Date:01/01/1987
FSC:8040
NIIN:00-682-6817
MSDS Number: BFLLV
=== Responsible Party ===
Company Name:FEDERAL SPECIFICATIONS, PROMULGATED BY GSA
City:WASHINGTON
State:DC
Country:US
Emergency Phone Num:1-314-772-9953
CAGE:81348

=== Contractor Identification ===

Company Name:FEDERAL SPECIFICATIONS, PROMULGATED BY GSA
Box:City:WASHINGTON
State:DC
Country:US
CAGE:81348

===== Composition/Information on Ingredients =====

Ingred Name:METHYL ISOBUTYL KETONE (HEXONE) (SARA III)
CAS:108-10-1
RTECS #:SA9275000
Fraction by Wt: 15%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:100 PPM
ACGIH TLV:50 PPM/75 STEL; 9394
EPA Rpt Qty:5000 LBS
DOT Rpt Qty:5000 LBS

===== Hazards Identification =====

=====

Effects of Overexposure:MIGHT AFFECT NERVOUS SYSTEM AND CAUSE
RESPIRATORY IRRITATION HEADACHE OR NAUSEA.

===== First Aid Measures =====

First Aid:SKIN CONTACT:WASH WITH SOAP AND WATER. EYE CONTACT:RINSE WITH
WATER FOR 15 MINUTES,SEE DR. INGESTION:CALL A DR.

===== Fire Fighting Measures =====

Flash Point:42 F(TCC)
Lower Limits:1.2
Upper Limits:7.5
Extinguishing Media:MECHANICAL FOAM;DRY CHEMICAL;WA

TER FOG; CO2

Fire Fighting Procedures:DO NOT USE A STRAIGHT WATER STREAM

Unusual Fire/Explosion Hazard:A VAPOR ACCUMULATION WOULD FLASH/AND OR EXPLODE IF IGNITED.

===== Accidental Release Measures =====

Spill Release Procedures:TURN OFF ALL SOURCES OF IGNITION. VENTILATE AREA AND SOAK UP IN ABSORBENT MATERIAL.

===== Handling and Storage =====

Handling and Storage Precautions:DO NOT STORE NEAR EXTREME HEAT OR SOURCE OF IGNITION.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:ORGANIC CANISTER

Ventilation:LOCAL EXHAUST-TO FIRE SAFE AREA

Protective Gloves:RECOMMENDED

Eye Protection:RECOMMENDED

Other Protective Equipment:TO PROTECT CLOTHING

Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:F2

Boiling Pt:B.P. Text:230 F-243 F

Vapor Pres:17/

Vapor Density:3.21

Spec Gravity:0.9183

Evaporation Rate & Reference:FA

STER THAN

Solubility in Water:NEGLIGIBLE

Appearance and Odor:CLEAR LIQUID,FRUITY ODOR

Percent Volatiles by Volume:83%

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZERS

Stability Condition to Avoid:HEAT,SPARKS,OPEN FLAME

Hazardous Decomposition Products:CO IF BURNED WITH INSUFFICIENT AIR

===== Disposal Considerations =====

Waste Disposal Methods:ACCORDING TO LOCAL,STATE AND FEDERAL

REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.