

ESSEX CHEM CORP. -- PRO-SEAL TYPE 2 BASE -- 8030-00-684-8790

=====  
Product Identification  
=====

Product ID:PRO-SEAL TYPE 2 BASE

MSDS Date:01/01/1985

FSC:8030

NIIN:00-684-8790

MSDS Number: BFLNJ

=== Responsible Party ===

Company Name:ESSEX CHEM CORP.

Emergency Phone Num:213-537-7600

CAGE:LO697

=== Contractor Identification ===

Company Name:ESSEX CHEM CORP.

CAGE:LO697

Company Name:ESSEX CHEMICAL CO

RP PRO-SEAL DIV

Address:19451 SUSANA RD

Box:City:COMPTON

State:CA

ZIP:90221-5713

Country:US

Phone:310-537-7600

CAGE:83527

=====  
Composition/Information on Ingredients  
=====

Ingred Name:TOLUENE (SARA III)

CAS:108-88-3

RTECS #:XS5250000

Fraction by Wt: 4%

OSHA PEL:200 PPM/150 STEL

ACGIH TLV:50 PPM; 9293

EPA Rpt Qty:1000 LBS

DOT Rpt Qty:1000 LBS

=====  
Hazards Identification  
=====

Effects of Overexposure:IF INGESTED NAUSEA,VOMITING & HDACHE.

=====  
First Aid Measures  
=====

First Aid:CONSULT PHYSICIAN.

=====  
Fire Fighting Measures  
=====

Flash Point:145F SCC 63 CS

Extinguishing Media:DRY CHEM,FOAM, CO\*2 WATER.

=====  
Accidental Release Measures  
=====

Spill Release Procedures:CLEAN SPILLAGE W/RAGS OR SWEEPING COMPOUND.

=====  
Handling and Storage  
=====

Handling and Storage Precautions:AVOID CONTACT  
& INGESTION STORE IN  
CLOSED CONTAINER BELOW 80F.

=====  
Exposure Controls/Personal Protection  
=====

Ventilation:LOC EXHAUST-RECOMMENDED

Protective Gloves:NEOPRENE

Eye Protection:SAFETY GOGGLES

Other Protective Equipment:COVERALLS, APRON.

Supplemental Safety and Health

KEY1:F8.

=====  
Physical/Chemical Properties  
=====

HCC:V4

Spec Gravity:2.2

Solubility in Water:NONE

Appearance and Odor:WHITE PASTE,SLIGHT ODOR.

Percent Volatiles by Volume:6.0

=

=====  
Stability and Reactivity Data  
=====

Stability Indicator/Materials to Avoid:YES

=====  
Disposal Considerations  
=====

Waste Disposal Methods:WASTE DISPOSAL SHOULD BE IN ACCORDANCE  
W/FEDERAL,STATE & LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expr

essly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.